

# Safety Data Sheet

Issue Date: 04-Aug-2014

Revision Date: 12-19-2014

Version 1

## 1. IDENTIFICATION

**Product Identifier****Product Name** LIQUID RIG WASH**Other means of identification**SDS # 5040-0706\_ ASH-003  
M-0706\_  
M-0265\_**Recommended use of the chemical and restrictions on use****Recommended Use** Cleaner/ Degreaser.**Details of the supplier of the safety data sheet****Supplier Address**Ashburn Chemical Technologies  
7403 Wright Rd  
Houston, TX 77041**Emergency Telephone Number****Company Phone Number** 832-399-1015  
**Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Clear liquid**Physical State** Liquid**Odor** Mild citrus**Classification**

Skin sensitization

Category 1

**Hazards Not Otherwise Classified (HNOC)**

Causes mild skin irritation

**Signal Word**

Warning

**Hazard Statements**

May cause an allergic skin reaction

**Precautionary Statements - Prevention**Avoid breathing dust/fume/gas/mist/vapors/spray  
Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves

**Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of soap and water  
Wash contaminated clothing before reuse  
If skin irritation or rash occurs: Get medical advice/attention

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	<5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

**4. FIRST-AID MEASURES****First Aid Measures**

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	Flush with large amounts of water for 15 minutes. Lift the upper and lower eyelid to ensure complete flushing of the eye(s). Remove contact lens, if worn. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
<b>Inhalation</b>	Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Use adequate respiratory protection. Seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth resuscitation.
<b>Ingestion</b>	Do not induce vomiting without medical advice. Seek immediate medical attention/advice.

**Most important symptoms and effects**

<b>Symptoms</b>	May cause skin and eye irritation.
-----------------	------------------------------------

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical** Not determined.

**Hazardous Combustion Products** Oxides of carbon and nitrogen compounds.

**Protective equipment and precautions for firefighters**

Evacuate area. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Firefighters should use standard protective equipment and in enclosed spaces, self-contained breathing apparatus(SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
<b>Environmental Precautions</b>	Dike far ahead of liquid spill for later recovery and disposal. Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so. Absorb or cover with dry earth, sand or other non-combustible material.
<b>Methods for Clean-Up</b>	Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS. Contain large spills and pump into a suitable tank for disposal. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. US regulations require reporting releases of this material to the environment which exceed the applicable reportable quantity or oil spills which could reach any waterway including intermittent dry creeks. The National Response Center can be reached at (800) 424-8802.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

<b>Advice on Safe Handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing fumes, vapors, mists, spray. Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse.
--------------------------------	--

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store in open or unlabeled containers. Store away from heat and open flame. Storage temperature > 40 F.
<b>Incompatible Materials</b>	Strong acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m <sup>3</sup> (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m <sup>3</sup> (vacated) S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m <sup>3</sup>
Sodium metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

**Appropriate engineering controls**

**Engineering Controls** Maintain eye wash fountain and quick-drench facilities in work area.

**Individual protection measures, such as personal protective equipment**

**Eye/Face Protection** If contact is likely, safety glasses with side shields are recommended.

**Skin and Body Protection** If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations** Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Mild citrus
<b>Appearance</b>	Clear liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear		

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	12.3-12.7	
<b>Melting Point/Freezing Point</b>	Not determined	
<b>Boiling Point/Boiling Range</b>	> 100 °C / > 212 °F	(at 760 mm Hg)
<b>Flash Point</b>	Not flammable	
<b>Evaporation Rate</b>	< 1	(butyl acetate = 1)
<b>Flammability (Solid, Gas)</b>	Not determined	
<b>Upper Flammability Limits</b>	Not determined	
<b>Lower Flammability Limit</b>	Not determined	
<b>Vapor Pressure</b>	>1.0	
<b>Vapor Density</b>	>1.0	
<b>Specific Gravity</b>	1.11	
<b>Water Solubility</b>	Completely soluble	
<b>Solubility in other solvents</b>	Not determined	
<b>Partition Coefficient</b>	Not determined	
<b>Auto-ignition Temperature</b>	Not determined	
<b>Decomposition Temperature</b>	Not determined	
<b>Kinematic Viscosity</b>	Not determined	
<b>Dynamic Viscosity</b>	Not determined	
<b>Explosive Properties</b>	Not determined	
<b>Oxidizing Properties</b>	Not determined	

## 10. STABILITY AND REACTIVITY

**Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to Avoid**

Incompatible Materials.

**Incompatible Materials**

Strong acids.

**Hazardous Decomposition Products**

Thermal decomposition and combustion are not expected to occur except under extreme conditions.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

<b>Eye Contact</b>	May cause temporary irritation on eye contact.
<b>Skin Contact</b>	Prolonged contact may cause redness and irritation. May cause an allergic skin reaction.
<b>Inhalation</b>	May cause irritation to the mucous membranes and upper respiratory tract.
<b>Ingestion</b>	May cause gastrointestinal irritation or diarrhea.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg ( Rat )	= 2270 mg/kg ( Rat ) = 220 mg/kg ( Rabbit )	= 2.21 mg/L ( Rat ) 4 h = 450 ppm ( Rat ) 4 h
Tetrapotassium pyrophosphate 7320-34-5	-	> 4640 mg/kg ( Rabbit )	-
Sodium metasilicate 6834-92-0	= 600 mg/kg ( Rat )	-	-
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-

**Information on physical, chemical and toxicological effects**

<b>Symptoms</b>	Please see section 4 of this SDS for symptoms.
-----------------	--

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Sensitization</b>	May cause an allergic skin reaction.
<b>Carcinogenicity</b>	The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl Ether 111-76-2	A3	Group 3		

*ACGIH (American Conference of Governmental Industrial Hygienists)**A3 - Animal Carcinogen**IARC (International Agency for Research on Cancer)**Group 3 IARC components are "not classifiable as human carcinogens"***Numerical measures of toxicity**

Not determined

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. This material is alkaline and may raise the pH of surface waters with low buffering capacity.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1698 - 1940: 24 h Daphnia magna mg/L EC50 1000: 48 h Daphnia magna mg/L EC50
Tetrapotassium pyrophosphate 7320-34-5		100: 96 h Oncorhynchus mykiss mg/L LC50		100: 48 h water flea mg/L EC50
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50		216: 96 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		

**Persistence/Degradability**

Biodegradation: Expected to be slowly biodegradable. Natural carbon dioxide will slowly neutralize this material.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether 111-76-2	0.81

**Other Adverse Effects** Not determined

### 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**California Hazardous Waste Status**

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic Corrosive

### 14. TRANSPORT INFORMATION

**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

**DOT**

Not regulated

**IATA**

Not regulated

**IMDG**

Not regulated

### 15. REGULATORY INFORMATION

**International Inventories**

TSA Listed

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*  
*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*  
*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*  
*ENCS - Japan Existing and New Chemical Substances*  
*IECSC - China Inventory of Existing Chemical Substances*  
*KECL - Korean Existing and Evaluated Chemical Substances*  
*PICCS - Philippines Inventory of Chemicals and Chemical Substances*  
*AICS - Australian Inventory of Chemical Substances*

## US Federal Regulations

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lb		RQ 1000 lb final RQ ; RQ 454 kg final RQ

### SARA 311/312 Hazard Categories

This material, as supplied, does not contain any substances subject to the requirements of SARA Sections 311/312 (40 CFR 370)

### SARA 313

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	1-5	1.0

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide 1310-73-2 (<1)	1000 lb			X

## US State Regulations

California Proposition 65 This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Sodium hydroxide 1310-73-2	X	X	X

## 16. OTHER INFORMATION

### NFPA

#### Health Hazards

1

#### Flammability

0

#### Instability

0

#### Special Hazards

Not determined

### HMIS

#### Health Hazards

1

#### Flammability

0

#### Physical Hazards

0

#### Personal Protection

Not determined

Issue Date: 04-Aug-2014

Revision Date: 19-Dec-2014

Revision Note: New format

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

