



MANUFACTURING & ENGINEERING

Actek® Manufacturing & Engineering

1110 Fullerton Road

City of Industry, CA 91748

Toll Free: 800-752-7229


Phone: 626-581-3424

Fax: 626-581-3423

Email: sales@actekmfg.com

Website: www.actekmfg.com


Item # 46004, Safety Swivel Hoist Ring



[Specifications](#) | [Features](#)

SPECIFICATIONS

Dimension Drawing



Safety Swivel Hoist Ring

U-Bar (D)	3/4
Rated Load	4,000 lbs
Thread Size	5/8" - 11
Thread Protrusion (E)	1.03 in
Bushing Head Diameter	1.45 in
B	2.18 in
A	0.88 in
C	1.22 in
F	4.78 in
G	3.52 in
H	1.99 in
Torque	60 ft-lbs
Type	Standard U-Bar
Material	Aircraft Quality Alloy

Swivels Angle	360 °
Pivots Angle	180 °
Safety Factor	5:1
Finish	Black Oxide per MIL Specification (Cadmium Plated Available)
Applicable Screw P/N	46044
Actek Manufacturer Number	AK46004
Product	Safety Swivel Hoist Ring
Weight	2.6 lbs

FEATURES

- Swivels 360° - Pivots 180°
- Material : Aircraft Quality Alloy
- Finish : Black Oxide per MIL Specification (Cadmium Plated Available)
- Safety Factor : 5:1
- Magnetic Particle Inspected
- Certified Heat Treatment
- Meets or Exceeds ASME B30.26
- Conforms to CE