



MANUFACTURING & ENGINEERING

Actek® Manufacturing & Engineering

1110 Fullerton Road

City of Industry, CA 91748

Toll Free: 800-752-7229


Phone: 626-581-3424

Fax: 626-581-3423

Email: sales@actekmfg.com

Website: www.actekmfg.com


Item # 46405, Safety Swivel Hoist Ring



[Specifications](#) | [Features](#)

SPECIFICATIONS

Dimension Drawing



Safety Swivel Hoist Ring

U-Bar (D)	1 3/4
Rated Load	24,000 lbs
Thread Size	1 1/2" - 8
Thread Protrusion (E)	2.7 in
Bushing Head Diameter	4.15 in
B	6.41 in
A	2.25 in
C	2.81 in
F	12.47 in
G	8.55 in
H	4.87 in
Torque	800 ft-lbs
Type	Standard U-Bar
Material	Aircraft Quality Alloy

Swivels Angle	360 °
Pivots Angle	180 °
Safety Factor	5:1
Finish	Black Oxide per MIL Specification (Cadmium Plated Available)
Applicable Screw P/N	46415
Actek Manufacturer Number	AK46405
Product	Safety Swivel Hoist Ring
Weight	34 lbs

FEATURES

- Swivels 360° - Pivots 180°
- Material : Aircraft Quality Alloy
- Finish : Black Oxide per MIL Specification (Cadmium Plated Available)
- Safety Factor : 5:1
- Magnetic Particle Inspected
- Certified Heat Treatment
- Meets or Exceeds ASME B30.26
- Conforms to CE