



MANUFACTURING & ENGINEERING

Actek® Manufacturing & Engineering

1110 Fullerton Road

City of Industry, CA 91748

Toll Free: 800-752-7229


Phone: 626-581-3424

Fax: 626-581-3423

Email: sales@actekmfg.com

Website: www.actekmfg.com


Item # 46916, Metric Safety Swivel Hoist Ring



[Specifications](#) | [Features](#)

SPECIFICATIONS

Dimension Drawing



Safety Swivel Hoist Ring

Rated Load	500 kg
Thread Size	M10 x 1.50
Thread Protrusion (E)	18 mm
Bushing Head Diameter	22 mm
B	30 mm
A	11 mm
C	18 mm
D	10 mm
F	68 mm
G	47 mm
H	25 mm
Torque	16 N·m
Type	Standard U-Bar
Material	Aircraft Quality Alloy

Applicable Screw P/N	49146
Safety Factor	5:1
Swivels Angle	360 °
Pivots Angle	180 °
Finish	Black Oxide per MIL Specification (Cadmium Plated Available)
Actek Manufacturer Number	AK46916
Product	Metric Safety Swivel Hoist Ring
Weight	0.4 lbs

FEATURES

- Swivel 360o and pivots 180o.
- Material : Aircraft Quality Alloy.
- Finish : Black Oxide per MIL Specification (Cadmium Plated available).
- Safety Factor : 5:1.
- Magnetic Particle Inspected.
- Certified Heat Treatment.
- 200% Proof-Load Tested with Serial.
- Meets or Exceeds ASME B30.26
- Conforms to CE