



MANUFACTURING & ENGINEERING

Actek® Manufacturing & Engineering

1110 Fullerton Road

City of Industry, CA 91748

Toll Free: 800-752-7229


Phone: 626-581-3424

Fax: 626-581-3423

Email: sales@actekmfg.com

Website: www.actekmfg.com


Item # 46924, Metric Safety Swivel Hoist Ring



[Specifications](#) | [Features](#)

SPECIFICATIONS

Dimension Drawing



Safety Swivel Hoist Ring

Rated Load	1,050 kg
Thread Size	M12 x 1.75
Thread Protrusion (E)	19 mm
Bushing Head Diameter	37 mm
B	60 mm
A	22 mm
C	30 mm
D	19 mm
F	121 mm
G	89 mm
H	51 mm
Torque	37 N·m
Type	Standard U-Bar
Material	Aircraft Quality Alloy

Applicable Screw P/N	49048
Safety Factor	5:1
Swivels Angle	360 °
Pivots Angle	180 °
Finish	Black Oxide per MIL Specification (Cadmium Plated Available)
Actek Manufacturer Number	AK46924
Product	Metric Safety Swivel Hoist Ring
Weight	2.5 lbs

FEATURES

- Swivel 360o and pivots 180o.
- Material : Aircraft Quality Alloy.
- Finish : Black Oxide per MIL Specification (Cadmium Plated available).
- Safety Factor : 5:1.
- Magnetic Particle Inspected.
- Certified Heat Treatment.
- 200% Proof-Load Tested with Serial.
- Meets or Exceeds ASME B30.26
- Conforms to CE