

MATERIAL SAFETY DATA SHEET

Section 1. Chemical Product and Company Identification

Product Name Bakerlok Part A (Resin)
Product Code 0953A
Chemical Name Not Applicable - Mixture
CAS # Mixture

Manufacturer South Coast Products, Inc.
 20 Southbelt Industrial Dr.
 Houston, TX 77047 USA
In Case of Emergency 1-800-255-3924 or +813-248-0585
Uses Resin for epoxy adhesive

Section 2. Composition and Information on Hazardous Ingredients

<u>Name</u>	<u>CAS #</u>	<u>% by Weight</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Epoxy resin (Number average MW <=700)	25068-38-6	40-60%	None established	None established
Inert fillers	N/A	40-60%	N/A	N/A

No toxic chemicals subject to the reporting requirements of Section 313 of Title III and of 40 CFR 372 are present

SPECIAL NOTE: MSDS data pertains to the product as dispensed from the container. Adverse health effects would not be expected under normal conditions of use, so long as recommended safety precautions are practiced.

Section 3. Hazards Identification

Eye Contact May cause mild irritation, tearing, and redness.

Skin Contact May cause irritation, dermatitis, and sensitization.

Skin Absorption Not toxic by skin absorption.

Inhalation Not a relevant route of entry.

Ingestion May cause gastrointestinal irritation if large quantities are ingested.

Sensitization May cause skin sensitization.

Chronic Effects May cause skin sensitization.

Carcinogenic Effects No ingredients listed as carcinogenic by IARC, NTP, or OSHA.

Mutagenic Effects No data.

Teratogenic Effects No data.

Reproductive Effects No data.

Section 4. First Aid Measures

Flush eyes with clean water for at least 15 minutes. Call a physician.

Remove any contaminated clothing and wash skin with soap and water. If irritation occurs, call a physician.

Not applicable.

Not applicable.

Do not induce vomiting. Give large quantities of water. Get medical attention if stomach pains or nausea occur.

Section 5. Fire and Explosion Hazards

Flash Point (method) >199°F (93°C) (PMCC)

Auto-Ignition Temp. Not available

Flammable Limits in Air lcl: No data ucl: No data

Combustion Products Carbon monoxide, carbon dioxide, hydrogen chloride, hydrocarbons.

Explosion Hazards In the presence of mechanical impact or static discharge: no explosion risk.

Special Fire Fighting Measures Use foam, CO₂, dry chemical, water fog. Water can be used to keep containers cool and to flush spills away from fire exposure. Firefighters must wear self-contained breathing apparatus and protective clothing in confined areas.

Section 6. Accidental Release Measures

<u>Small Spill</u>	Recover free product. Add sand, earth, or some other suitable adsorbent. Dispose of material in accordance with all state and local regulations.	<u>Large Spill</u>	Take care to keep product out of sewers and watercourses by diking or impounding. Advise authorities if product has entered sewers, watercourses, or extensive land areas.
--------------------	--	--------------------	--

Section 7. Handling and Storage

<u>Storage</u>	Store in cool dry area in original or equivalent container in accordance with all applicable regulations. Do not expose to extreme heat or flame. Store below 90°F.	<u>Handling</u>	Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not get in eyes. Follow good hygiene and housekeeping practices. Use in ventilated areas.
----------------	---	-----------------	---

Section 8. Exposure Controls and Personal Protection

<u>Engineering Controls</u>	Use with adequate ventilation or local exhaust.	<u>Personal Protection</u>	Safety glasses. Splash proof eye protection where splash risk exists. Impervious gloves (such as butyl rubber) for prolonged or repeated skin contact.
-----------------------------	---	----------------------------	--

Section 9. Physical and Chemical Properties

<u>Appearance and Odor</u>	Gray paste, mild odor	<u>Vapor Pressure</u>	0.03 mbar at 171°F (77°C)
<u>pH</u>	Not applicable	<u>Vapor Density (Air=1)</u>	No data
<u>Boiling Point</u>	> 500°F (> 260°C)	<u>Odor Threshold</u>	No data
<u>Melting Point</u>	No data	<u>Evaporation Rate</u>	No data
<u>Specific Gravity (H₂O=1)</u>	1.4	<u>Solubility in Water</u>	Negligible
<u>Water/Oil Distribution Coefficient</u>	No data		

Section 10. Stability and Reactivity Data

<u>Stability</u>	Stable.	<u>Incompatibilities</u>	Oxidizing and reducing materials, acids, bases.
<u>Conditions to Avoid</u>	Extreme heat.		
<u>Hazardous Polymerization</u>	Will not occur.	<u>Hazardous Decomposition Products</u>	Carbon monoxide, carbon dioxide, hydrogen chloride, hydrocarbons.

Section 11. Toxicological Information

<u>Routes of Entry</u>	Eye, skin.
<u>Toxicological Data</u>	No data

Section 12. Ecological Information

<u>Eco toxicity</u>	No data
<u>BOD5 and COD</u>	No data
<u>Biodegradation Products and Toxicity</u>	No data

Section 13. Disposal Considerations

<u>Waste Information</u>	Dispose of waste according to federal, state, and local regulations.
--------------------------	--

Section 14. Transport Information

<u>DOT</u>	Not regulated.
<u>IMO</u>	Environmentally hazardous substance, solid, n.o.s. (epoxy resin), UN3077, 9, PGIII, Marine Pollutant
<u>IATA</u>	Environmentally hazardous substance, solid, n.o.s. (epoxy resin), UN3077, 9, PGIII, Marine Pollutant.

Section 15. Other Regulatory InformationHazardous Material Information System (HMIS) (USA)

Health	1*
Fire	1
Reactivity	0
Personal Protection	B

SARA Section 313: No ingredients subject to reporting requirements.

TSCA Inventory: All ingredients are listed or exempt.

California Prop. 65: No ingredients listed.

Canada DSL: All ingredients listed.

WHMIS Classification: D2B (sensitizer).

WHMIS: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. (Canada)

EU: Hazard symbol : Xi Irritant. N Dangerous for the environment. Risk phrases: R43 May cause sensitization by skin contact. R36/38 Irritating to eyes and skin. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Safety phrases: S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S37 Wear suitable gloves. S24/25 Avoid contact with skin and eyes. S57 Use appropriate container to avoid environmental contamination. S61 Avoid release to the environment. Refer to special instructions/safety data sheets. P5 Contains epoxy constituents. See information supplied by the manufacturer.

Section 16. Other Information

<u>Revision Level</u>	MSDS REV B	<u>Comments</u>	UK/EU version incorporated; transport info edited
<u>Date Revised</u>	3/21/13	<u>Prepared by</u>	Sharon Stratman
<u>For More Information Call</u>	713-225-0048		

Important Notice Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of this product for particular uses are beyond our control. Users should make their own investigation to determine the suitability of the information or products for their respective purposes.