



PIPE & INDUSTRIAL TOOLS

# THE PIPE FABRICATORS SOURCE BOOK





**Pipe Beveling & Cutting Machines** 

Pipe Clamps, Alignment & Fit-up

**Pipe Purging, Stoppers & Plugs** 

**Pipe Rigging, Moving & Storage** 















713.747.8502 sales@bbpipetools.com

bbpipetools.com



### <u> Pipe Jacks & Stands</u>

### FIXED & FOLDING PIPE JACKS

B&B Fixed and Folding jacks are backed by 20 years of manufacturing experience. We feel that with more base/height options, more head options, and superior craftsmanship, B&B offers the best pipe jacks on the market, at a very competitive price!



Fixed Leg PN 4240, 4100, & 4200

### **FIXED LEG**

- 2,500 lbs standard V rating & third party tested.
- Three sizes available. 32-48", 20-38", and 16-26".
- Increased dimension tubing throughout.
- More head options than any other manufacturer.
- "No slip" washer can be fastened to base. No more lost washers!



### **FOLDING LEG**

- 2,500 lbs standard V rating & third party tested.
- Two sizes available. 32-48" & 22-39".
- New bottom lock T-handle reduces fit up wobble.
- Increased stance for better
- Fully welded carry handle.

SEE PAGE 12 FOR HEAD OPTIONS AND PART NUMBERS.

### 3 & 5 LEG GIANT JACKS

Ideal for large diameter pipe up to 36", B&B Giant Jacks come with V heads only or with multiple wheel options. The Five leg version has optional casters allowing pipe movement. Increased steel dimensions throughout, including 1 3/4" solid acme rod make the B&B Giant Jacks the toughest on the market.



### **GIANT 3 LEG**

- 2,500 lbs capacity with steel wheels, 5,000 lbs capacity without, tested to at least a 2:1 safety ratio.
- Operating height 26-40 inches.
- Increased diameter steel legs and drop bracing for strength.
- Solid 1 3/4" Acme rod adjustment.
- Available with or without 4 pipe rotate wheels.

31-45 inch height w/ casters 22-36 inch w/o casters PN 3510 As shown

casters, 5,000 lbs capacity without. · Operating height 31-48" with

**GIANT 5 LEG** 

• 2,500 lbs capacity with wheels and

- casters, 22-36" without. • Five leg design with 8" urethane
- or steel casters available. • Pipe rotation wheels available in Carbon, Stainless, or Rubber.
- Multiple add-ons available. Go online for options.
- Urethane over steel casters are standard on all Giant 5 Jacks.

SEE PAGE 12 FOR HEAD OPTIONS AND PART NUMBERS.

### FOUR LEG ADJUSTABLE PIPE ROLLERS

With Carbon, Stainless and Rubber Wheels. Ball Transfers and Conveyor Heads.

### **FIXED HEIGHT PIPE ROLLER** The B&B Adjustable Plpe Roller is used in pipe fabrication facilities and jobsites around the world with thousands in use. The sturdy base and adjustable wheels are a favorite PN 4300 with medium size pipe fabrication projects allowing a stable work platform that allows pipe rotation. PN 4500

- Fixed height at 32".
- Adjustable wheels accomodate up to 36" pipe diameters.
- 1 1/2" wide wheels are the widest in the industry.
- Up to 2,500 lbs. capacity with steel wheels.
- Also available in stainless and rubber wheels or ball transfer.
- Table mount and low profile options available.

### **ADJUSTABLE HEIGHT** PIPE ROLLER

The new B&B Pipe Roller allows height adjustment under load and self adjustment of pipe diameters up to

36 inches. This automatic self centering feature is safer and more efficient to use than previous height adjustable models.



www.bbpipetools.com

## **Pipe Jacks & Stands**



### TRI STAND CHAIN VICE

Proven design used in construction sites around the globe. B&B offers the same features as the other brands at a very competitive price.

- Cast aluminum head.
- Folding design w/chain lock.
- Tool tray with raised lip.
- Hold down chain for up to 6 inch pipe.
- Replacement components are compatible with most brands.



- Double reinforced V head.
- Heavy duty 1 ¾" solid acme rod adjustment.
- Over-sized legs and braces for increased capacity.

- Over sized
   V Head for up to
   32 inch pipe.
- 2 parts head and base only reduces operator error.
- Available in 3 or 4 leg design.
- Increased width in stance for stability.



### **FOUR TON MEGA ROLLER**

8,000 lbs Capacity - 48 inch Pipe Capacity

- 10x3 inch urethane wheels or v head optional.
- Wheel positions from 4-12, 12-24, 24-36, & 36-48 pipe.
- Tri handle for accessible and safe raising and lowering.
- Twin 1 ¾" Acme rod height adjustment.
- Steel reinforcements throughout.
- · Four side fork lift access.



### 6 FT JACK

- Raises to 6 ft height.
- Folding design & carry handle is ideal for transport and storage.

PN 3600 3 leg

PN 3604 4 leg

- Bottom brace positive lock
   T-handle minimizes wobble and locks stand into open position.
- Extra wide stance for stability.
- 1,000 lbs capacity.



### **HOLD DOWN HEAD**

- Up to 6 inch capacity.
- Head fits in all standard and folding B&B jacks.
- Locks the pipe down in less than 5 seconds.



Hold down head separate. PN 6200 Folding jack with hold down. PN 3904 Fixed leg jack with hold down. PN 4104



### **UNO PIPE JACKS**

The Uno Jacks are ultra low profile available as low as 6 inches. We make these to order, so give us a couple of days to fabricate to your height requirements. Available in 6" height increments.



PN 4260





## Pipe Cutting & Beveling Machines

B&B offers 3 different styles of flame cutters and bevel machines. Manual and Automatic Chain Cutters are a fraction of the cost of saddle machines and one B&B chain machine covers from 8 inch pipe and up. Magnetic Pipe Cutters lock onto the pipe with magnetized wheels for fast set up. Check out our web page for complete specs and info on the B&B Flame Cutting and Beveling Machines.

### MANUAL CHAIN CUTTER



### AUTOMATIC CHAIN CUTTER





PART No.	DESCRIPTION
8000	Chain Beveling Machine - Manual
8001	Chain Beveling Machine - Automatic
8006	Guide Band for Pipe Cutters (per ft)
8006-L	Guide Band Locking Mechanism (for pipe cutters)
8007	Guide Rail Roller for Manual & Automatic Cutter (PN8000/8001)

PART No.	DESCRIPTION
	Replacement Parts & Upgrades
8009	Gas Manifold
8010	Torch Holder for Chain Cutters (PN8000/8001)
8012	Plasma Adapter

### **Cold Cutting & Beveling**

### SPLIT FRAME MACHINES

- Split Frame design allows the machines to be inserted at any point in the pipe for cutting and beveling.
- 10 machines from 1-48 inch w/ each machine covering a 6 inch size variation.
- Aluminum lightweight design is standard with optional heavy duty all steel options available.
- Cuts and Bevels on one pass.
- Pneumatic and Hydraulic drives.
- Unique gearbox feed system insures smooth and accurate machining.
- New electric servo motor now available on split frames!

Please contact B&B for additional literature specific to Split Frame machines.

For further specifications and details

go to www.bbpipetools.com



### **EZ FAB CUTTING &** BEVELING **MACHINES**

The EZ Fab cutter and beveler is the next big thing in pipe cutting and beveling. Perfect straight cuts with a simultaneous bevel are achieved in a fraction of the time of a traditional cutting and beveling method.

- · Cuts and Bevels on one pass.
- Touch screen semi automatic controls.
- · Automatic coolant control.
- Servo Motor drive allows quiet but powerful operation at variable speeds.
- Cuts carbons and exotics up to 1 inch wall.
- Self centering makes easy and fast pipe clamping.
- No more flame cutting, sawing, or grinding. One machine does it all!



## **End Prep Beveling & Facing Machines**

B&B Pipe and Industrial Tools is proud to launch a new line of ID mount pipe beveling and facing machines. Tag-Pipe UK has partnered with B&B to be the exclusive wholesaler for these impressive machines in the Americas with a full sales and service facility in Houston, TX. These quality made machines are backed with over 35 years of manufacturing, sales, and service experience with products sold and used all over the world. These machines are of superior quality and will be sold alongside the B&B Pipe and Industrial Tools brand. B&B can now offer a line of competitive pipe beveling machines complementing our Pipe jacks & Stands, Pipe Clamps & Fit-Up Tools, Pipe Purging Systems, and Pipe Rigging





## FEATURES & ADVANTAGES

- 9 machines covering ½ to 24 inch (36"\*) pipe diameters.
- Bevels up to 2 inch thick on carbon and exotic pipe. Stainless, Super Duplex, etc.
- Quick set up, quick training, no more grinding!
- Available in electric and pneumatic power.
- Many additional features are standard at a lower cost than the competitors.
- Internal and external bevels, facing, counter boring, weld removal, J prepping and compound bevels are all achievable.
- Machine quality bevels in minutes.





Example 1 - Four inch 3/8 wall super duplex pipe with 37 degree bevel in less than 30 seconds. Example 2 - Twenty inch carbon pipe with 2 inch wall. Compound bevel from face in 20 minutes with machine quality finish.

MODEL	PREP 2	PREP 3	PREP 4	PREP 8	PREP 16	PREP 24
Range - ID	20-42mm	28-76mm	20-108mm	49-203mm	72-407mm	180-609mm
Range - Pipe	1/2 - 1 1/2"	1-3"	1-4"	2-8"	3-16"	7-24"
Idle RPM - pneu/elec	210-250	110-75	70	52-34	15	7
Torque - pneu/elec	29/45nm	56/82nm	140/143 nm	335/355nm	2615 nm	12500 nm
Axial Feed Length	23 mm	40 mm	40 mm	40 mm	50 mm	60 mm
Pneumatic HP	0.38 HP	0.70 HP	1.33 HP	1.8 HP	3 hp	3.5 hp
Air Consumed	18 cfm	36 cfm	60 cfm	65 cfm	70 cfm	95 cfm
Air Pressure	90 psi	90 psi	90 psi	90 psi	90 psi	90 psi
Electric Motor Power	670 w	750 w	750 w	1020 w	2.2 kw	2.61 kw
Voltage	110 - 220	110 - 220	110 - 220	110 - 220	110 - 220	110 - 220
Weight lbs	12.5 lbs	20.5 lbs	22 lbs	48.5 lbs	85 lbs	510 lbs
L/W/H	33x30x6cm	39x37x8cm	47x41x11.5cm	57x48x22cm	71x36x36cm	94x56x56cm
Shipping Dim (inches)	15x19x5	18x22x5	19x22x5	30x22x10	30x18x22	46x30x33
Shipping Weight	26.5 lbs	40 lbs	50lbs	88 lbs	190 lbs	770 lbs

<sup>\*</sup> Prep 24 now available with attachment allowing up to 36" bevels on 3/4 wall pipe. Additional models (Prep 4HD, Prep 12, and Prep 20) are available as special order.

See B&B Bevel Demos on YouTube! sales@bbpipetools.com



## Pipe Clamps - Alignment & Fit-Up

### PDQ CLAMPS

This classic design hi-low alignment clamp has been in use in the US for years. With a durable yet cost effective fabricated design, the PDQ fits up to 12 inch pipe and is available in three sizes. Sold with stainless contact points.



### MINI CHAIN CLAMP

The new mini chain clamp is ultra lightweight and ideal for rapid size adjustment. The chain quickly adjusts up to 6 inch fit ups, and the spring loaded dogs slide effortlessly into the desired position. When the job is complete, the mini clamp folds up and packs much smaller than other fit up clamps on the market.



PART No.	DESCRIPTION	SHIP. WT.
1220	PDQ pipe clamp 1-3 inches	4 lbs.
1221	PDQ pipe clamp 2-6 inches	11 kbs.
1222	PDQ pipe clamp 5-12inches	18 lbs.

PART No.	DESCRIPTION	SHIP. WT.
2123	Mini Chain Clamp - Complete	8 lbs.
31028	Replacement dogs/jackbars	1 lbs.
31039	Vice Chain Extension 9"	1 lbs.

## PIPE CENTERING TOOL

Our pipe centering tool helps the fitter find various degree points on the pipe radius and the included punch marks the pipe at the required location



PART No.	DESCRIPTION	SHIP. WT.
2121	Pipe Centering Tool	1 lbs.
90030	Replacement vial and housing	NA
90041	Replacement punch	NA

### **FLANGE PINS**

B&B flange pins offer great value at a low price. Our standard size features a quick release design and built in level, and our new mini pin is stainless steel and offers knurled grip for snug fits.



Stainless Steel Mini Pins 1/4"-7/8" ID



Carbon Standard Pins 7/16"-11/2" ID

### **SPIDER & SCISSOR CLAMPS**

Without a doubt, the fastest way to align pipe and fittings. The B&B Spider and Scissor clamps can do what other clamping systems do in a fraction of the time. Various designs are available on our web page in both carbon and stainless steel. All models and specifications available on line.



## CAGE CLAMPS LEVER TYPE

Pipeliners have been using cage clamps in the field for years. B&B Cage Clamps can align up to schedule 80 pipe. Cage clamps are ideal for fast fit-ups of the same pipe size when no reforming is required. B&B currently offers up to 16 inch clamps with up to 24 inch available on special order. All B&B Cage Clamps are tack style clamps with lever style lock.



For further specifications and details go to www.bbpipetools.com


## **Alignment & Reforming Clamps**

### SINGLE CHAIN CLAMPS


B&B Single Chain Alignment and Reforming clamps can handle up to schedule 40 thickness and take the place of up to 6 cage clamps with the unique chain design. All B&B jackscrews come with 2 alignment screws for more accurate fit up. These clamps are available in carbon or stainless and come with a steel storage and transport box at no extra charge. Clamps are in stock and ready to ship.

PART No.	DESCRIPTION	NO. OF JACKBARS	SHIPPING WEIGHT
1230	Single Chain Clamp 1-12 inches	4	27 lbs.
1231	Single Chain Clamp Stainless 1-12 inches	4	27 lbs.
1232	Single Chain Clamp 4-20 inches	7	72 lbs.
1233	Single Chain Clamp Stainless 4-20 inches	7	72 lbs.
1234	Single Chain Clamp 6-36 inches	8	144 lbs.
1235	Single Chain Clamp Stainless 6-36 inches	8	144 lbs.
1236	Single Chain Clamp 10-54 inches	13	180 lbs.
1237	Single Chain Clamp Stainless 10-54 inches	13	180 lbs.
1238	Single Chain Clamp 10-72 inches	16	199 lbs.
1239	Single Chain Clamp Stainless 10-72 inches	16	199 lbs.

Additional & Custom Sizes Available Upon Request.







### **DOUBLE CHAIN CLAMPS**

B&B Double Chain Clamps can align and reform pipe and vessels up to 20 feet in diameter and up to schedule 80 thickness. Heavy duty jack bars have three alignment screws, and each clamp has 2 tightening devices to adequately tighten and reform rounds into desired position. All clamps are shipped in a metal storage and transport gang box free of charge protecting the clamp and allowing years of use.

PART No.	DESCRIPTION	NO. OF JACKBARS	NUMBER OF MAIN BLOCKS
1240	Double chain pipe clamps 10-36" / 254-915 mm	9	1
1241	Double chain pipe clamps SS 10-36" / 254-915 mm	9	1
1244	Double chain pipe clamps 10-54" / 254-1372 mm	14	1
1245	Double chain pipe clamps SS 10-54 " / 254-1372 mm	14	1
1248	Double chain pipe clamps 10-72" / 254-1829 mm	20	1
1249	Double chain pipe clamps SS 10-72" / 254-1829 mm	20	1
1254	Double chain pipe clamps 10-108"/ 254-2743 mm	32	2
1255	Double chain pipe clamps SS 10-108" / 254-2743 mm	32	2

Additional & Custom Sizes Available Upon Request.



## BAB

## **Pipe Purging Equipment**

All B&B Pipe Purging Systems are fundamentally accomplishing the same task. That is, removing oxygen from within the exotic pipe, also known as back purging. That's it! B&B offers many purge options tailored specifically to the pipe fabricators needs focusing on specific purging environments. All B&B Purge Systems remove oxygen from within the pipe by creating dams, or "purge dam". Each purge system offered shines in specific but varied environments. Purging pipe offers multiple advantages other than only satisfying a welding engineer's specifications. Purge dams not only improve weld quality, they reduce shielded gas consumption by as much as 90%, therefore saving money. They also reduce labor time drastically (again saving money). Please contact B&B and we will help you find the best purging system for your application.

### P.B.S. - PURGE BAG SYSTEM ™

### 2"-12" pipe



The P.B.S. effectively creates a seal on both sides of the root pass saving time and gas consumption in only purging the immediate weld area. The inflation design allows the welder to easily push the P.B.S. into position, and allows direct heat up to **158 degrees Fahrenheit**.

### PRONTO PURGE ™



The Pronto Purge increases efficiency by displacing more oxygen within the welding cavity (pipe). Ideal for large diameter pipe or pipe over 10 inches purge times are reduced to fractions of the original time of purging full lengths of large diameter pipe. Heat resistant to **452 degrees Fahrenheit**.

#### 2-12 inch with custom sizes available.

#### 8-80 inch with custom sizes available.



### HIGH TEMP PURGING

Hi-Temp options for both P.B.S. and Pronto bring the resident heat temp up to **532 degrees Fahrenheit up to 24 hours** and **932 degrees Fahrenheit for short periods** via a Kevlar Nomex fabric cover and increased heat resistance fitting and valves. Ideal for preheating pipes and other high temperature environments.

### **INFLATABLE STOPPERS**

B&B inflatable purge stoppers are an easy way to plug the end of pipe for the purging process. They also allow easy installation into tough to access areas and work well with fitting such as elbows and T's. Custom shapes and sizes also available.



## **Pipe Purging Equipment**

### DOUBLE SEAL PURGE SYSTEM

Ideal for smaller diameter purging of pipe and tube, the double seal Purge systems utilizes silicone discs to dam pipe, purge the oxygen, and insert shielded gas. Silicone discs are highly heat resistant at 626 degrees Fahrenheit for extended periods and 842 degrees Fahrenheit for short durations. The design allows easy replacement of damaged part and change over from one size pipe purge to the next. These Purge Dams are sold per size or as a kit that can easily be stored and transported in the included briefcase. This allows increased convenience of purging any size pipe within the kits range at a moment's notice. Typical purge times of less than 2 minutes!



## HANDY PURGE OXYGEN MONITOR

The B&B Handy Purge Monitor is the ideal job shop & field oxygen monitor. If you need a high quality, low priced purge monitor that measure down to .01% oxygen content, then the B&B handy purge is for you. This self-calibrating monitor comes with body, probe, and pump. It is shipped in a durable storage and transport box. The B&B handy purge offers standard monitor features in a robust design at a very competitive price.





PN 1001 Complete Kit As Shown

Reads oxygen content down to 100 parts per million.

PIPE STOPPERS & PLUGS

### **NYLON PIPE PLUGS**

**Nylon Pipe Plugs** can be used in small diameter pipe and tube purging. Available from ¾ to 6 inches and sold in kits or individually. Lightweight design great for transport into work areas.



sales@bbpipetools.com

### ALUMINUM PIPE PLUGS

### **Aluminum Pipe Plugs**

(Foreman Plugs or Night Caps)

Heavy duty yet light weight aluminum design temporarily seals pipe ends during maintenance and construction. B&B aluminum plugs range from 3"-42" pipe diameters.



## B&B

## Pipe Rigging Equipment

## PIPE RACK ROLLERS & LAUNCHERS

### **FEATURES & ADVANTAGES**


- Eight configurations from 2,500 lbs to 20,000 lbs capacity.
- Two sizes from 2-48 inch pipe diameters.
- Urethane wheels with sealed bearings.
- Easy replacement wheels bolt off and on in minutes.
- Changes from rack roller to pipe launcher in minutes.



PN 2115HD Launcher 7,500 lbs capacity 24 inch max. pipe capacity



PART No.	DESCRIPTION & CAPACITY
2110	Beam clamp pipe roller 2-24 inch - 2,500 lbs.
2110HD	Beam clamp pipe roller 2-24 inch, heavy duty - 7,500 lbs.
2115	Pipe Launcher Stand 4-24 inch pipe - 2,500 lbs.
2115HD	Pipe Launcher Stand 4-24 inch pipe, heavy duty - 7,500 lbs.
2125	Beam clamp pipe roller 4-48 inch - 10,000 lbs.
2125HD	Beam clamp pipe roller 4-48 inch, heavy duty - 20,000 lbs.
2126	Pipe Launcher stand 4-48 inch - 10,000 lbs.
2126HD	Pipe launcher stand 4-48 inch, heavy duty - 20,000 lbs.



### **PIPE SLINGS & CRADLES**

B&B Pipe Slings and Cradles are heavy duty pipeline rigging equipment built for years of hard use. Available sizes from 2-24 inch pipe and up to 28,000 lbs capacity with urethane pipe shape wheels and sealed bearings. All four sizes use 5/8 wire rope tested to industry standards, with oversized lifting eye and reinforced spreader bars.



Sealed Bearing wheels with protective metal end flange. Great urethane replacement roller for most other brands. 4X6 inches with radius cutout for pipe shape & designed for 5/8 wire rope. Call for a quote!



8 Inch Sling PN 2001 2-8 inch capacity 3,000 lbs capacity 3 rollers per sling



Strand Cradle
PN 2002
6-12 inch capacity
17,000 lbs capacity
8 rollers per cradle

12 Inch Double



24 Inch Double Strand Cradle PN 2003 12-24 inch pipe capacity 17,000 lbs capacity 14 rollers per cradle



Strand Cradle
PN 2004
12-24 inch pipe capacity
28,000 lbs capacity
28 rollers per cradle

24 Inch Four



## <u> Pipe Transport & Storage Equipment</u>



### **BABY-BUGGY**

### PIPE TRANSPORT EQUIPMENT

• Flat free tires are standard.

• Up to 16 inch diameter pipe. • Up to 1,000 lbs weight capacity.



B&B pipe transport equipment is a new addition to our product portfolio. Our baby and biggy buggies fill a niche our customers have been enquiring on for years. All three pieces of equipment help the fabricator move pipe or other materials within a work environment safely and with ease, and of course they are priced competitively and built to last. Please call or email if you have any questions on our new B&B pipe transport products.



### PIPE TROLLY

- 6 wheels ideal for fab shop transport.
- For pipe, squares, or bundles.
- Up to 2,000 lbs weight capacity.
- Up to 32 inch pipe capacity.





**BIGGY-BUGGY** 

- Up to 20 inch diameter pipe.
- Up to 2,000 lbs weight capacity.



### **TOOL STORAGE & TRANSPORT**

B&B Storage and Transport boxes were initially offered as a storage and transport box for our B&B Chain Clamps, but they are such great boxes we decided to offer them as a standalone. All steel construction with four side fork lift access, recessed handles, recessed lock, and reinforced design make this box comparable to most brands in the market at a very competitive price.



PART No.	DESCRIPTION
7728	B&B Storage Box - 28" x 12" x 11"
7732	B&B Storage Box - 32" x 18" x 16"
7736	B&B Storage Box - 36" x 17" x 21"
7748	B&B Storage Box - 48" x 24" x 28"





FEATURES & ADVANTAGES

- · Recessed handles on lid and sides.
- Hinge lock lid keeps lid open.
- Powder coated safety red.
- Four box sizes available: 28, 32, 36, and 48 inch.
- Heavy gauge sheet metal.



sales@bbpipetools.com



## Pipe Jacks Head Styles & Part Numbers

## MULTIPLE HEAD STYLES AVAILABLE FOR FIXED LEG AND FOLDING LEG PIPE JACKS



Standard 10 inch V head is the largest standard head on the market.

Replacement head PN 90001



Stainless Sleeves slide over the Standard V to protect exotic pipe from contamination.

PN 90004



Stainless Steel Ball Transfer Sleeves slide over the standard V adding pipe rotation and pipe feeding capabilities.

PN 90000



Roller sleeves slide onto standard V heads as less expensive alternative to a complete roller head and takes up less storage space.

PN 90031



Conveyor Head feeds flats, squares, and rectangles.

PN 90019



Conveyor V head allows pipe and solid rounds to be fed into saws or other machines.

PN 90021



Roller Head allows rotation of pipe in the most durable head design with two wheel locations for various sizes of pipe.

PN 90002



Three Wheel Styles Available: Carbon Steel, Rubber, or Stainless Steel.



Super Duty V head adds a solid acme threaded rod upgrade and also adds welded gussets to increase strength and durability. (No more pancaking!)

PN 30048

### PIPE JACKS & STANDS

PART No.	DESCRIPTION	CAP. LBS.
	STANDARD JACK - 32-48 INCHES	
4100	V-Head Pipe Jack	2500
4101	Super Duty Gusseted V w/Solid Acme Rod	3000
4105	Roller Head w/Steel Wheels	2000
4110	Roller Head w/ Rubber Wheels	1000
4135	Roller Head w/ Stainless Wheels	2000
4115	Conveyor Roller Head	500
4120	Conveyor V Roller Head	500
	STANDARD JACK - 20-38 INCHES (SHORTY)	
4200	V-Head Pipe Jacks	2500
4205	Roller Head w/ Steel Wheels	2000
4210	Roller Head w/ Rubber Wheels	1000
4235	Roller Head w/ Stainless Wheels	2000
	STANDARD JACK - 16-26 INCHES (SUPER SHORTY)	
4240	V-Head Pipe Jack	2500
4245	Roller Head w/ Steel Wheels	2000
	FOLDING JACK - 32-48 INCHES	
3900	V-Head Pipe Jack	2500
3905	Roller Head w/ Steel Wheels	2000
3910	Roller Head w/ Rubber Wheels	1000
3935	Roller Head w/ Stainless Wheels	2000
3915	Conveyor Roller Head	500
3920	Conveyor V Roller Head	500
	FOLDING JACK - 22-39 INCHES (SHORTY)	
4000	V-head	2500
4005	Roller Head w/ Steel Wheels	2000

PART No.	DESCRIPTION	CAP. LBS.
	FIXED HEIGHT 4 LEG PIPE ROLLER	
4300	W/ Steel Wheels	2500
4305	W/ Rubber Wheels	1000
4310	W/ Stainless Steel Ball Transfers	1000
4315	W/ Stainless Steel Wheels	2000
	BENCH STYLE PIPE ROLLER	
4500	W/ Steel Wheels	2500
	HEIGHT ADJUSTABLE UNDER LOAD 4 LEG PIPE ROLLER	
4375	COMING SOON	3000
	GIANT JACK - 3 & 5 LEG	
3500	Five Leg Giant Jack (no wheels or casters)	4000
3501	Three Leg Giant Jack (no wheels)	4000
3502	Steel Wheel Kit (4 Wheels) w/Nuts and Bolts	2500
3503	Rubber Wheels Kit (4 Wheels) w/Nuts and Bolts	1000
3504	Urethane Swivel Caster Kit for PN 3500(5 Casters)	2500
3506	Hold Down Chain for PN3500	NA
3507	Stainless Sleeve(2)	2500
3508	Stainless Wheels Kit(4 Wheels) w/Nuts and Bolts	2000
3509	Ball Transfer Attachement w/ Stainless Balls	1000
3510	Giant 5 Package ST(jack, casters, and steel whl)	2500
3511	Giant 5 Package RU(jack, casters, and rubber whls)	1000
3512	Giant 3 Package ST(jack, and steel wheels)	2500
3513	Giant 3 Package RU(jack, and rubber wheels)	1000

Additional part numbers available. Please contact B&B for more information.

B&B Pipe & Industrial Tools Houston, TX USA 713-747-8502



For further specifications
and details go to
BBPipeTools.com

sales@bbpipetools.com