

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear  
Product code : 02768003

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Electrical industry and electronics, Adhesive, binding agents

#### 1.3 Details of the supplier of the safety data sheet

Company : DOW CHEMICAL COMPANY LIMITED  
STATION ROAD, BIRCH VALE, HIGH PEAK  
DERBYSHIRE  
England  
SK22 1BR  
UNITED KINGDOM

Telephone : +44 (0) 1663 746518

Telefax : +44 (0) 1663 746605

E-mail address of person responsible for the SDS : SDSQuestion@dow.com

#### 1.4 Emergency telephone number

24-Hour Emergency Contact : 0031 115 694 982

Local Emergency Contact : 00 31 115 69 4982

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

##### Additional Labelling

EUH210 Safety data sheet available on request.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10      Revision Date: 16.02.2018      SDS Number: 833617-00011      Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

EUH208      Contains Methyltrimethoxysilane. May produce an allergic reaction.

### 2.3 Other hazards

None known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Chemical nature      :      Silicone elastomer

#### Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Methyltrimethoxysilane	1185-55-3 214-685-0 01-2119517436-40	Flam. Liq. 2; H225 Skin Sens. 1B; H317	$\geq 1 - < 10$
Octamethylcyclotetrasiloxane	556-67-2 209-136-7 014-018-00-1 01-2119529238-36	Flam. Liq. 3; H226 Repr. 2; H361f Aquatic Chronic 4; H413	$\geq 0.1 - < 0.25$
Dimethyldimethoxysilane	1112-39-6 214-189-4 01-2119976290-35	Flam. Liq. 2; H225 Repr. 2; H361f	$\geq 0.1 - < 1$

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- General advice      :      In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders      :      First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- If inhaled      :      If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact      :      In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact      :      Flush eyes with water as a precaution.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : May produce an allergic reaction.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Silicon oxides  
Formaldehyde  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.

#### 6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep away from water.  
Protect from moisture.  
Take care to prevent spills, waste and minimize release to the

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10      Revision Date: 16.02.2018      SDS Number: 833617-00011      Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

environment.

Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents

### 7.3 Specific end use(s)

Specific use(s) : These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Methyltrimethoxysilane	1185-55-3	TWA	7.5 ppm	DCC OEL
Octamethylcyclotetrasiloxane	556-67-2	TWA	10 ppm	US WEEL

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Methanol	67-56-1	TWA	200 ppm 260 mg/m <sup>3</sup>	2006/15/EC
Further information	Indicative, Identifies the possibility of significant uptake through the skin			
		TWA	200 ppm 266 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			
		STEL	250 ppm 333 mg/m <sup>3</sup>	GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
----------------	---------	-----------------	--------------------------	-------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version  
1.10

Revision Date:  
16.02.2018

SDS Number:  
833617-00011

Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

Methyltrimethoxysilane	Workers	Skin contact	Acute systemic effects	0.38 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	25.6 mg/m3
	Workers	Skin contact	Long-term systemic effects	0.38 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	25.6 mg/m3
	Consumers	Skin contact	Acute systemic effects	0.3 mg/kg bw/day
	Consumers	Inhalation	Acute systemic effects	6.25 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0.26 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0.3 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	6.25 mg/m3
	Consumers	Ingestion	Acute systemic effects	0.26 mg/kg bw/day
Octamethylcyclotetra-siloxane	Workers	Inhalation	Acute systemic effects	73 mg/m3
	Workers	Inhalation	Acute local effects	73 mg/m3
	Workers	Inhalation	Long-term systemic effects	73 mg/m3
	Workers	Inhalation	Long-term local effects	73 mg/m3
	Consumers	Inhalation	Acute systemic effects	13 mg/m3
	Consumers	Inhalation	Acute local effects	13 mg/m3
	Consumers	Inhalation	Long-term systemic effects	13 mg/m3
	Consumers	Inhalation	Long-term local effects	13 mg/m3
	Consumers	Ingestion	Acute systemic effects	3.7 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3.7 mg/kg bw/day
Methoxysilane	Workers	Skin contact	Acute systemic effects	7.44 mg/kg bw/day
	Workers	Inhalation	Acute systemic effects	88.4 mg/m3
	Workers	Skin contact	Long-term systemic effects	7.44 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	88.4 mg/m3
	Consumers	Ingestion	Long-term systemic effects	5.21 mg/kg bw/day

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version  
1.10

Revision Date:  
16.02.2018

SDS Number:  
833617-00011

Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Methyltrimethoxysilane	Fresh water	$\geq 1.3$ mg/l
	Marine water	$\geq 0.13$ mg/l
	Fresh water sediment	$\geq 1.1$ mg/kg
	Marine sediment	$\geq 0.11$ mg/kg
	Soil	$\geq 0.17$ mg/kg
	Sewage treatment plant	$> 6.9$ mg/l
Octamethylcyclotetrasiloxane	Fresh water	0.00044 mg/l
	Marine water	0.000044 mg/l
	Fresh water sediment	0.64 mg/kg
	Marine sediment	0.064 mg/kg
	Soil	0.13 mg/kg
	Sewage treatment plant	$> 10$ mg/l
Methoxysilane	Fresh water	0.24 mg/l
	Marine water	0.024 mg/l
	Fresh water sediment	0.22 mg/kg
	Marine sediment	0.022 mg/kg
	Soil	0.053 mg/kg
	Sewage treatment plant	10 mg/l

## 8.2 Exposure controls

### Engineering measures

Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

### Personal protective equipment

Eye protection : Wear the following personal protective equipment:  
Safety glasses

Hand protection  
Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

stance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

- Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Self-contained breathing apparatus
- 

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

- Appearance : paste
- Colour : white, translucent
- Odour : slight
- Odour Threshold : No data available
- pH : Not applicable
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : Not applicable
- Flash point : Not applicable
- Evaporation rate : Not applicable
- Flammability (solid, gas) : Not classified as a flammability hazard
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Vapour pressure : Not applicable



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

Relative vapour density	:	No data available
Relative density	:	1.12
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Molecular weight	:	No data available
Particle size	:	No data available
Self-ignition	:	The substance or mixture is not classified as pyrophoric. The substance or mixture is not classified as self heating.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Can react with strong oxidizing agents. Adequate ventilation is required. When heated to temperatures above 180 °C (356 °F) in the presence of air, trace quantities of formaldehyde may be released. Hazardous decomposition products will be formed upon contact with water or humid air. Hazardous decomposition products will be formed at elevated temperatures.
---------------------	---	---

### 10.4 Conditions to avoid

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

Conditions to avoid : Exposure to moisture

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents  
Water

### 10.6 Hazardous decomposition products

Contact with water or humid air : Methanol

Thermal decomposition : Formaldehyde

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: On basis of test data.

#### Components:

##### **Methyltrimethoxysilane:**

Acute oral toxicity : LD50 (Rat): 12.3 ml/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Information taken from reference works and the literature.

Acute inhalation toxicity : LC50 (Rat): > 42.1 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10      Revision Date: 16.02.2018      SDS Number: 833617-00011      Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

---

Assessment: The substance or mixture has no acute inhalation toxicity

Remarks: On basis of test data.

Acute dermal toxicity : LD50 (Rabbit): > 9,500 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: On basis of test data.

### **Octamethylcyclotetrasiloxane:**

Acute oral toxicity : LD50 (Rat): > 4,800 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: On basis of test data.

Acute inhalation toxicity : LC50 (Rat): 2975 ppm  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: On basis of test data.

Acute dermal toxicity : LD50 (Rabbit): > 2.5 ml/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: On basis of test data.

### **Dimethyldimethoxysilane:**

Acute oral toxicity : LD50 (Rat): > 2,000 - 5,000 mg/kg  
Remarks: On basis of test data.

Acute inhalation toxicity : LC50 (Rat): > 4.7 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: On basis of test data.

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Species: Rabbit  
Result: Mild skin irritation  
Remarks: On basis of test data.

### **Components:**

#### **Methyltrimethoxysilane:**

Species: Rabbit

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

Result: No skin irritation  
Remarks: On basis of test data.

### **Octamethylcyclotetrasiloxane:**

Species: Rabbit  
Result: No skin irritation  
Remarks: On basis of test data.

### **Dimethyldimethoxysilane:**

Species: Rabbit  
Result: No skin irritation  
Remarks: Based on data from similar materials

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Product:**

Species: Rabbit  
Result: No eye irritation  
Remarks: On basis of test data.

### **Components:**

#### **Methyltrimethoxysilane:**

Species: Rabbit  
Result: No eye irritation  
Remarks: On basis of test data.

#### **Octamethylcyclotetrasiloxane:**

Species: Rabbit  
Result: No eye irritation  
Remarks: On basis of test data.

#### **Dimethyldimethoxysilane:**

Species: Rabbit  
Result: No eye irritation  
Remarks: Based on data from similar materials

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Product:**

Assessment: Does not cause skin sensitisation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10      Revision Date: 16.02.2018      SDS Number: 833617-00011      Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

---

Test Type: Buehler Test  
Species: Guinea pig  
Result: negative  
Remarks: On basis of test data.

### Components:

#### **Methyltrimethoxysilane:**

Assessment: Probability or evidence of low to moderate skin sensitisation rate in humans

Test Type: Buehler Test  
Species: Guinea pig  
Result: positive  
Remarks: On basis of test data.

#### **Octamethylcyclotetrasiloxane:**

Assessment: Does not cause skin sensitisation.

Test Type: Maximisation Test  
Species: Guinea pig  
Result: negative  
Remarks: On basis of test data.

#### **Germ cell mutagenicity**

Not classified based on available information.

### Product:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: On basis of test data.

### Components:

#### **Methyltrimethoxysilane:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: On basis of test data.

Test Type: Mutagenicity (in vitro mammalian cytogenetic test)  
Result: positive  
Remarks: On basis of test data.

Test Type: Chromosome aberration test in vitro  
Result: positive  
Remarks: On basis of test data.

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

Application Route: Ingestion  
Result: negative  
Remarks: On basis of test data.

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### Octamethylcyclotetrasiloxane:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: On basis of test data.

Test Type: Mutagenicity (in vitro mammalian cytogenetic test)  
Result: negative  
Remarks: On basis of test data.

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: On basis of test data.

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative  
Remarks: On basis of test data.

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative  
Remarks: On basis of test data.

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: On basis of test data.

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: On basis of test data.

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

### Dimethyldimethoxysilane:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: On basis of test data.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10      Revision Date: 16.02.2018      SDS Number: 833617-00011      Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

---

### **Carcinogenicity**

Not classified based on available information.

### **Reproductive toxicity**

Not classified based on available information.

### **Components:**

#### **Methyltrimethoxysilane:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat, male and female  
Application Route: Ingestion  
Symptoms: No effects on fertility  
Remarks: On basis of test data.

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat, male and female  
Application Route: Ingestion  
Symptoms: No effects on foetal development  
Remarks: On basis of test data.

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

#### **Octamethylcyclotetrasiloxane:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat, male and female  
Application Route: inhalation (vapour)  
Symptoms: Effects on fertility  
Remarks: On basis of test data.

Effects on foetal development : Test Type: Prenatal development toxicity study (teratogenicity)  
Species: Rabbit  
Application Route: inhalation (vapour)  
Symptoms: No effects on foetal development  
Remarks: On basis of test data.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

#### **Dimethyldimethoxysilane:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat, male and female  
Application Route: Ingestion  
Symptoms: Effects on fertility  
Remarks: On basis of test data.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

### **STOT - single exposure**

Not classified based on available information.

### **STOT - repeated exposure**

Not classified based on available information.

### **Components:**

#### **Methyltrimethoxysilane:**

Exposure routes: inhalation (vapour)

Assessment: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

Exposure routes: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

#### **Octamethylcyclotetrasiloxane:**

Exposure routes: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Exposure routes: inhalation (vapour)

Assessment: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

Exposure routes: Skin contact

Assessment: No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

#### **Dimethyldimethoxysilane:**

Exposure routes: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

### **Repeated dose toxicity**

### **Components:**

#### **Methyltrimethoxysilane:**

Species: Rat

Application Route: inhalation (vapour)

Remarks: On basis of test data.

Species: Rat

Application Route: Ingestion

Remarks: On basis of test data.

#### **Octamethylcyclotetrasiloxane:**



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10	Revision Date: 16.02.2018	SDS Number: 833617-00011	Date of last issue: 09.03.2017 Date of first issue: 26.11.2014
-----------------	------------------------------	-----------------------------	---

---

Species: Rat  
Application Route: Ingestion  
Remarks: On basis of test data.

Species: Rat  
Application Route: inhalation (vapour)  
Remarks: On basis of test data.

Species: Rabbit  
Application Route: Skin contact  
Remarks: On basis of test data.

### **Dimethyldimethoxysilane:**

Species: Rat  
Application Route: Ingestion  
Remarks: On basis of test data.

### **Aspiration toxicity**

Not classified based on available information.

### **Further information**

#### **Components:**

##### **Octamethylcyclotetrasiloxane:**

Remarks: Results from a 2 year repeated vapour inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

##### **Dimethyldimethoxysilane:**

Remarks: This material contains dimethyldimethoxysilane. Repeated exposure in rats to dimethyldimethoxysilane resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

---

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

#### **Components:**

##### **Methyltrimethoxysilane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 110 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia sp. (water flea)): > 122 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10      Revision Date: 16.02.2018      SDS Number: 833617-00011      Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

---

aquatic invertebrates      Exposure time: 48 h

Toxicity to algae      :    ErC50 (Pseudokirchneriella subcapitata (green algae)): > 120 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms      :    EC50 : > 100 mg/l  
Method: OECD Test Guideline 209

### Octamethylcyclotetrasiloxane:

Toxicity to fish      :    LC50 (Cyprinodon variegatus (sheepshead minnow)): > 0.0063 mg/l  
Exposure time: 336 h  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates      :    EC50 (Mysidopsis bahia (opossum shrimp)): > 0.0091 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility

Toxicity to algae      :    ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.022 mg/l  
Exposure time: 72 h  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity)      :    NOEC:  $\geq$  0.0044 mg/l  
Species: Oncorhynchus mykiss (rainbow trout)  
Remarks: On basis of test data.  
No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)      :    NOEC:  $\geq$  0.0079 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Remarks: On basis of test data.  
No toxicity at the limit of solubility

### Ecotoxicology Assessment

Chronic aquatic toxicity      :    May cause long lasting harmful effects to aquatic life.

### Dimethyldimethoxysilane:

Toxicity to fish      :    LC50 (Oncorhynchus mykiss (rainbow trout)): > 126 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates      :    EC50 (Daphnia magna (Water flea)): > 119 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae      :    EC50 (Pseudokirchneriella subcapitata (green algae)): > 118

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10      Revision Date: 16.02.2018      SDS Number: 833617-00011      Date of last issue: 09.03.2017  
Date of first issue: 26.11.2014

---

mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 100 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### 12.2 Persistence and degradability

#### Components:

##### **Octamethylcyclotetrasiloxane:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 3.7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 310

Stability in water : Degradation half life: 69.3 - 144 h (24.6 °C)  
pH: 7  
Method: OECD Test Guideline 111

##### **Dimethyldimethoxysilane:**

Stability in water : Degradation half life: < 0.6 h  
pH: 7

### 12.3 Bioaccumulative potential

#### Components:

##### **Methyltrimethoxysilane:**

Partition coefficient: n-octanol/water : log Pow: -2.36

##### **Octamethylcyclotetrasiloxane:**

Bioaccumulation : Species: Pimephales promelas (fathead minnow)  
Bioconcentration factor (BCF): 12,400

Partition coefficient: n-octanol/water : log Pow: 6.48 (25.1 °C)

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Components:

##### **Octamethylcyclotetrasiloxane:**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

Assessment : Remarks: Octamethylcyclotetrasiloxane (D4) meets the current REACh Annex XIII criteria for PBT and vPvB. In Canada, D4 has been assessed and deemed to meet the PiT criteria. However, D4 does not behave similarly to known PBT/vPvB substances. The weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by reaction with naturally occurring hydroxyl radicals in the atmosphere. Any D4 in air that does not degrade by reaction with hydroxyl radicals is not expected to deposit from the air to water, to land, or to living organisms.

### 12.6 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

Not regulated as a dangerous good

### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version 1.10	Revision Date: 16.02.2018	SDS Number: 833617-00011	Date of last issue: 09.03.2017 Date of first issue: 26.11.2014
-----------------	------------------------------	-----------------------------	---

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.  
Not applicable

#### The components of this product are reported in the following inventories:

NZIoC : All ingredients listed or exempt.

REACH : For purchases from Dow Chemical EU legal entities, all ingredients are currently pre/registered or exempt under REACH. Please refer to section 1 for recommended uses. For purchases from non-EU Dow Chemical legal entities with the intention to export into EEA please contact your DC representative/local office.

TSCA : All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

AICS : All ingredients listed or exempt.

IECSC : All ingredients listed or exempt.

ENCS/ISHL : All components are listed on ENCS/ISHL or exempted from inventory listing.

KECI : All ingredients listed, exempt or notified.

PICCS : All ingredients listed or exempt.

DSL : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

TCSI : All ingredients listed or exempt.

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

### Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H226	: Flammable liquid and vapour.
H317	: May cause an allergic skin reaction.
H361f	: Suspected of damaging fertility.
H413	: May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Aquatic Chronic	: Chronic aquatic toxicity
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Sens.	: Skin sensitisation
2006/15/EC	: Europe. Indicative occupational exposure limit values
DCC OEL	: Dow Chemical Guide
GB EH40	: UK. EH40 WEL - Workplace Exposure Limits
US WEEL	: USA. Workplace Environmental Exposure Levels (WEEL)
2006/15/EC / TWA	: Limit Value - eight hours
DCC OEL / TWA	: Time weighted average
GB EH40 / TWA	: Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL	: Short-term exposure limit (15-minute reference period)
US WEEL / TWA	: Time weighted average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



## DOWSIL™ 3145 RTV Mil-A-46146 Adhesive/Sealant Clear

Version	Revision Date:	SDS Number:	Date of last issue: 09.03.2017
1.10	16.02.2018	833617-00011	Date of first issue: 26.11.2014

---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN