

**Paint Markers** 

**Temporary Ink Markers** 

**Specialty Markers** 

**Layout Fluids** 

REMOVER & PREP



#### **Typical Applications**

- Food service
- · NSF registered permanent ink marker
- · General purpose, quick drying formula
- Simplifies HACCP designation for items

- Marks withstand -20° to 475° F temperature range
- Valve action ensures tip will not
- Marker cap securely screws onto both ends of marker
- Tip of marker is locked in and will not fall out
- Barrel and cap feature metal, X-ray detectable parts



#### SAFE-MARK

Product Code and Color					
40907		Black	40029		Orange
40999		Blue	40039		Red
40996		White	40998	_	Green
40997		Yellow			

#### **LAYOUT FLUID / REMOVER / DETECTORS**



Provides a deep, uniform color that prevents glare so scribes appear clear, sharp and precise for machinists

- Resists cracking and chipping
- Adds practically no thickness to work piece

#### **STEEL BLUE®**

Product Code	Size
80000	Aerosol 16 oz.
80200	Felt applicator 2 oz.
80300	Brush-In-Cap 4 oz.
80400	Brush-In-Cap 8 oz.
80600	Bottle 930 mL
80700	Container 1 Gallon







Prepares surfaces for better adhesion of layout fluids and removes layout fluids when project is complete

- Prepares metal surfaces
- Dries in minutes
- Does not contain toluene or chlorinated solvents

#### REMOVER & PREP

Product Code	Size
82038	Aerosol 16 oz.
82638	Bottle 930 mL
82738	Container 1 Gallon
82838	Pail 5 Gallons
82938	Drum 55 Gallons





Detects high spots on bearings, gears and other close fits

- Blue, soft, uniform paste spreads easily and evenly
- Film remains pliable and transferable and in good condition for months

#### HI-SPOT BLUE

Product Code	Size
83307	Tube .55 oz

- Saves time and money in surface scraping work



Quality control and warranty work

- Visually detects loose nuts and bolts
- Tamper-proof torque mark
- Highly visible fluorescent color
- · Excellent adhesion

- · Safe for most surfaces
  - · Provides warranty protection









#### **Typical Applications**

- · Identifying inventory
- · Work in progress
- Identifying tools
- Welding/fabricating metal
- Finished products
- General purpose felt tip paint markers that write on virtually any surface
- Quick drying, oil-based paint withstands indoor and outdoor conditions without fading, chipping or losing opacity
- Valve action mechanism prevents paint in barrel from drying when cap is left off
- · Formula is not xylene-based
- · Drying time: 25-35 seconds
- BRIGHT-MARK® H2O Water-Based formula also available in yellow and white (see chart on back)

#### **BRITE-MARK®** Fine


 Permanent paint marker with fine, fiber valve action tip ideal for easy labeling of small parts.

#### **Product Code and Color**

oduct coc	ic and con	,			
41001	Blue	41006	Yellow	41004	Green
41003	Black	41010	Orange		
41008	White	41002	Red		

#### BRITE-MARK® 916 Medium

• Permanent paint marker with medium, fiber valve action tip.



#### BRITE-MARK® 40 Medium

 Permanent paint marker with medium, fiber valve action tip. Clip cap screw for secure closure. Threaded barrel allows marker to be screwed into a jig or apparatus.

#### **Product Code and Color**

40001	<b>E</b>	Blue	4000	06 📉	Yellow	40004	Green
40003	E	Black	4001	10 📒	Orange	40016	Silver
40008	V	√hite	4000	)2 🔃	Red	40007	Brown





#### **Typical Applications**

- Identifying inventory
- Work in progress
- Identifying tools
- Welding/fabricating metal
- · Finished products

- Writes longer with more paint than competitive paint makers
- Plastic tip resists fraying and disintegrating when used on rough surfaces
- Tip repels oil and grease and can be wiped clean
- Industrial-grade UV resistant paint withstands harsh outdoor conditions

# d rusty, Green

#### BRITE-MARK® RoughNeck Medium

 Ultra-durable permanent tip designed to withstand rusty, rough, oily, greasy and demanding jobsites.

#### **Product Code and Color**

84201	Blue	84204	Yellow	84207 Green
84202	Black	84205	Orange	
84203	White	84206	Red	



#### **Typical Applications**


- · Identifying inventory
- · Work in progress
- Identifying tools
- Welding/fabricating metal
- Finished products

- Make permanent marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more
- Valve action mechanism prevents paint in barrel from drying when cap is left off
- Heavy duty aluminum barrel retains its shape
- Ideal for color coding
- Felt tips are reversible and replaceable to assure complete use of paint in each marker
- · Formula is not xylene-based
- Drying time: 2 minutes

#### BRITE-MARK® Jumbo Paint Marker

 Permanent paint marker with 1/2 inch, fiber action tip. Clip cap screw for secure closure. Threaded barrel allows marker to be screwed into a jig or apparatus.

#### **Product Code and Color**








#### **Typical Applications**

- Structural steel
- Steel stockholders
- Construction sites
- · Identifying rusty/oily/greasy tools
- · Identifying parts that are stored outside
- Stainless steel ball tip no risk of tip wear, even when writing on rough concrete or rusty metal
- · Easily writes through oil, grease and water
- · Writes at all angles, even upside down
- Paint withstands extreme weather conditions without losing legibility or brightness
- · Available in different tip sizes and colors
- TEXPEN® marker is a smaller version of the DALO® marker
- Drying time: 25-35 minutes

#### **TEXPEN®** Industrial Steel Tip Paint Marker



#### **DALO®** Industrial Steel Tip Paint Marker




#### **TEMPORARY INK MARKERS**




#### Typical Applications

- Quailty control
- Work in progress
- Automotive industry
- Perfect for temporary writing on non-treated, nonpainted metal surfaces which require ink that can be removed with water or with detergents with a pH ≥10
- General purpose xylene-free temporary ink markers
- Ideal for quality control
- No ghosting or bleed-through occurs when removed marks are painted over
- Drying time: 25-35 seconds

#### RINZ OFF® Water Removable



#### SUDZ OFF® Detergent Removable







#### **Typical Applications**

- · Shrink wrap and plastics
- Machine shops

- General purpose marker
- Highly resistant to coolants and cutting fluids
- Threaded barrel allows marker to be screwed into a jig or apparatus
- Not a xylene-based formula
- Valve action mechanism prevents ink in barrel from drying when cap is left off
- Drying time: 45 seconds 1 minute

#### TUFF GUY™ General Purpose Marker

## Product Code and Color 44203 Black 44175 White 44819 Red 44177 Green 44401 Yellow 44179 Blue



#### **Typical Applications**

- Components exposed to high temperatures
- Ideal for marking glass, metal and ceramics
- · Electronics industry
- Ideal for marking on surfaces that are exposed to extreme high temperatures
- Mark becomes fused and permanent after heat is applied - up to 2000°F
- Ideal for marking glass, metal and ceramics
- Paint withstands extreme weather conditions without losing legibility or brightness

#### **HIGH TEMP 44**

- · Permanent fiber tip valve action paint
- Valve action mechanism prevents paint in barrel from drying when cap is left off
- Threaded barrel allows marker to be screwed into a jig or apparatus
- Drying time: 45 seconds 1 minute

#### **Product Code and Color**

44250	Black	44219	White
44094	Blue	44424	Yellow
44266	Green		

#### **HIGH TEMP TXP**

- Stainless steel-ball tip no risk of tip wear even when writing on rough surfaces
- · Easily writes through oil, grease and water
- · Writes at all angles, even upside down
- Drying time: 25-30 minutes

#### **Medium Tip**

#### Product Code and Color

17083	White
17063	Yellow





#### **Typical Applications**

- Marking stainless steel
- Aerospace industry
- Ship/boat/marine industries
- Used where surface degradation, contamination or other adverse effects are a concern
- Will not etch metal
- Paint will not contaminate or adversely affect the surface being marked
- Meet requirements of US Energy Research & Development Administration "Nuclear Grade" for black, red, yellow, and white inks

#### **HIGH PURITY**

- Permanent fiber tip valve action paint marker
- Valve action mechanism prevents paint in barrel from drying when cap is left off
- Drying time: 45 seconds 1 minute

o Drying time. 45 second	13 - I Illiliute	
Fine Tip Product Code and Color	Medium Tip Product Code and Color	
33404 Black	44404 Black	
33301 Red	44534 Blue	
33729 White	44301 Red	
	44729 White	
	4401C V-II	

#### **HIGH PURITY TXP**

- Stainless steel-ball tip no risk of tip wear even when writing on rough surfaces
- · Easily writes through oil, grease and water
- Drying time: 25-30 minutes

#### **Medium Tip**

#### **Product Code and Color**

17463 White



### **Merchandising**

#### **PEN CANISTER**

· Come filled and ready to display

Compact footprint 4" (W) x 6.75" (H)

Holds: 12 Yellow 12 Black 12 White

Product Code	Pack Description
84060	BRITE-MARK® Display (Filled)
84061	BRITE-MARK® Display (Empty)



Constructed with light weight, corrugated cardboard

Configured to hold any marker box in the DYKEM® marker line

SPLAY

三

**DEMO** 

· Adds visibility to markers

· Compact footprint: 8" (W) x 11.25" (D) x 11" (H)

· Shipped empty

**Product Code Pack Description** Pen Display



#### **PEN SHOWCASE**

- Showcases the variety of DYKEM® marking systems
- Comes stocked with product and 50 sheets of literature
- Footprint with literature: 12.5" (W) x 10" (D) x 17.5" (H)
- Compact footprint: 8" (W) x 11.25" (D) x 11" (H)

Product Code **Pack Description** 84997 Pen Showcase



- · Allows for demonstration of the entire DYKEM® product line
- Comes with product and demonstration supplies and instructors





Details

DYKEM

	DYKEM Part #	Details
	ВІ	RITE-MARK® - Fine
	41001	Blue
	41002	Red
	41003	Black
	41004	Green
	41006	Yellow
	41008	White
	41010	Orange
	BRITE-N	//ARK® - 916 Medium Tip
	84001	Blue
	84002	Black
	84003	White
	84004	Yellow
ers	84005	Orange
Paint Markers	84006	Red
z	84007	Green
Pai	84008	Light Blue
	84009	Pink
	84010	Brown
	84019	Violet
	84050	Silver
	84051	Gold
	BRITE-	MARK® - 40 Medium Tip
	40001	Blue
	40002	Red
	40003	Black
	40004	Green
	40006	Yellow
	40008	White
	40010	Orange
	40016	Silver
	BRITE-N	IARK® H2O - Medium Tip
	91602	Green
	91427	Yellow
	91425	White

DYKEM Part #	Details	
BRITE-MARK® RoughNeck - Medium		
84201	Blue	
84202	Black	
84203	White	
84204	Yellow	
84205	Orange	
84206	Red	
84207	Green	
BRITE-MARK® - Jumbo		
77001	Blue	
77002	Black	
77003	White	
77004	Yellow	
77005	Orange	
77006	Red	
77007	Green	
TEXPEN® - Fine Tip		
16030	Black	
16020	Red	
16080	White	
16060	Yellow	
TEXPEN® - Medium Tip		
16033	Black	
16013	Blue	
16043	Green	
16023	Red	
16083	White	
16063	Yellow	
16103	Orange	
TEXPEN® - Broad Tip		
16084	White	
16064	Yellow	
DALO® - Medium Tip		
26033	Black	
26013	Blue	

	DYKEM Part #	Details	
	26043	Green	
	26023	Red	
	26083	White	
	26063	Yellow	
	26103	Orange	
		DALO® - Broad Tip	
	26084	White	
	26064	Yellow	
	RII	NZ OFF® - Broad Tip	
	44105	Blue	
	44106	Red	
	44757	Yellow	
	44709	White	
	RINZ OFF® - Medium Tip		
ers	91105	Blue	
emporary Ink Marker	91106	Red	
¥	91108	Green	
J.	91109	Black	
por	91757	Yellow	
Tem	SUDZ OFF® - Broad Tip		
	44985	Black	
	44938	Blue	
	44371	Green	
	44939	Red	
	44694	Yellow	
	44146	White	
SIS	SUDZ OFF® - Medium Tip		
arke	91985	Black	
Σ	91938	Blue	
orary Ink Markers	91371	Green	
orar	91939	Red	
dw	91694	Yellow	
Te	91146	White	

	DYKEM Part #	Details		
	TUFF GUY™			
	44203	Black		
	44819	Red		
	44401	Yellow		
	44175	White		
	44177	Green		
	44179	Blue		
	HIGH TEMP MARKER - 44			
	44250	Black		
	44094	Blue		
ပ္ပ	44266	Green		
홛	44219	White		
Ma	44424	Yellow		
pecialty Markers	HIGH TEMP MARKER - TXP - Medium Tip			
bec	17083	White		
S	17063	Yellow		
	HIGH PURITY MARKER - Fine Tip			
	33404	Black		
	33301	Red		
	33729	White		
	HIGH PURITY MARKER - Medium Tip			
	44404	Black		
	44534	Blue		
	44301	Red		
	44729	White		
	44916	Yellow		
	HIGH PURITY MARKER - TXP - MediumTip			
	17463	White		
က	SAFE-MARK			
rke	40907	Black		
E S	40999	Blue		
pecialty Markers	40996	White		
bec	40997	Yellow		
S	40029	Orange		
	40039	Red		
	40998	Green		

80000 80200 2	16 oz. Aerosol		
80200 2			
	oz. Felt Tip Applicator		
80300	4 oz Brush-In-Cap		
80400	8 oz Brush-in-Cap		
80600	930 mL Bottle		
80700	1 Gallon Container		
Remo	Remover & Prep		
82038	16 oz Aerosol		
82638	930 mL Bottle		
82738	1 Gallon Container		
82838	5 Gallon Pail		
82938	55 Gallon Drum		
ĦI-S	HI-SPOT BLUE		
80700   Remote	.55 oz Tube		
	CROSS CHECK™		
83314	Orange - 1 oz Tube		
83315	Green - 1 oz Tube		
83316	Red- 1 oz Tube		
83317	Yellow - 1 oz Tube		
83318	Blue - 1 oz Tube		
Displays	Displays & Accessories		
. <b>≅</b> 84060 Car	nnister - 12 Each Color		
<u>왕</u> 84061	Empty		
84999	Pen Display		
84060 Car 84061 84999 84997	Pen Showcase		
84998	Pen Demo Kit		
•			

Tel: 913.397.9889

Fax: 800.323.9536

Toll Free: 800.443.9536