




R950

Hydra Drill Head for Steel



Two (2) screws and one (1) screwdriver are included with a drill body



d ₁ R _h Inch	d ₁ R _h mm	d ₁ decimal Inch	l ₁ mm	e-code	USD
15/32	11.91	0.4688	9.1	R95015/32	76.90
	12.00	0.4724	9.1	R95012.0	76.90
	12.10	0.4764	9.1	R95012.1	76.90
	12.20	0.4803	9.1	R95012.2	76.90
31/64	12.30	0.4844	9.1	R95031/64	76.90
	12.50	0.4921	9.4	R95012.5	79.70
	12.60	0.4961	9.4	R95012.6	79.70
1/2	12.70	0.5000	9.4	R9501/2	79.70
	12.80	0.5039	9.4	R95012.8	79.70
	12.90	0.5079	9.4	R95012.9	79.70
	13.00	0.5118	9.7	R95013.0	79.70
33/64	13.10	0.5156	9.7	R95033/64	79.70
	13.20	0.5197	9.7	R95013.2	79.70
17/32	13.49	0.5313	9.7	R95017/32	79.70
	13.50	0.5315	10.3	R95013.5	82.50
	13.60	0.5354	10.3	R95013.6	82.50
	13.70	0.5394	10.3	R95013.7	82.50
	13.80	0.5433	10.3	R95013.8	82.50
35/64	13.89	0.5469	10.3	R95035/64	82.50
	14.00	0.5512	10.3	R95014.0	82.50
	14.10	0.5551	10.3	R95014.1	82.50
	14.20	0.5591	10.3	R95014.2	82.50
9/16	14.29	0.5625	10.3	R9509/16	82.50
	14.50	0.5709	10.3	R95014.5	82.50
	14.60	0.5748	11.0	R95014.6	85.20
37/64	14.68	0.5781	11.0	R95037/64	85.20
	14.70	0.5787	11.0	R95014.7	85.20
	14.80	0.5827	11.0	R95014.8	85.20
	15.00	0.5906	11.0	R95015.0	85.20
19/32	15.08	0.5938	11.0	R95019/32	85.20
	15.10	0.5945	11.0	R95015.1	85.20



d ₁ R _h ₇ Inch	d ₁ R _h ₇ mm	d ₁ decimal Inch	l ₁ mm	e-code	USD
	15.20	0.5984	11.0	R95015.2	85.20
	15.24	0.6000	11.0	R95015.24	85.20
39/64	15.48	0.6094	11.0	R95039/64	85.20
	15.50	0.6102	11.0	R95015.5	85.20
	15.60	0.6142	11.6	R95015.6	88.10
	15.70	0.6181	11.6	R95015.7	88.10
5/8	15.88	0.6250	11.6	R9505/8	88.10
	16.00	0.6299	11.6	R95016.0	88.10
	16.08	0.6331	11.6	R95016.08	88.10
	16.10	0.6339	11.6	R95016.1	88.10
	16.20	0.6378	11.6	R95016.2	88.10
41/64	16.27	0.6406	11.6	R95041/64	88.10
	16.30	0.6417	11.6	R95016.3	88.10
	16.50	0.6496	11.6	R95016.5	88.10
	16.60	0.6535	12.2	R95016.6	90.50
21/32	16.67	0.6563	12.2	R95021/32	90.50
	16.70	0.6575	12.2	R95016.7	90.50
	17.00	0.6693	12.2	R95017.0	90.50
43/64	17.07	0.6719	12.2	R95043/64	90.50
	17.10	0.6732	12.2	R95017.1	90.50
	17.20	0.6772	12.2	R95017.2	90.50
11/16	17.46	0.6875	12.2	R95011/16	90.50
	17.50	0.6890	12.2	R95017.5	90.50
	17.60	0.6929	12.9	R95017.6	92.20
	17.70	0.6969	12.9	R95017.7	92.20
45/64	17.86	0.7031	12.9	R95045/64	92.20
	18.00	0.7087	12.9	R95018.0	92.20
	18.10	0.7126	12.9	R95018.1	92.20
	18.20	0.7165	12.9	R95018.2	92.20
23/32	18.26	0.7188	12.9	R95023/32	92.20
	18.50	0.7283	12.9	R95018.5	92.20
	18.60	0.7323	13.5	R95018.6	96.20
47/64	18.65	0.7344	13.5	R95047/64	96.20
	18.70	0.7362	13.5	R95018.7	96.20
	18.90	0.7441	13.5	R95018.9	96.20
	19.00	0.7480	13.5	R95019.0	96.20
3/4	19.05	0.7500	13.5	R9503/4	96.20
	19.10	0.7520	13.5	R95019.1	96.20
	19.20	0.7559	13.5	R95019.2	96.20
	19.25	0.7579	13.5	R95019.25	96.20
	19.30	0.7598	13.5	R95019.3	96.20
	19.35	0.7618	13.5	R95019.35	96.20
49/64	19.45	0.7656	13.5	R95049/64	96.20
	19.50	0.7677	13.5	R95019.5	96.20
	19.60	0.7717	14.1	R95019.6	98.90
	19.70	0.7756	14.1	R95019.7	98.90



d ₁ R _h Inch	d ₁ R _h mm	d ₁ decimal Inch	l ₁ mm	e-code	USD
25/32	19.84	0.7813	14.1	R95025/32	98.90
	20.00	0.7874	14.1	R95020.0	98.90
51/64	20.24	0.7969	14.1	R95051/64	98.90
	20.50	0.8071	14.1	R95020.5	98.90
13/16	20.64	0.8125	14.8	R95013/16	102.00
	21.00	0.8268	14.8	R95021.0	102.00
53/64	21.03	0.8281	14.8	R95053/64	102.00
27/32	21.43	0.8438	14.8	R95027/32	102.00
	21.50	0.8465	14.8	R95021.5	102.00
55/64	21.83	0.8594	15.0	R95055/64	106.00
	22.00	0.8661	15.0	R95022.0	106.00
7/8	22.22	0.8750	15.0	R9507/8	106.00
	22.50	0.8858	15.0	R95022.5	106.00
57/64	22.62	0.8906	15.0	R95057/64	106.00
	22.70	0.8937	15.0	R95022.7	106.00
	23.00	0.9055	15.1	R95023.0	110.00
29/32	23.02	0.9063	15.1	R95029/32	110.00
59/64	23.42	0.9219	15.1	R95059/64	110.00
	23.50	0.9252	15.1	R95023.5	110.00
15/16	23.81	0.9375	15.4	R95015/16	110.00
	24.00	0.9449	15.4	R95024.0	112.00
61/64	24.21	0.9531	15.4	R95061/64	112.00
	24.50	0.9646	15.4	R95024.5	112.00
31/32	24.61	0.9688	15.4	R95031/32	112.00
	25.00	0.9844	15.8	R95025.0	115.00
63/64	25.00	0.9844	15.8	R95063/64	115.00
1"	25.40	1.0000	15.8	R9501	115.00
	25.50	1.0039	15.8	R95025.5	115.00
	25.60	1.0079	15.8	R95025.6	115.00
	25.65	1.0098	15.8	R95025.65	115.00
1.1/64	25.80	1.0156	15.8	R9501.1/64	115.00
	26.00	1.0236	16.4	R95026.0	117.00
1.1/32	26.19	1.0313	16.4	R9501.1/32	117.00
	26.50	1.0433	16.4	R95026.5	117.00
1.3/64	26.59	1.0469	16.4	R9501.3/64	117.00
1.1/16	26.99	1.0625	17.1	R9501.1/16	119.00
	27.00	1.0630	17.1	R95027.0	119.00
1.5/64	27.38	1.0781	17.1	R9501.5/64	119.00
	27.50	1.0827	17.1	R95027.5	119.00
1.3/32	27.78	1.0938	17.1	R9501.3/32	119.00
	28.00	1.1024	17.7	R95028.0	124.00
1.7/64	28.18	1.1094	17.7	R9501.7/64	124.00
	28.50	1.1220	17.7	R95028.5	124.00
1.1/8	28.58	1.1250	17.7	R9501.1/8	124.00
1.9/64	28.97	1.1406	18.3	R9501.9/64	127.00
	29.00	1.1417	18.3	R95029.0	127.00



d ₁ R _h ₇ Inch	d ₁ R _h ₇ mm	d ₁ decimal Inch	l ₁ mm	e-code	USD
1.5/32	29.37	1.1563	18.3	R9501.5/32	127.00
	29.50	1.1614	18.3	R95029.5	127.00
1.11/64	29.77	1.1719	18.3	R9501.11/64	127.00
	30.00	1.1811	19.0	R95030.0	130.00
1.3/16	30.16	1.1875	19.0	R9501.3/16	130.00
	30.50	1.2008	19.0	R95030.5	130.00
1.7/32	30.96	1.2188	21.0	R9501.7/32	184.00
	31.00	1.2205	21.0	R95031.0	184.00
1.1/4	31.75	1.2500	21.0	R9501.1/4	184.00
	32.00	1.2598	21.0	R95032.0	184.00
	32.50	1.2795	21.0	R95032.5	190.00
1.19/64	32.94	1.2969	21.0	R9501.19/64	190.00
	33.00	1.2992	21.0	R95033.0	190.00
	33.50	1.3189	21.0	R95033.5	190.00
	34.00	1.3386	23.0	R95034.0	208.00
1.11/32	34.13	1.3438	23.0	R9501.11/32	208.00
	34.50	1.3583	23.0	R95034.5	208.00
1.3/8	34.93	1.3750	23.0	R9501.3/8	208.00
	35.00	1.3780	23.0	R95035.0	208.00
	36.00	1.4173	23.0	R95036.0	215.00
1.27/64	36.12	1.4219	23.0	R9501.27/64	215.00
	36.50	1.4370	23.0	R95036.5	215.00
	37.00	1.4567	25.0	R95037.0	234.00
1.15/32	37.31	1.4688	25.0	R9501.15/32	234.00
	37.50	1.4764	25.0	R95037.5	234.00
	38.00	1.4961	25.0	R95038.0	234.00
1.1/2	38.10	1.5000	25.0	R9501.1/2	250.00
	38.50	1.5157	25.0	R95038.5	250.00
1.17/32	38.89	1.5313	25.0	R9501.17/32	250.00
	39.00	1.5354	25.0	R95039.0	250.00
	39.50	1.5551	25.0	R95039.5	250.00
1.9/16	39.69	1.5625	27.0	R9501.9/16	273.00
	40.00	1.5748	27.0	R95040.0	273.00
	41.00	1.6142	27.0	R95041.0	273.00
1.5/8	41.28	1.6250	27.0	R9501.5/8	290.00
	42.00	1.6535	27.0	R95042.0	290.00