

JE - 9 4 3 3



CHAIN SAW PROCHAPS™ 94 SERIES JE-9433 LENGTH 33 INCHES FROM WAIST

Ref. WELJE9433\_



#### Product specifications

The 94 Series ProChaps™ are designed for the professional chain saw user!

Offers reliable protection without sacrificing comfort.

Exclusive Prolar™ pad, stops and jams a chain saw in milliseconds!

The outer shell is designed for durability even in severe environments and outer fabric cover coating is water resistant.

Breathable with open back design, prevents heat build-up.

Tested and Certified Underwriter Laboratories.

Outer Layer: 1000 Denier Nylon Fabric

Outer Layer Coating: Polyurethane for water resistance

Protective Padding: Multilayer PROLAR™ of Polypropylene and Polyester

Buckles: Acetyl Nylon Webbing

Thread: Nylon

#### COLOR

Orange

#### SIZE

No size

## Product Use - Risks



Cutting / Perforation



Agriculture / Green areas  
craftman



Construction / Civil engineering



Second work /



Services / Logistics



Oil / Gas



Mining



Wind/Energy

## Product's highlights & user's benefits

Patented Smart Asymmetrical design (U.S. No. 5,095,544) for extended protection on left side of legs.

Elvex® exclusively developed product  
Prolar™ multi-layer protective padding,  
stopping cutting action in milliseconds.

Heavy-duty abrasion resistant 1000 Denier  
nylon cover fabric for extra durability and  
longer wear.

3 sets of quick release leg buckles help the  
stiffer cover fabric conform comfortably to  
legs.

A zippered front pocket is a standard feature  
not found in other brands.

## Certifications and Standards

### USA STANDARDS



ASTM-F-1414 Standard Test Method for Measurement of Cut Resistance to Chainsaw in Lower Body (Legs) Protective Clothing


Standard Test Method for Measu: Additional special requirements



ASTM-F-1897-2008 Standard Specification for Leg Protection for Chain Saw Users

Requires an upgraded level of: .

## References

References	Bar code	COLOR	SIZE		
WELJE9433	7292940943340	Orange	No size	10	-