

SA - 93



UNIVERSAL SLOT ADAPTOR SA-93 FOR 29 MM TO 33 MM HARD HAT SLOT OPENINGS

Ref. WELSA93_



Product specifications

Universal slot adaptor fits wide slotted safety caps.

Slot filler may be removed for narrower slot opening.

Accepts face shields, screens and visors.

Use for Elvex SC-50, Bullard, ERB, MSA V-Guard Advance and HDPE, North (A29, A59,A69,A79), Wilson (Alpha, Beta), 3M.

For Fibre Metal caps use Quick Slot (QS-29) with SA-29 .

Material: Nylon

COLOR

Black

SIZE

No size

Product Use - Risks



Agriculture / Green areas
craftman



Construction / Civil engineering



Second work /



Heavy industry



Light industry



Services / Logistics



Hygiene environment



Oil / Gas



Mining



Wind/Energy

Product's highlights & user's benefits

Fits 29 mm to 33 mm hard hat slot opening in most hard hat brands.

Slot adaptors provide a fixed channel for the visor bracket arm to slide in and out.

For use with Elvex VB-10 and VB-30 visor brackets.

Dielectric construction.

Certifications and Standards

USA STANDARDS



ANSI Z87.1-2010 American National Standards Institute - Occupational and didactic Personal Eye and Face Protection Devices.

References

References	Bar code	COLOR	SIZE		
WELSA93	00	Black	No size	504	-