SAFETY DATA SHEET

1. Identification

Product identifier CIMTECH® 410C

METALWORKING FLUID

Other means of identification

SDS number Not applicable

METALWORKING FLUID Recommended use

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

CIMCOOL® Industrial Products LLC Company name

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

Emergency telephone

number

1-800-424-9300 (CHEMTREC)

Emergency telephone number (outside USA) 1-703-527-3887 (CHEMTREC)

2. Hazard(s) identification

Physical hazards Corrosive to metals Category 1 **Health hazards** Serious eye irritation Category 2A

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word Warning

May be corrosive to metals. Causes serious eye irritation. **Hazard statement**

Precautionary statement

Keep only in original container. Wash thoroughly after handling. Wear eye protection/face Prevention

protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Absorb

spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Use in manufacturing processes only.

> The classified hazards shown on this SDS are associated with the product concentrate. These hazards are not expected under recommended use conditions and dilution.

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|-----------------------------------|--------------------------|------------|---------|
| TRIETHANOLAMINE | | 102-71-6 | 10 - 20 |
| MONOETHANOLAMINE | | 141-43-5 | 5 - 10 |
| NONANOIC (PELARGONIC) ACID | | 112-05-0 | 1 - 3 |
| TRIAZINETRIETHANOL | | 4719-04-4 | 1 - 3 |
| Other components below reportable | e levels | | 70 - 80 |

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. The exact percentages of hazardous ingredients have been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

Ingestion Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Alcohol resistant foam. Dry powder. Carbon dioxide (CO2). Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Not applicable, non-combustible.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial

hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS).

Value

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| | туре | Value | |
|--|---------------|----------|--|
| MONOETHANOLAMINE (CAS 141-43-5) | PEL | 6 mg/m3 | |
| | | 3 ppm | |
| US. NIOSH: Pocket Guide to Chen | nical Hazards | | |
| | Туре | Value | |
| MONOETHANOLAMINE (CAS 141-43-5) | STEL | 15 mg/m3 | |
| , | | 6 ppm | |
| | TWA | 8 mg/m3 | |
| | | 3 ppm | |
| US. ACGIH Threshold Limit Value | s | | |
| | Туре | Value | |
| MONOETHANOLAMINE (CAS 141-43-5) | STEL | 6 ppm | |
| | TWA | 3 ppm | |
| TRIETHANOLAMINE (CAS | TWA | 5 mg/m3 | |

Appropriate engineering controls

102-71-6)

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

considerations

Hand protection Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene When using, do not eat, drink or s

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

9. Physical and chemical properties

Appearance CLEAR
Physical state Liquid.
Form Liquid.
Color Not available.
Odor Chemical

Odor threshold Not available.

pH 9.7

Melting point/freezing point $< 20 \degree F (< -6.7 \degree C)$ Initial boiling point and boiling $> 212 \degree F (> 100 \degree C)$

range

Flash point Not Applicable

Evaporation rate Like water when diluted

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) N
Explosive limit - upper (%) N

Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) 100 % Water Miscible

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties

Oxidizing properties

PH in aqueous solution

Specific gravity

VOC ASTM D2369

Not explosive.

Not oxidizing.

8.5 @ 5%

1.058

1.058

10. Stability and reactivity

Reactivity May be corrosive to metals.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materialsDo not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Acids. Aluminum. Oxidizing agents.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

InhalationNot classified.Skin contactNot classified.

Eye contact Causes eye irritation.

Ingestion Not classified.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity

Components Species Test Results

MONOETHANOLAMINE (CAS 141-43-5)

Acute Dermal

LD50 Rabbit 1025 mg/kg

NONANOIC (PELARGONIC) ACID (CAS 112-05-0)

Acute
Dermal
Liquid

LD50 Rat > 2000 mg/kg

Oral Liquid

LD50 Rat > 2000 mg/kg

TRIAZINETRIETHANOL (CAS 4719-04-4)

Acute
Dermal
Liquid

LD50 Rat 4000 mg/kg

Oral Liauid

LD50 Rat 1000 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

Acute
Dermal
Liquid

LD50 Rabbit

Rabbit > 2000 mg/kg

Oral

Liquid

LD50 Rat 4190 mg/kg

Skin corrosion/irritation Not classified.

Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

organ toxicity - Not classified.

single exposure

Specific target organ toxicity - Not classified.

repeated exposure

Aspiration hazard Not an aspiration hazard.

Chronic effects Not classified.

Further informationThe classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components | | Species | Test Results |
|----------------------------|---------------|---|------------------------------|
| MONOETHANOLAMINE (CA | AS 141-43-5) | | |
| Aquatic | | | |
| Fish | LC50 | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 114 - 196 mg/l, 96 hours |
| Acute | | | |
| Crustacea | EC50 | Daphnia | 65 mg/l, 48 hours ECHA |
| NONANOIC (PELARGONIC |) ACID (CAS 1 | 12-05-0) | |
| Aquatic | | | |
| Acute | | | |
| Crustacea | EC50 | Daphnia | 96 mg/l, 48 hours |
| Fish | LC50 | Rainbow trout,donaldson trout (Oncorhynchus mykiss) | 91 mg/l, 96 hours |
| TRIAZINETRIETHANOL (CA | AS 4719-04-4) | | |
| Aquatic | | | |
| Acute | | | |
| Crustacea | EC50 | Daphnia | 11.9 mg/l, 48 hours ECHA |
| Fish | LC50 | Fish | 16 - 240 mg/l, 96 hours ECHA |
| TRIETHANOLAMINE (CAS | 102-71-6) | | |
| Aquatic | • | | |
| Crustacea | EC50 | Water flea (Ceriodaphnia dubia) | 565.2 - 658.3 mg/l, 48 hours |
| Acute | | | |
| Fish | LC50 | Bluegill (Lepomis macrochirus) | 450 - 1000 mg/l, 96 hours |
| sistence and degradability | No data is a | available on the degradability of any ingre | edients in the mixture. |

Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31NONANOIC (PELARGONIC) ACID 3.42 **TRIAZINETRIETHANOL** -2 **TRIETHANOLAMINE** -2.3

Bioconcentration factor (BCF)

MONOETHANOLAMINE < 3.2, ESTIMATED

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3267

Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE, TRIETHANOLAMINE) **UN proper shipping name**

Material name: CIMTECH® 410C SDS US Version #: 06 Revision date: 02-25-2019 6/9 Issue date: 07-31-2014

Transport hazard class(es)

8 Class Subsidiary risk 8 Label(s) Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB3, T7, TP1, TP28 Special provisions

Packaging exceptions 154 203 Packaging non bulk Packaging bulk 241

Supplemental Information: This Product Concentrate is corrosive only to Aluminum. Per 49CFR 173.154(d)(1) Except for a hazardous substance, a hazardous waste, or a marine pollutant, a material classed as Class 8 Packing Group III, solely because of its corrosive effect on aluminum - is not subject to any other requirements of this subchapter when transported by motor vehicle or rail car in packaging that will not react or be degraded by the corrosive material.

IATA

UN number UN3267

UN proper shipping name Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE, TRIETHANOLAMINE)

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 8L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN3267 **UN** number

CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE, **UN** proper shipping name

TRIETHANOLAMINE)

Not established.

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group

Environmental hazards

Marine pollutant No. F-A. S-B **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

DOT



Material name: CIMTECH® 410C

Version #: 06 Issue date: 07-31-2014 Revision date: 02-25-2019



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

| Chemical name CAS number | Reportable quantity (pounds) | Threshold planning quantity (pounds) | Threshold planning quantity, lower value (pounds) | Threshold planning quantity, upper value (pounds) |
|--------------------------|------------------------------------|--|--|--|
|--------------------------|------------------------------------|--|--|--|

75-21-8 1000 Ethylene Oxide 10

SARA 311/312 Hazardous

Classified hazard

chemical

Yes

Corrosive to metal

Serious eye damage or eye irritation categories

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|----------------|------------|----------|--|
| Ethylene Oxide | 75-21-8 | <= 0.1 | |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California South Coast Air **Quality Management** District (SCAQMD) Rule 1144 (VOC Emissions)

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 120 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration

is 84 % to maintain compliance.

California Proposition 65

WARNING: This product can expose you to chemicals including Ethylene Oxide, which is known to the State of

California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Listed: July 1, 1987 Ethylene Oxide (CAS 75-21-8)

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Ethylene Oxide (CAS 75-21-8)

International Inventories

| Country(s) or region | Inventory name | On inventory or exempt (yes/no)* |
|-----------------------------|--|----------------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | Yes |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory | No |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

07-31-2014 Issue date 02-25-2019 **Revision date**

Version # 06 Health: 1 **NFPA** ratings

Flammability: 0 Instability: 0

NFPA ratings



The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

> information and belief at the date of its publication. The information given is designed only as a quidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Hazard(s) identification: Hazard statement **Revision information**

Composition / Information on Ingredients: Component Summary Composition/information on ingredients: Component information

Physical & Chemical Properties: Multiple Properties Regulatory information: California Proposition 65

Material Attributes & Uses; Experimental Data: Experimental Data

Material name: CIMTECH® 410C

Version #: 06 Revision date: 02-25-2019 Issue date: 07-31-2014