# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** CIMTECH® 285

METALWORKING FLUID

Other means of identification

SDS number Not applicable

METALWORKING FLUID Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

CIMCOOL® Industrial Products LLC Company name

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

**Emergency telephone** number (outside USA) 1-703-527-3887 (CHEMTREC)

# 2. Hazard(s) identification

Physical hazards Corrosive to metals Category 1 **Health hazards** Serious eye irritation Category 2

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word Warning

May be corrosive to metals. Causes serious eye irritation. **Hazard statement** 

**Precautionary statement** 

Keep only in original container. Wash thoroughly after handling. Wear eye protection/face Prevention

protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Response

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Absorb

spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Use in manufacturing processes only.

#### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
TRIETHANOLAMINE		102-71-6	5 - 10
MONOETHANOLAMINE		141-43-5	3 - 5

Material name: CIMTECH® 285 SDS US Revision date: 03-23-2020

Chemical name	Common name and synonyms	CAS number	%
MONOISOPROPANOLAMINE		78-96-6	3 - 5
NONANOIC (PELARGONIC) A	CID	112-05-0	1 - 3
Other components below report	able levels		80 - 90

The exact percentages of hazardous ingredients have been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye Eye contact

irritation persists: Get medical advice/attention.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, Ingestion

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Indication of immediate medical attention and special treatment needed

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### 5. Fire-fighting measures

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that Suitable extinguishing media

Move containers from fire area if you can do so without risk.

are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Not applicable, non-combustible.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Wear suitable protective equipment.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental

Material name: CIMTECH® 285 SDS US 2 / 10 Revision date: 03-23-2020

contamination.

#### 7. Handling and storage

Precautions for safe handling Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources

of ignition. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial

hygiene practices.

Conditions for safe storage, including any incompatibilities Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table	Z-1 Limits for Air	* Contaminants	(29 CFR 1	910.1000)

Components	Type `	, Value	
MONOETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
US. ACGIH Threshold Limit Values	S		
Components	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	
MONOETHANOLAMINE (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	

**Biological limit values** 

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency

showers are recommended.

# Individual protection measures, such as personal protective equipment

Eye/face protection Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is

recommended.

Skin protection

Hand protection Nitrile gloves are recommended.

Wear appropriate chemical resistant clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**CLEAR Appearance** Physical state Liquid. **Form** Liquid.

Material name: CIMTECH® 285

Revision date: 03-23-2020

Color Not available. Odor **CHEMICAL Odor threshold** Not available.

9.9 рH

< 22 °F (< -5.6 °C) Melting point/freezing point > 212 °F (> 100 °C) Initial boiling point and boiling

range

Flash point Not Applicable

Like water when diluted **Evaporation rate** 

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density

Relative density Solubility(ies)

> 100 % Water Miscible Solubility (water)

Partition coefficient

Not available.

Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

8.64 lb/gal @ 60°F **Bulk density Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing. 9.1 @ 5% pH in aqueous solution Specific gravity 1.036 VOC ASTM D2369 11 %

#### 10. Stability and reactivity

Reactivity May be corrosive to metals.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Aluminum. Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which

may form cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

# 11. Toxicological information

# Information on likely routes of exposure

Health injuries are not known or expected under normal use. Inhalation Skin contact Health injuries are not known or expected under normal use.

Eye contact Causes eye irritation.

Health injuries are not known or expected under normal use. Ingestion

Material name: CIMTECH® 285 SDS US 4 / 10 Revision date: 03-23-2020

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision.

#### Information on toxicological effects

MONOETHANOLAMINE (CAS 141-43-5)

Acute toxicity

Components **Species Test Results** 

<u>Acute</u>

**Dermal** 

LD50 Rabbit 1025 mg/kg

MONOISOPROPANOLAMINE (CAS 78-96-6)

**Acute** 

Dermal Liquid

LD50 Rabbit 1576 mg/kg

Oral Liquid

LD50 Rat 2813 mg/kg

NONANOIC (PELARGONIC) ACID (CAS 112-05-0)

**Acute** 

**Dermal** 

Liquid

Rat LD50 > 2000 mg/kg

Inhalation

Mist

LC50 Rat > 5 mg/l, 4 hours

Oral Liquid

LD50 Rat > 2000 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

Acute

Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Oral

Liquid

LD50 Rat 4190 mg/kg

Skin corrosion/irritation Not classified.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Not classified. Specific target organ toxicity -

repeated exposure

Material name: CIMTECH® 285 5 / 10 Revision date: 03-23-2020

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

# 12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

Species	Test Result	s
possibility that large or frequent spil	ls can have a harmful or damaging	effect on the environment.
The product is not diagonica as only	rommontally mazaracac momovor,	tine acce not exclade the

Components		Species	Test Results
MONOETHANOLAMIN	E (CAS 141-43-5)	,	
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	114 - 196 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	65 mg/l, 48 hours ECHA
MONOISOPROPANOL	AMINE (CAS 78-9	96-6)	
Aquatic			
Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	109 mg/l, 48 hours
NONANOIC (PELARGO	ONIC) ACID (CAS	112-05-0)	
Aquatic			
Acute			
Crustacea	EC50	Daphnia	96 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	91 mg/l, 96 hours
TRIETHANOLAMINE (	CAS 102-71-6)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	565.2 - 658.3 mg/l, 48 hours
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	450 - 1000 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

# **Bioaccumulative potential**

Partition coefficient n-octanol / water (log Kow)

MONOETHANOLAMINE -1.31
MONOISOPROPANOLAMINE -0.93
NONANOIC (PELARGONIC) ACID 3.42
TRIETHANOLAMINE -2.3

**Bioconcentration factor (BCF)** 

MONOETHANOLAMINE < 3.2, ESTIMATED

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code**The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

 Material name: CIMTECH® 285
 SDS US

 Version #: 06
 Issue date: 08-20-2014
 Revision date: 03-23-2020
 6 / 10

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

**UN** number UN3267

Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE, TRIETHANOLAMINE) UN proper shipping name

Transport hazard class(es)

Class 8 Subsidiary risk Label(s) 8 Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154 Packaging non bulk 203 Packaging bulk 241

Supplemental Information: This Product Concentrate is corrosive only to Aluminum. Per 49CFR 173.154(d)(1) Except for a hazardous substance, a hazardous waste, or a marine pollutant, a material classed as Class 8 Packing Group III, solely because of its corrosive effect on aluminum - is not subject to any other requirements of this subchapter when transported by motor vehicle or rail car in packaging that will not react or be degraded by the corrosive material.

**IATA** 

**UN** number UN3267

**UN proper shipping name** 

Transport hazard class(es)

Corrosive liquid, basic, organic, n.o.s. (MONOETHANOLAMINE, TRIETHANOLAMINE)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** ЯI

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

**IMDG** 

**UN** number UN3267

**UN** proper shipping name CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (MONOETHANOLAMINE,

TRIETHANOLAMINE)

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** 

Marine pollutant No. F-A. S-B **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

Material name: CIMTECH® 285 SDS US Revision date: 03-23-2020



# IATA; IMDG



# 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

**Toxic Substances Control Act (TSCA)** 

All components of the mixture on the TSCA 8(b) inventory are designated "active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Ethylene Oxide	75-21-8	10	1000	_	

SARA 311/312 Hazardous

chemical

Classified hazard Corrosive to metal

Serious eye damage or eye irritation categories

SARA 313 (TRI reporting)

Chemical name **CAS** number % by wt. Ethylene Oxide 75-21-8 <= 0.1

# **Chemical Weapons (Prohibition) Act**

**TRIETHANOLAMINE** 

# Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: CIMTECH® 285 8 / 10 Revision date: 03-23-2020

Safe Drinking Water Act

(SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

**US** state regulations

California South Coast Air Quality Management District (SCAQMD) Rule 1144 (VOC Emissions)

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 84 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 90 % to maintain compliance.

On inventory or exempt (ves/ne)\*

Yes

California Proposition 65

WARNING: This product can expose you to chemicals including Ethylene Oxide, which is known to the State of

California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethylene Oxide (CAS 75-21-8) Listed: July 1, 1987

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Inventory name

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Ethylene Oxide (CAS 75-21-8)

# International Inventories

Country(s) or region	inventory name	On inventory or exempt (yes/no)"
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

 Issue date
 08-20-2014

 Revision date
 03-23-2020

Version # 06

United States & Puerto Rico

NFPA ratings Health: 1

Flammability: 0 Instability: 0

**NFPA** ratings



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

 Material name: CIMTECH® 285
 SDS US

 Version #: 06
 Issue date: 08-20-2014
 Revision date: 03-23-2020
 9 / 10

**Revision information** 

Product and Company Identification: Synonyms Physical & Chemical Properties: Multiple Properties