# SAFETY DATA SHEET

### 1. Identification

**Product identifier** MILPRO® 850CF

METALWORKING OIL

Other means of identification

SDS number Not applicable

METALWORKING OIL Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

CIMCOOL® Industrial Products LLC Company name

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

1-800-424-9300 (CHEMTREC)

number

**Emergency telephone** number (outside USA) 1-703-527-3887 (CHEMTREC)

# 2. Hazard(s) identification

Physical hazards Not classified.

Category 2 **Health hazards** Skin irritation

> Serious eye irritation Category 2

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes skin irritation. Causes serious eye irritation.

**Precautionary statement** 

Wash thoroughly after handling. Avoid release to the environment. Wear eye protection/face Prevention

protection. Wear protective gloves.

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

Store away from incompatible materials. **Storage** 

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Use in manufacturing processes only.

# 3. Composition/information on ingredients

**Mixtures** 

Material name: MILPRO® 850CF 1/7 Revision date: 01-17-2020

Chemical name	Common name and synonyms	CAS number	<u></u>
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY/LIGHT PARAFFINIC		64742-65-0/64742-56-9	90 - 100
ETHOXYLATED DINONYLPHENOL PHOSPHATE		39464-64-7	3 - 5
Other components below reportable	e levels		5 - 10

The exact percentages of hazardous ingredients have been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash Skin contact

contaminated clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye Eye contact

irritation persists: Get medical advice/attention.

Ingestion Rinse mouth thoroughly. Do not induce vomiting. Do not give liquids. If vomiting occurs, keep head

low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel

unwell.

Most important

symptoms/effects, acute and delayed

Skin irritation. Causes eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in

attendance.

# 5. Fire-fighting measures

Suitable extinguishing media Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are

appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

2/7 Revision date: 01-17-2020

#### **Environmental precautions**

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

#### Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

## Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ı	J.S.	_	<b>^</b>	C	н	٨
L	J. O.	-	u	3	п	А

Components	Туре	Value	
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY/LIGHT PARAFFINIC	PEL	5 mg/m3	
ACGIH Components	Туре	Value	
DISTILLATES (PETROLEUM), SOLVENT-DEWAXED	TWA	5 mg/m3	

#### **Biological limit values**

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s). Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

### Individual protection measures, such as personal protective equipment

Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is Eye/face protection

recommended.

Skin protection

Hand protection Nitrile gloves are recommended.

Wear appropriate chemical resistant clothing. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove

contaminants.

### 9. Physical and chemical properties

**Appearance CLEAR** Liquid. **Physical state** Liquid. **Form** Color Not available. Odor **CHEMICAL Odor threshold** Not available. рΗ Not Applicable

Material name: MILPRO® 850CF SDS US Revision date: 01-17-2020

< 32 °F (< 0 °C) Melting point/freezing point Initial boiling point and boiling Not Applicable

range

420 °F (215.6 °C) Cleveland Open Cup Flash point

**Evaporation rate** Not Applicable Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available.

Relative density Solubility(ies)

Solubility (water) Insoluble in Water Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available.

> 20.5 mm<sup>2</sup>/s @ 40°C **Viscosity** 

43 cSt @ 100°F (38°C)

Other information

Not explosive. **Explosive properties** Not oxidizing. Oxidizing properties

0.870 Specific gravity **VOC ASTM D2369** 1 %

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Heat, flames and sparks. Contact with incompatible materials. Conditions to avoid Acids. Oxidizing agents. Bases. Reducing agents. Water. Incompatible materials

**Hazardous decomposition** 

products

Smoke, fumes, and oxides of carbon

# 11. Toxicological information

### Information on likely routes of exposure

No adverse effects due to inhalation are expected. Inhalation

Causes skin irritation. Skin contact Causes eye irritation. Eye contact

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation.

Information on toxicological effects

**Acute toxicity** 

Material name: MILPRO® 850CF SDS US 4/7 Revision date: 01-17-2020

Components Species Test Results

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY/LIGHT PARAFFINIC

Acute
Dermal
Liquid

LD50 Rabbit > 5000 mg/kg

Inhalation

Mist

LC50 Rat > 5 mg/l, 4 hours

Oral Liquid

LD50 Rat > 5000 mg/kg

ETHOXYLATED DINONYLPHENOL PHOSPHATE (CAS 39464-64-7)

Acute
Dermal
Liquid

LD50 Rabbit > 5000 mg/kg ATE-ANALOGY

**Oral** *Liquid* 

LD50 Rat > 2000 mg/kg

Skin corrosion/irritation Causes skin irritation.
Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Oil /Distillate meets the EU requirement of less than 3% (w/w) DMSO extract for total polycyclic

aromatic compound (PAC) using IP 346.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

Further information The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Material name: MILPRO® 850CF

Mobility in soil No data available.

Version #: 03 Issue date: 06-03-2015 Revision date: 01-17-2020 5 / 7

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311

All components of the mixture on the TSCA 8(b) inventory are designated

and 312 if specific threshold criteria are met or exceeded.

"active". TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**Toxic Substances Control Act (TSCA)** 

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

Skin corrosion or irritation

categories

Serious eye damage or eye irritation

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: MILPRO® 850CF 6/7 Revision date: 01-17-2020

Safe Drinking Water Act (SDWA)

Not regulated.

**US** state regulations

**California South Coast Air Quality Management** District (SCAQMD) Rule 1144 (VOC Emissions)

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 5 g/L, measured by ASTM Method E-1868-10. This

product has a specified VOC limit of 75 g/L.

### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

DISTILLATES (PETROLEUM), SOLVENT-DEWAXED HEAVY/LIGHT PARAFFINIC (CAS 64742-65-0/64742-56-9)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

06-03-2015 Issue date 01-17-2020 **Revision date** 

Version # 03 NFPA ratings Health: 1

> Flammability: 1 Instability: 0

NFPA ratings



The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

Material name: MILPRO® 850CF 7/7 Revision date: 01-17-2020