# SAFETY DATA SHEET

#### 1. Identification

**Product identifier** CIMTECH® 600HFP

METALWORKING FLUID

Other means of identification

SDS number Not applicable

METALWORKING FLUID Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

CIMCOOL® Industrial Products LLC Company name

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

1-800-424-9300 (CHEMTREC)

number

**Emergency telephone** number (outside USA) 1-703-527-3887 (CHEMTREC)

# 2. Hazard(s) identification

Physical hazards Not classified.

Category 2 **Health hazards** Serious eye irritation

> Sensitization, skin Category 1A

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Warning

May cause an allergic skin reaction. Causes serious eye irritation. **Hazard statement** 

**Precautionary statement** 

Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the Prevention

workplace. Wear eye protection/face protection. Wear protective gloves.

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash

contaminated clothing before reuse.

Store away from incompatible materials. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Use in manufacturing processes only.

## 3. Composition/information on ingredients

**Mixtures** 

Material name: CIMTECH® 600HFP 1/8 Revision date: 11-04-2020

Chemical name	Common name and synonyms	CAS number	%
TRIETHANOLAMINE		102-71-6	20 - 30
DIAMINOPOLYPROPYLENE GLYCOL		9046-10-0	1 - 3
MONOISOPROPANOLAMINE		78-96-6	1 - 3
NONANOIC (PELARGONIC) ACID		112-05-0	1 - 3
METHYLISOTHIAZOLINONE		2682-20-4	<= 0.2
Other components below reportable	e levels		60 - 70

The exact percentages of hazardous ingredients have been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of

intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Not applicable, non-combustible.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eye contact

attention if irritation develops and persists.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, Ingestion

keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if

you feel unwell.

Most important symptoms/effects, acute and

delaved

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

**General information** If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Water fog. Foam. Dry powder. Carbon dioxide (CO2). Use extinguishing measures that are Suitable extinguishing media

appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

Wear suitable protective equipment.

During fire, gases hazardous to health may be formed.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

SDS US Material name: CIMTECH® 600HFP 2/8 Revision date: 11-04-2020

**Environmental precautions** 

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental

contamination.

## 7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not get in eyes, on skin, or on clothing. Avoid breathing mist/vapors. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. ACGIH Threshold Limit Values

Components	Туре	Value
TRIETHANOLAMINE (CAS 102-71-6)	TWA	5 mg/m3

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency

showers are recommended.

### Individual protection measures, such as personal protective equipment

Eye/face protection Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is

recommended.

Skin protection

Hand protection Nitrile gloves are recommended.

Other Wear appropriate chemical resistant clothing.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

**Odor threshold** 

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**CLEAR Appearance** Physical state Liquid. Liquid. **Form** Color Not available. Odor **CHEMICAL** 

8.3

< 30 °F (< -1.1 °C) Melting point/freezing point > 212 °F (> 100 °C) Initial boiling point and boiling

range

Not Applicable Flash point

Like water when diluted **Evaporation rate** 

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Material name: CIMTECH® 600HFP 3/8 Revision date: 11-04-2020

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available.

Relative density

1.08

Solubility(ies)

Solubility (water)

100 % Water Miscible

**Partition coefficient** 

(n-octanol/water)

Not available.

**Auto-ignition temperature Decomposition temperature**  Not available. Not available.

**Viscosity** 

Not available.

Other information

9.05 lb/gal Density **Explosive properties** Not explosive. Not oxidizing. **Oxidizing properties** pH in aqueous solution 7.9 @ 7% 1.0844

24 % VOC ASTM D2369

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** 

Material is stable under normal conditions.

Possibility of hazardous

Specific gravity

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, and oxides of carbon

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Health injuries are not known or expected under normal use.

Skin contact May cause an allergic skin reaction.

Eye contact Causes eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. May cause an allergic skin reaction.

## Information on toxicological effects

### **Acute toxicity**

**Test Results** Components Species

METHYLISOTHIAZOLINONE (CAS 2682-20-4)

Acute **Dermal** 

Solid

LD50 Rat 242 mg/kg

Inhalation

Mist

LC50 Rat 0.11 mg/l, 4 hours

4/8 Revision date: 11-04-2020

Material name: CIMTECH® 600HFP

Components **Test Results Species** 

MONOISOPROPANOLAMINE (CAS 78-96-6)

Acute Dermal Liquid

LD50 Rabbit 1576 mg/kg

NONANOIC (PELARGONIC) ACID (CAS 112-05-0)

Acute **Dermal** Liquid

LD50 Rat > 2000 mg/kg

Inhalation

Mist

LC50 Rat > 5 mg/l, 4 hours

Oral Liquid

Rat LD50 > 2000 mg/kg

TRIETHANOLAMINE (CAS 102-71-6)

**Acute Dermal** Liquid

LD50 Rabbit > 2000 mg/kg

Oral Liquid

LD50 Rat 4190 mg/kg

Skin corrosion/irritation Health injuries are not known or expected under normal use.

Serious eye damage/eye

irritation

Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

TRIETHANOLAMINE (CAS 102-71-6) 3 Not classifiable as to carcinogenicity to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

**Further information** The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Material name: CIMTECH® 600HFP SDS US Revision date: 11-04-2020

**Test Results** Components **Species** 

METHYLISOTHIAZOLINONE (CAS 2682-20-4)

Aquatic

Acute

LC50 Fish Rainbow trout, donaldson trout 4.77 - 6 mg/l, 96 hours

(Oncorhynchus mykiss)

MONOISOPROPANOLAMINE (CAS 78-96-6)

Aquatic

LC50 Fish Goldfish (Carassius auratus) 210 mg/l, 96 hours

Acute

Crustacea EC50 109 mg/l, 48 hours Daphnia

NONANOIC (PELARGONIC) ACID (CAS 112-05-0)

Aquatic

Acute

Crustacea EC50 Daphnia 96 mg/l, 48 hours Fish LC50 Rainbow trout, donaldson trout 91 mg/l, 96 hours

(Oncorhynchus mykiss)

TRIETHANOLAMINE (CAS 102-71-6)

Aquatic

Crustacea EC50 Water flea (Ceriodaphnia dubia) 565.2 - 658.3 mg/l, 48 hours

Acute

Fish LC50 Bluegill (Lepomis macrochirus) 450 - 1000 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

**METHYLISOTHIAZOLINONE** -0.486, @ 20°C

MONOISOPROPANOLAMINE -0.93 NONANOIC (PELARGONIC) ACID 3.42 **TRIETHANOLAMINE** -2.3

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

Material name: CIMTECH® 600HFP SDS US

## 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

**Toxic Substances Control Act (TSCA)** 

All components of the mixture on the TSCA 8(b) inventory are designated "active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

METHYLISOTHIAZOLINONE (CAS 2682-20-4) 1.0 % One-Time Export Notification only.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Yes

Classified hazard categories

Serious eye damage or eye irritation Respiratory or skin sensitization

SARA 313 (TRI reporting)

Not regulated.

**Chemical Weapons (Prohibition) Act** 

**TRIETHANOLAMINE** 

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

**US** state regulations

California South Coast Air Quality Management District (SCAQMD) Rule 1144 (VOC Emissions) This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 4 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is

100 % to maintain compliance.

**California Proposition 65** 

WARNING: This product can expose you to chemicals including Ethylene Oxide, which is known to the State of

California to cause cancer and birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Ethylene Oxide (CAS 75-21-8) Listed: July 1, 1987

California Proposition 65 - CRT: Listed date/Developmental toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

California Proposition 65 - CRT: Listed date/Female reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: February 27, 1987

California Proposition 65 - CRT: Listed date/Male reproductive toxin

Ethylene Oxide (CAS 75-21-8) Listed: August 7, 2009

#### **International Inventories**

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Material name: CIMTECH® 600HFP

Europe European Inventory of Existing Commercial Chemical Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand **New Zealand Inventory** Yes

Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Inventory name

Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Issue date 01-13-2020 11-04-2020 **Revision date** 

Version # 02

Country(s) or region

**Philippines** 

**NFPA** ratings Health: 1

Flammability: 0 Instability: 0

NFPA ratings



Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

On inventory or exempt (yes/no)\*

Yes

materials or in any process, unless specified in the text.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.

SDS US 8/8 Revision date: 11-04-2020