



1. Identification

Product identifier	CIMTAP®	
	TAPPING COMPOUND	
Other means of identification		
SDS number	Not applicable	
Recommended use	TAPPING COMPOUND	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Company name	CIMCOOL® Industrial Products I I C	
Company name	3000 Disney Street	
	,	
	Cincinnati, Ohio 45209	

Telephone (General Information)	513-458-8100
Emergency telephone	1-800-424-9300 (CHEMTREC)
Emergency telephone number (outside USA)	1-703-527-3887 (CHEMTREC)

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Eye irritation	Category 2B
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	Warning	
Hazard statement	Causes eye irritation.	
Precautionary statement		
Prevention	Wash thoroughly after handling.	
Response	If in eyes: Rinse cautiously with water for seve easy to do. Continue rinsing. If eye irritation pe	eral minutes. Remove contact lenses, if present and ersists: Get medical advice/attention.
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance v	vith local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	2.89% of the mixture consists of component(s) of unknown acute inhalation toxicity.

Use in manufacturing processes only.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ALKANES C14-16, CHLORO		1372804-76-6	20 - 30
SEVERELY-HYDROTREATED NAPHTHENIC DISTILLATES		64742-52-5	5 - 10
Other components below reportab	le levels		60 - 70

The exact percentages of hazardous ingredients have been withheld as a trade secret.

4. First-aid measures

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Rinse skin with water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.
General information	If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for asfa starses	Store in tightly closed container. If frazen, product may congrete. They completely at room

Conditions for safe storage, including any incompatibilities Store in tightly closed container. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

U.S OSHA Components	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	PEL	5 mg/m3
ACGIH	Toma	Malua
Components	Туре	Value
SEVERELY-HYDROTREAT ED NAPHTHENIC DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3
Biological limit values	No biological exposure limits noted for	or the ingredient(s).
Exposure guidelines	Occupational Exposure Limits are no	t relevant to the current physical form of the product.
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.	
Individual protection measures, such as personal protective equipment		ent
Eye/face protection	Do not get in eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is recommended.	
Skin protection		
Hand protection	Nitrile gloves are recommended.	
Other	Wear suitable protective clothing.	
Respiratory protection	In case of insufficient ventilation, wea	ar suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.
General hygiene considerationsWhen using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always obs good personal hygiene measures, such as washing after handling the material and before ex drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		ich as washing after handling the material and before eating,

9. Physical and chemical properties

Appearance	CLEAR
Physical state	Not available.
Form	Paste.
Color	Not available.
Odor	CHEMICAL
Odor threshold	Not available.
рН	Not Applicable
Melting point/freezing point	34 °F (1.1 °C)
Initial boiling point and boiling range	Not Applicable
Flash point	Not Applicable
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.

Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	Not available.		
Vapor density	Not available.		
Relative density	1.06		
Solubility(ies)			
Solubility (water)	100 % Water Miscible		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
Other information			
Explosive properties	Not explosive.		
Oxidizing properties	Not oxidizing.		
Specific gravity	1.063 @ 60°F		
VOC ASTM D2369	0 %		

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.
Hazardous decomposition products	Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Inhalation	Health injuries are not known or expected under normal use.
Skin contact	Health injuries are not known or expected under normal use.
Eye contact	Causes eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation. Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results	
ALKANES C14-16, CHLC	DRO (CAS 1372804-76-6)		
<u>Acute</u>			
Dermal			
Liquid			
LD50	Rabbit	> 2000 mg/kg	
Oral			
Liquid			
LD50	Rat	> 5000 mg/kg	

Components	Species	Test Results
SEVERELY-HYDROTREATED N	APHTHENIC DISTILLATES (CAS 64	742-52-5)
<u>Acute</u>		
Dermal		
Liquid LD50	Rabbit	> 5000 mg/kg
	Nabbit	> 5000 mg/kg
Inhalation Mist		
LC50	Rat	> 5.1 mg/l, 4 hours ATE
Oral		
Liquid		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Not classified.	
Serious eye damage/eye	Causes eye irritation.	
irritation		
Respiratory or skin sensitizatio		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cau	
Germ cell mutagenicity	No data available to indicate produ mutagenic or genotoxic.	ct or any components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be	e a carcinogen by IARC, ACGIH, NTP, or OSHA.
	Oil /Distillate meets the EU require aromatic compound (PAC) using IF	ment of less than 3% (w/w) DMSO extract for total polycyclic 346.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	None known.	
Further information	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.	
12. Ecological information	n	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Components	Species	Test Results
ALKANES C14-16, CHLORC		
Aquatic		
Acute		
Fish	LC50 Bluegill (Lepomis m	acrochirus) > 0.1 mg/l, 96 hours
Persistence and degradability	No data is available on the degrada	ability of any ingredients in the mixture.
Bioaccumulative potential		
Mobility in soil	This product is miscible in water.	
Other adverse effects		fects (e.g. ozone depletion, photochemical ozone creation bal warming potential) are expected from this component.
13. Disposal consideratio	ns	
Disposal instructions	Collect and reclaim or dispose in se	ealed containers at licensed waste disposal site. Dispose of

	contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information


DOT

	UN number	UN3082
	UN proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (ALKANES C14-16, CHLORO), MARINE POLLUTANT
	Transport hazard class(es)	
	Class	9
	Subsidiary risk	-
	Label(s)	9
	Packing group	
	Environmental hazards	
	Marine pollutant	Yes
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
	Special provisions	8, 146, 335, IB3, T4, TP1, TP29
	Packaging exceptions	155
	Packaging non bulk	203
	Packaging bulk	241
	Supplemental Information: 490 unless all or part of the shipme	FR 171.4 excludes "non-bulk"packages (119 gallons or less) from Marine Pollutant Requirements nt is by vessel.
ΙΑΤ	A	
	UN number	UN3082
	UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (ALKANES C14-16, CHLORO)
	Transport hazard class(es)	
	Class	9
	Subsidiary risk	-
	Packing group	
	Environmental hazards	Yes

Environmental hazards	Yes
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.

aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES C14-16, CHLORO), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established. Not applicable.

DOT; IATA; IMDG



Marine pollutant



IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated "active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

ALKANES C14-16, CHLORO (CAS 1372804-76-6) 1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard Serious eye damage or eye irritation categories

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

US state regulations

0	
California South Coast Air	
Quality Management	
District (SCAQMD) Rule	
1144 (VOC Emissions)	

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 0 g/L, measured by ASTM Method E-1868-10. This product has a specified VOC limit of 50 g/L.

California Proposition 65

WARNING: This product can expose you to chemicals including Ethylene Oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Yes" indicates this product co	mplies with the inventory requirements administered by the governing count	ry(s)

16. Other information, including date of preparation or last revision

•	
Issue date	11-11-2014
Revision date	02-25-2021
Version #	06
NFPA ratings	Health: 1 Flammability: 0 Instability: 0
NFPA ratings	
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.