

Top Selling Safety Products

For Commercial Customers - 2017

Honeywell Safety Products is a leading global manufacturer solely focused on PPE (Personal Protective Equipment), providing safety solutions for all industries.

We have united the most respected safety brands in the world to deliver best-in-class safety, quality and performance. The combined strengths of these leading PPE brands create a unique set of solutions unparalleled in the safety industry. Our ongoing commitment to innovation, combined with our worldwide engineering and R&D resources, will transform the industry and offer you a single, premier source for the most complete solutions available.

We are united not only by name, but by our singular focus on being the best safety partner, today and in the future. We are Honeywell Safety Products.

Honeywell	Industrial PPE	Honeywell Safety Products is a worldwide manufacturer of high-performance industrial PPE products. Honeywell combines advanced technology, design, comfort and ergonomic features into the most complete line of PPE products available, including eye, face, hand, body and respiratory protection and more.
Honeywell UVEX	Eye and Face Protection	Uvex is the world's top-selling protective eyewear brand, known for comfortable, high-performing products and innovative services that inspire a culture of safety in the workplace.
Honeywell MILLER	Safety at Height	Miller provides a comprehensive line of personal fall protection equipment; engineered fall arrest systems; professional services including training, audits, consulting, product inspection and repairs; and collective fall prevention/barrier solutions.
Honeywell NORTH	Industrial PPE	North offers top-performing industrial PPE products including respiratory, head, eye, face and hand protection, first aid and more.
Honeywell HOWARD LEIGHT	Hearing Protection	Howard Leight offers industry-leading passive and intelligent hearing protection products and hearing conservation solutions that deliver superior quality, performance and comfort for a diverse range of applications.
Honeywell FIBRE-METAL	Welding Safety, Head and Face Protection	Fibre-Metal welding helmets, faceshields and hard hats are preferred by construction and welding professionals for their advanced design, outstanding quality, comfort and performance.
 Honeywell SERVUS by Honeywell	Industrial Protective Footwear	Oliver and Servus brand footwear offer the ultimate combination of rugged and comfortable workboots, so workers in hazardous industries can conquer any challenge, and take pleasure in the superior footwear they rely on every day.



Eye & Face Protection	4
Protective Footwear	10
Head Protection	11
Hearing Protection	13
Fall Protection	21
Respiratory Protection	24
Hand & Arm Protection	27
Protective Clothing	32
Traffic Safety	33
First Aid	34
Emergency Eyewash	38
Lock-out/Tag-out	42
Janitorial & Facility Maintenance Product Guide	43



A900 SERIES

- Sporty, 8-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge and padded temples provide a comfortable fit
- Meets ANSI Z87.1-2010 and is certified to the requirements of the CSA Z94.3 standards



SKU	Frame Color/Lens Tints	Lens Coating
A900	Black/Clear	Hardcoat
A902	Black/TSR Gray	Hardcoat
A904	Black/Silver Mirror	Hardcoat

A900 READER/MAGNIFIER SERIES



SKU	Frame Color/Lens Tints	Magnifier Strength	Lens Coating
A950	Black/Clear	+1.50	Hardcoat
A951	Black/Clear	+2.00	Hardcoat
A952	Black/Clear	+2.50	Hardcoat
A960	Black/TSR Gray	+1.50	Hardcoat
A961	Black/TSR Gray	+2.00	Hardcoat
A962	Black/TSR Gray	+2.50	Hardcoat

UVEX PROTÉGÉ®

- Proprietary Floating Lens™ design offers increased flexibility and fit
- Ultra lightweight design at only 27.5 grams, weighs less than one ounce
- Soft temple tip pads provide a secure fit while flexible “fingers” on the nosepiece reduce slippage
- Lifetime frame guarantee
- Made in USA



SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S4200	Metallic Black/Clear	Ultra-dura HC	Cushioned
S4200X	Metallic Black/Clear	Uvextreme AF	Cushioned
S4201X	Metallic Black/Gray	Uvextreme AF	Cushioned
S4202	Metallic Black/SCT-Reflect 50	Ultra-dura AF	Cushioned

XV100 SERIES

- No-frills, bargain-based safety spectacle
- Great fit and low cost



SKU	Frame Color/Lens Tints	Lens Coating
XV100	Frosted/Clear	Hardcoat
XV101	Gray Frosted/Gray	Hardcoat
XV102	Frosted/I/O Mirror	Hardcoat

A800 SERIES

- Sporty, 9-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge and unique padded temples
- Extra “flex” built into the temple for increased tension control



SKU	Frame Color/Lens Tints	Lens Coating
A800	Clear/Clear	Hardcoat
A801	Gray/TSR Gray	Hardcoat
A804	Gray/I/O Silver Mirror	Fog-Ban Anti-Fog
A806	Gray/TSR Gray	Fog-Ban Anti-Fog



GENESIS®

- Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection
- Soft flexible fingers adjust and conform to almost any nasal profile and reduce slippage
- Lifetime frame guarantee and economical lens replacement system
- Adjustable temple length and lens inclination
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards
- Made in USA

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S3200X	Black/Clear	Uextreme AF	Spatulite
S3200HS	Black/Clear	HydroShield	Spatulite
S3205X	Black/SCT-Gray	Uextreme AF	Spatulite
S3213X	Black/50% Gray	Uextreme AF	Spatulite

SKU	Frame Color/Lens Tints	Lens Coating	Magnification
S3761	Black/Clear	Ultra-dura HC	+1.5
S3762	Black/Clear	Ultra-dura HC	+2.0
S3763	Black/Clear	Ultra-dura HC	+2.5

GENESIS XC®

- Same cushioned comfort and adjustability features as Genesis®
- Extended wrap-around lens for up to 20% more cheek and side coverage
- Rx lens insert available*
- Lifetime frame guarantee and economical lens replacement system
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards
- Made in USA



SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S3300	Black/Clear	Ultra-dura HC	Cushioned
S3300HS	Black/Clear	HydroShield	Cushioned
S3350	Rx Insert		

*With the Rx lens insert, Genesis XC offers an alternative for workers requiring vision correction.

UVEX HYPERSHOCK™ - NEW

- Features an aggressive sport-inspired style with a full frame design
- Soft, molded nosepiece and temple inserts provide a comfortable and secure fit even in hot, humid conditions



SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S2940XP	Matte Black/Clear	Uvextreme Plus AF	Cushioned
S2940HS	MatteBlack/Clear	HydroShield	Cushioned
S2941XP	Matte Black/Gray	Uvextreme Plus AF	Cushioned
S2942XP	Matte Black/Amber	Uvextreme Plus AF	Cushioned
S2949	Metallic Black/Esspresso Polarized	Hardcoat	Cushioned



UVEX ACADIA® - NEW

- Meets the ANSI Z87.1-2015 standard
- Bold, sport-inspired style that delivers superior comfort and high performance protection.
- Sculpted padded temples. The soft, ribbed nosepiece is ergonomically designed to minimize slippage for a secure, comfortable fit.

SKU	Frame Color/Lens Tints	Lens Coating
S4160XP	Black /Clear	Uvextreme Plus AF
S4161XP	Black /Gray	Uvextreme Plus AF
S4163	Black /Reflect 50	Hardcoat
S4164	Black /Red Mirror	Hardcoat
S4165	Black /Blue Mirror	Hardcoat



UVEX ASTROSPEC® OTG 3001

- Same features as the Uvex Astrospec 3000® with attractive OTG (over-the-glass) styling
- An economical alternative to expensive Rx eyewear
- Made in USA

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S2500	Black/Clear	Ultra-dura HC	Duoflex
S2504	Black/Gray	Ultra-dura HC	Duoflex



UVEX LIVEWIRE™ SEALED EYEWEAR

- Top and side ventilation channels in the frame provide optimal venting to enhance anti-fog performance while keeping out dust and debris
- Flexible design and simple temple-to-headband exchange system make switching between temples or headband quick and easy
- Meets ANSI Z87.1-2010 and is certified to CSA Z94.3 standards

SKU	Frame Color/Lens Tints	Lens Coating	Temple Style
S2600D	Matte Black/Clear	Dura-streme HC/AF	Cushioned/Headband
S2600HS	Matte Black/Clear	HydroShield	Cushioned/Headband
S2602XP	Matte Black/Amber	Uvextreme Plus AF	Cushioned/Headband
S2604XP	Matte Black/SCT-Reflect 50	Uvextreme Plus AF	Cushioned/Headband
S2605XP	Matte Black/SCT-Gray	Uvextreme Plus AF	Cushioned/Headband
S2607XP	Matte Black/Shade 3.0	Uvextreme Plus AF	Cushioned/Headband
S2608XP	Matte Black/Shade 5.0	Uvextreme Plus AF	Cushioned/Headband

EYE & FACE PROTECTION | ACCESSORIES



UVEX® LENS CARE PRODUCTS

SPECIFICALLY FORMULATED FOR ANTI-FOG AND SCRATCH RESISTANT HARD COATS

- Alcohol-and silicone-free solution
- Pre-moistened towelettes are pocket-sized and convenient for use anywhere on-the-go

SKU	Description
S468	Uvex Clear Towelettes (100/box)



UVEX® FOG ELIMINATOR CLOTHS

FORMULATED TO EFFECTIVELY PROTECT LENSES FROM ALL TYPES OF FOGGING CAUSED BY COLD, HUMIDITY OR SUDDEN TEMPERATURE CHANGES

- Safe for all surfaces, including polycarbonate and glass
- Each cloth provides multiple applications
- Streak- and film-free, alcohol- and silicone-free
- Non-flammable and non-toxic
- Made in USA

SKU	Description
S477	Uvex Fog Eliminator Cloths (100/box)



A600 SPLASH/IMPACT GOGGLE

- Economical protection against chemical splashes and impact from flying particulates
- Fits over most prescription eyewear
- ANSI Z87.1-2010, CSA Z94.3, 99.9% UV, Anti-Scratch

SKU	Frame Color/Lens Tints	Packaging
RWS-51028	Clear lens	4/cs

V-MAXX®

- Sleek wrap-around styling for a 180 degree, clear field of vision
- Direct and indirect ventilation styles available for impact or splash applications
- Adjustable elastic or neoprene headband
- Pivoting headband clips to adjust strap around hard hats or hearing protection
- Peel-off goggle covers available to extend useful life of the lens
- Can be worn over most prescription eyewear (OTG compatible)



SKU	Frame Color/Lens Tints	Lens Coating	Description
11250810	Clear/Clear	Fog-Ban Anti-Fog	Indirect Vent with Neoprene Headband

V-MAXX® PEEL-OFF GOGGLE COVERS

- V-Maxx peel-off lens covers extend useful life of the lens
- Protects the lens during paint and spray applications
- 10 covers per pack



SKU	Description
11250860	1- pack of Goggle Covers

UVEX STEALTH®

- Futuristic, low profile design for chemical splash and impact
- Toric lens provides superior optics and peripheral vision
- Rx insert available*
- Easiest lens replacement system available
- Made in USA



SKU	Frame Color/Lens Tints	Lens Coating	Headband
S3960CI	Gray & Gray/Clear	Uvextreme Plus AF	Fabric
S3961C	Gray & Gray/Gray	Uvextreme Plus AF	Neoprene



ADJUSTABLE FACESHIELD

- Large sparkguard provides excellent protection
- Cross strap adjusts to allow an exceptional fit
- Faceshield offers secondary protection and must be worn with safety eyewear or goggles
- ANSI Z87.1-2010, CSA Z94.3, 99.9% UV, Anti-Scratch

SKU	Frame Color/Lens Tints	Packaging
RWS-51032	Black frame, Clear lens	6/cs



FACE SHIELD REPLACEMENT VISORS

- 8" X 15-1/2"

SKU	Material	Color	Thickness
A8150/40	PETG	Clear	.040
A8152/40	Polycarbonate	Clear	.040



UVEX BIONIC®

- Full shield design provides built-in chin protection and extended top-of-head coverage for enhanced protection from falling or airborne debris, impact and chemical splash
- Excellent optics provide increased visibility
- Comfortably worn with most goggles and respirators

SKU	Frame Color/Lens Tints	Lens Coating
S8500	Faceshield with Clear PC Visor	Uncoated
S8510	Faceshield with Clear PC Visor	HC/AF



UVEX BIONIC® REPLACEMENT LENS

- Full shield design provides built-in chin protection and extended top-of-head coverage for enhanced protection from falling or airborne debris, impact and chemical splash

SKU	Frame Color/Lens Tints	Lens Coating
S8550	Replacement Visor	Uncoated
S8555	Replacement Visor	HC/AF



HEAD/EYE/FACE/HEARING

SPECIALIZED KITS FOR INDUSTRY, AGRICULTURE AND FORESTRY

- Combination Forestry Kits

SKU	Description	Contents
FK12	Regular Kit	1 Hard Hat A79R Orange 1 FS03 Forestry Screen 1 Muff, Model EM2266 Phantom (21dB)

PROTECTIVE FOOTWEAR | PVC VALUE FOOTWEAR



CT™ - COMFORT TECHNOLOGY

- Seamless, PVC injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable
- CT offers a unique scalloped top-line design to accommodate flexing and prevent irritating rubbing on legs for added comfort
- Unique Trac10™ outsole pattern engineered to reduce slip & falls in hazardous environments
- Contour heel cup molding and removable Foot Form contour cushion insoles reduce heel slippage and provides added support for all day comfort
- 18821 meets ASTM F2413-11 M I/75 C/75

SKU	Description	Sizes (Mens)	Packaging
18822	16 in (40.6 cm), Plain Toe, Black	3-15	1 pr/bag
18821	16 in (40.6 cm), Steel Toe, Black	3-15	1 pr/bag



PROTECTIVE FOOTWEAR | PREMIUM RUBBER OVERBOOTS



DISPOSABLE BOOTIE - VALUE OVERBOOT

- Easy and convenient protection, perfect for site guests to protect shoes and site floors
- Texturized, slip-resistant outsole, helps to prevent injury due to slips and falls
- 100% waterproof protection

SKU	Description	Sizes (Mens)	Packaging
A352	12 in (30.5 cm), Latex, Yellow	S-2XL	1 pr/bag, 50 pr/case



HI STRAP-ON RUBBER OVERBOOT

- Over-sized design to fit over leather work boots protecting them from harsh environments, increasing the longevity of expensive footwear
- Hand-layered rubber compound is vulcanized to prevent seams from leaking providing a 100% waterproof boot to keep feet dry
- Cross Rib™ outsoles add traction to keep workers with secure footing
- Strap secures the top of the boot keeping irritating and harmful substances away from worker's skin – great boot for pouring cement
- Comfortable net lining for ease in donning and doffing of boots

SKU	Description	Sizes (Mens)	Packaging
A380	18 in (45.7 cm), Latex, Yellow	8-16	1 pr/bag

HEAD PROTECTION | WELDING HELMETS



TIGERHOOD® CLASSIC

- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face
- Molded-in colors eliminate chipping, peeling, and fading
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through

SKU	View Size	Color
906GY	Thermoplastic - Shade 10	Gray



HONEYWELL ADF WELDING HELMETS

COMPARED TO PASSIVE FILTERS, HIGH-QUALITY AUTO DARKENING FILTER LENSES (ADFS) OFFER BETTER VISION DURING NON-WELDING PERIODS, ELIMINATE THE NEED TO RAISE THE FILTER OR HELMET BETWEEN WELDS AND IMPROVE QUALITY OF WORK. THIS ALL LEADS TO FEWER REWORKS AND LESS GRINDING.

- Competitively priced, and perfect for the part-time welder or hobbyist, the Honeywell HW100 and HW200 welding helmets are available with solar-powered Shade 10 or variable Shade 9-13 ADF technology.
- HW200 features sensitivity and delay adjustments, and grind mode functionality

SKU	Description	Color
HW100	Shade 10 ADF 6.5" Window	Black
HW200	Variable Shade 9-13 ADF 7.2" Window	Black

PROTECTIVE FOOTWEAR | ACCESSORIES



STUDS

- Steel studs bites into snow and ice for added grip and safety to wearer
- Made of extra strong stretch rubber to draw snugly over shoes and boots – easily fits a wide range of footwear
- Over soles are compact and easily stored in a pocket or work belt

SKU	Description	Sizes (Mens)	Packaging
SR101	Black	S-2XL	1 pr/bag

HEAD PROTECTION | HARD HATS



THE PEAK A79

- Grooved HDPE outer shell
- Rain trough and accessory slots
- 4 point nylon ratchet or pin lock suspension with 3 level height adjustment

SKU	Suspension	Color
A79010000	Pin Lock	White
A79R010000	Ratchet	White
A79020000	Pin Lock	Yellow
A79R020000	Ratchet	Yellow

Other colors available



THE EVEREST A49

- Full brim HDPE shell with accessory slots
- Protects from the sun's UV rays, rain and falling debris
- 4 point or 6 point nylon suspension with 2 level height adjustment

SKU	Suspension Shell	Color
A49010000	4-point HDPE Pin Lock	White
A49020000	4-point HDPE Pin Lock	Yellow
A49R010000	6-point HDPE Ratchet	White
A49R020000	6-point HDPE Ratchet	Yellow

Other colors available

WINTER LINERS - STANDARD

SKU	Description
WL1	Dielectric outer shell, Kasha flannel inner lining, velcro attachment

PULL OVER WINTER LINERS

SKU	Description
WL2ORED	Fits cap style. Sock type winter liner fits snugly over hat brim, 100% stretch nylon



Custom hard hat printing

Protective caps are highly visible – they enhance corporate image, reinforce safety programs and identify trades on the job. Logos, safety slogans and union identification look impressive thanks to our three advanced printing technology options:

Pad Printing

Foil Graphics

Heat Stamp



MAX®

- The world's most-used polyurethane foam earplug
- Polyurethane foam enhances comfort, especially for long-term wear

SKU	Cording	Packaging	NRR
MAX-1	Uncorded	Polybag	33
MAX-30	Corded	Polybag	33



MAX® SMALL

- 20% smaller version of flagship Howard Leight MAX earplug, ideal for workers with smaller ear canals
- Polyurethane foam enhances comfort, especially for long-term wear

SKU	Cording	Packaging	NRR
MAX-1S	Uncorded	Polybag	30
MAX-30S	Corded	Polybag	30





MAX LITE

- Ideal size for workers with smaller ear canals
- Low pressure polyurethane foam expands gently for comfortable long-term wear

SKU	Cording	Packaging	NRR
LPF-1	Uncorded	Polybag	30
LPF-30	Corded	Polybag	30



LASER LITE®

- Self-adjusting foam
- Contoured T-shape for easy insertion and wear

SKU	Cording	Packaging	NRR
LL-1	Uncorded	Polybag	32
LL-30	Corded	Polybag	32



FIRMFIT™

- Significantly softer than the leading classic-style earplug
- Exerts less expansion pressure on the ear canal

SKU	Cording	Packaging	NRR
FF-1	Uncorded	Polybag, 200 pairs/box	30
FF-30	Corded	Polybag, 100 pairs/box	30



SMARTFIT™

- Patented Conforming Material Technology™ uses body heat to adapt to the individual shape of each wearer's ear canal
- Delivers superior comfort and a truly individual fit

SKU	Cording	Packaging	NRR
SMF-30	Detachable Cord	HearPack	25



AIRSOFT®

- Advanced air pocket design features internal noise-blocking fins
- Firm stem facilitates easy insertion and removal

SKU	Cording	Packaging	NRR
DPAS-1	Uncorded	Polybag	27
DPAS-30R	Corded	Polybag	27



TRUSTFIT® POD

- Push-in foam earplug, reusable
- Deliver superior ease and comfort with trustworthy technology

SKU	Cording	Packaging	NRR
TRUSTFITPOD-1	Uncorded	Polybag	28
TRUSTFITPOD-30	Corded	Polybag	28



LEIGHT SOURCE 400

HYGIENIC AND ECONOMICAL SOURCE FOR EARPLUGS.

- Durable plastic design is an economical choice for dispensing earplugs
- Mounts to wall or stands as table-top dispenser with balanced footing
- Twist knob to dispense earplugs
- Catch basin prevents earplugs from falling to the ground
- Holds 400 pairs of Howard Leight® Single-Use earplugs: MAX,® Max Lite,® Laser Lite®

SKU	Description	Packaging	NRR
LS-400	Leight Source 400 (Dispenser only)	Box	
MAX-LS4	MAX LS400 Refill	200pr bulk	33
LL-LS4	Laser Lite LS400 Refill	200pr bulk	32
LPF-LS4	Max Lite LS400 Refill	200pr bulk	30



LASER TRAK®

- Non-ferrous metal grommet and bright colors – easily detected by visual and automated inspection

SKU	Cording	Packaging	NRR
LT-30	Corded	Polybag	32



SMARTFIT® DETECTABLE

- Blue color provides high visibility in detection
- Metal ring on stem detectable by automated equipment

SKU	Cording	Packaging	NRR
SDT-30	Corded	Polybag	25

NOISE-INDUCED HEARING LOSS

- Causes no pain
- Causes no visible trauma
- Leaves no visible scars
- Unnoticeable in earliest stages
- Accumulates with each overexposure
- Takes years to notice a change



PERMANENT AND 100% PREVENTABLE

STEPS FOR A GREAT FIT



STEP 1: ROLL

For roll-down foam earplugs, start rolling the foam gently to avoid creases. Then roll firmly to make the cylinder as small and stiff as possible. Move quickly to next step so that the earplug doesn't expand before insertion.



STEP 2: PULL

Reach over the head to pull **OUTWARD** on the outer ear. Have someone observe and give you feedback about which pull-direction is most effective in opening the ear canal for a better fit.



STEP 3: INSERT

Insert the earplug far enough so that it goes around the bend in the ear canal. This often feels sensitive (not painful), or may trigger a cough reflex. This is normal. Let go of the ear after the earplug is fully inserted.

COMMON NOISE LEVELS

Sound Energy Doubles Every 3db

Occupational	Non-Occupational
Immediate Physical Damage - 160 dB	
Artillery Fire - 162dB	Shotgun - 162dB
Jackhammer - 130 dB	Auto Racing - 130 dB
Immediate Pain Threshold - 130 dB	
Oxygen Torch - 121dB Compactor - 116 dB	Rock Concert - 120 dB Chainsaw - 118 dB
Unprotected Noise Exposure of Any Duration Not Permitted Above This Level - 115 dB	
Diesel Truck Accelerating - 114 dB Impact Wrench - 102 dB Bulldozer - 100 dB Industrial Fire Alarm - 95 dB Table Saw - 93 dB	Crying Baby - 110 dB CD/MP3 Player - 105 dB Motorcycle - 105 dB Power Lawnmower - 94 dB Subway - 90 dB
Hearing Protection Required by OSHA - 90 dB	
Handsaw - 85 dB Forklift - 87 dB	Propeller Airplane Cockpit - 88 dB
Hearing Protection Must Be Made Available - 85 dB	
Lathe - 81 dB Normal Conversation - 60 dB	Hair Dryer - 80 dB Alarm Clock - 75 dB
Non-Hazardous Noise - 75 dB	
Transformer - 50 dB	Rainfall - 50 dB
Comfortable Sound - 50 dB	

MAIN COMPONENTS OF OSHA OCCUPATIONAL NOISE STANDARD

29 CFR 1910.95

OSHA ACTION LEVEL - 85 dBA


- Monitor all noise levels
- Annual audiometric testing for exposed workers
- Annual training for exposed workers
- Variety of suitable hearing protectors must be made available at no cost to the employee

OSHA PERMISSIBLE EXPOSURE LIMIT - 90 dBA

- Hearing protectors required for noise-exposed workers OSHA Permissible

OSHA PERMISSIBLE EXPOSURE LIMIT - 90 dBA TWA

HOURS PER DAY	SOUND LEVEL (dBA)
	90
6	92
4	95
3	97
2	100
1.5	102
1	105
0.5	110



QB2HYG®

- Soft pods rest partially in the ear canal for a balance of comfort and protection
- Lightweight and portable – designed especially for environments with intermittent noise hazards
- Includes pair of replacement pods

SKU	Cording	Packaging	NRR
QB2HYG	Supra-Aural Band	Resealable Bag	25
QB200HYG	Replacement Pods	Polybag 50 pr/Box	



QM24PLUS MULTIPLE POSITION EARMUFF

- Can be worn over-the-head, behind-the-head or under-the-chin (includes a headstrap for use when positioned behind-the-head or under-the-chin)
- Dielectric construction suitable for electrical environments
- Noise Reduction Rating (NRR) 25.

SKU	Description	Style	NRR
RWS-53010	QM24+ Earmuff	Multiple-Position	25



VIKING®

- Multiple-position headband allows wearer to select position over-the-head, behind-the-head or under-the-chin
- Alternative to cap-mounted earmuffs – wear with hard hats, face shields, respirators and other PPE
- Snap-in ear cushions make replacement quick and easy

SKU	Description	Style	NRR
1010927	Viking V3	Multiple-Position	29




LEIGHTNING® HI-VISIBILITY

MAXIMUM PROTECTION AND CONTEMPORARY DESIGN.

- Bright green earcups provide high visibility and contrast
- Exclusive reflective headband illuminates under light for increased visibility and safety

SKU	Description	Style	NRR	Hygiene Kit
1013942	Leightning L2FHV Hi-Vis	Folding	27	1011999

SYNC™ SERIES



- Offering a significant level of hearing protection and uncompromised stereo sound
- It plugs into any portable music device; MP3 or smartphone but performs as a traditional passive earmuff when an audio device is not plugged in
- Bluetooth® 4.1 enabled earmuff
- Connect to bluetooth enabled devices for streaming music and communication
- Stay Protected - control music and place end calls without removing mobile device from your pocket
- Premium padded headband
- Lithium Ion battery featuring 16+ hours of battery life while streaming
- Robust boom microphone with windssock for voice clarity in high-noise environments
- No battery replacement required; includes USB cord and wall charger

SYNC™ WIRELESS - NEW

WITH BLUETOOTH 4.1

- Bluetooth 4.1 connectivity protects hearing by allowing you to take calls without removing your earmuff; you can also stream music without hazardous cords while keeping your phone safely in your pocket
- Boom microphone provides crystal clear communication in noisy environments and rotates out of the way when not in use
- Premium headband features rugged steel construction; headband and earcups are padded for long wearing comfort; 16+ hour rechargeable battery

SKU	Description	NRR
RWS-53016	Sync Wireless	25





SYNC™ RADIO

WITH DIGITAL AM/FM/MP3

- Hearing protector with digital AM/FM Radio, plus an AUX input jack to connect to an MP3 player, mobile phone or other personal listening device
- Ability to preset up to 10 radio stations
- Includes: 3.5mm input cable to connect to most personal listening devices and 2 AA batteries

SKU	Description	NRR
RWS-53012	Sync Radio	25



SYNC™ STEREO

WITH MP3 CONNECTION

- Hearing protector for use with MP3 players, mobile phones and other personal listening devices
- Includes: 3.5mm input cable to connect to most personal listening devices
- No batteries needed. Power, volume and song selection are controlled from the personal listening device.

SKU	Description	NRR
RWS-53011	Sync Stereo	25




IMPACT® SPORT

ELECTRONIC SOUND AMPLIFICATION

- Amplifies ambient sound to safe 82 dB – response technology reverts to passive hearing protector when noise reaches 82 dB
- Sound amplification allows wearers to hear important communication, alarms/warning signals, co-workers' voices
- Includes 3.5mm input cable to connect to most personal listening devices and 2 AAA batteries

SKU	Description	Style	NRR	Hygiene Kit
R-01526	Impact Sport Green	Folding	22	1015280
R-02524	Impact Sport Black	Folding	22	1015280



A
Anchorage:
 Commonly referred to as a tie-off point (i.e. I-beam)
Anchorage Connector:
 Used to join the connecting device to the anchorage (i.e. beam anchor)

B
Body Wear:
 The personal protective equipment worn by the worker (i.e. full-body harness)

C
Connecting Device:
 The critical link which joins the body wear to the anchorage/anchorage connector (Ex: retractable lifeline, (shown) or shock absorbing lanyard, see inset)



3 key components of the Personal Fall Arrest System (PFAS) must be in place and properly used to provide maximum worker protection.

Individually, these components will not provide protection from a fall. However, when used properly and in conjunction with each other, they form a Personal Fall Arrest System that becomes vitally important for safety on the jobsite.

6 EASY STEPS THAT COULD SAVE YOUR LIFE

HOW TO DON A HARNESS

<p>1 Hold harness by back D-ring. Shake harness to allow all straps to fall in place.</p>	<p>2 If chest, leg and/or waist straps are buckled, release straps and unbuckle at this time.</p>	<p>3 Slip straps over shoulders so D-ring is located in middle of back between shoulder blades.</p>	<p>4 Pull leg strap between legs and connect to opposite end. Repeat with second leg strap. If belted harness, connect waist strap after leg straps.</p>	<p>5 Connect chest strap and position in mid-chest area. Tighten to keep shoulder straps taut.</p>	<p>6 After all straps have been buckled, tighten all buckles so that harness fits snugly but allows for full range of movement. Pass excess strap through loop keepers.</p>
--	--	--	---	---	--



MILLER CROSS-ARM STRAP ANCHORAGE CONNECTOR

- Designed to wrap around approved I-beams or other structures for a secure attachment point for lanyards and self-retracting lifelines
- 400 lbs. maximum capacity

SKU	Description
8183/6FTGN	6 ft. web Cross-Arm Strap wraps around I-beams and other structures and attaches with a 2-in. D-ring that slips through a 3-in. D-ring



MILLER REVOLUTION™ HARNESS

- PivotLink™ Connection - Unique rotary design provides greater comfort in bending/mobility
- Integrated Accessory System - Modular attachment design provides additional connection points for belts/tools/accessories
- ErgoArmor™ Back Shield - Semi-flexible back shield minimizes impact from sharp/heavy snap hooks and self-retracting lifelines
- Web Final - Clip-on design safely organizes webbing after proper adjustment
- Self-Contained label Pack - integrated pack encapsulates labels minimizing damage and loss
- A variety of user-friendly accessories available, including; cell phone and radio holders; water bottle holder; bolt, nail and tool holders

SKU	Side D-rings	Chest/Leg Strap	Removable Belt
RDT-QC/UBK	No	Quick-Connect	No

“Falls are among the most common causes of serious work related injuries and deaths.”

- Assistant Secretary of Labor for Occupational Safety and Health



TITAN™ NON-STRETCH HARNESS

- Rated to 400 lbs. (181.4 kg) capacity
- Fully adjustable designs
- Sliding back D-ring

SKU	Side D-rings	Leg Strap	Chest Strap
T4500/UAK	No	Tongue	Mating

MILLER DURAFLEX ULTRA™ HARNESS

- Desi+B2:B9d with patented DuraFlex® stretchable webbing for greater comfort, safety and productivity
- Quick-connect buckles on the chest and leg straps for easy donning; specially-woven, breathable, comfort-touch back D-ring pad for greater comfort and tangle-free donning
- Includes friction buckle shoulder straps and belt loops to accommodate a tool belt
- Universal size (L/XL) fits most

SKU	Side D-rings	Back D-rings	Special Features
E650-4/UGN	No	Yes	Pull-up Adjustment Pull-free lanyard rings Belt Loops



MILLER SCORPION™ PERSONAL FALL LIMITER

- Lightweight and compact design; 9 ft. web lifeline
- Dual operation: Attach directly to harness back D-ring or use as traditional retractable lifeline
- Quick-activating, high-strength stainless steel braking system – arrests free falls, providing a quick, safe rescue
- No annual factory recertification required
- Visual load indicator indicates the unit must be removed from service

SKU	Unit Connector	Lanyard End Connector
PFL-4-Z7/9FT	9ft. web lifeline with carabiner & swivel shackle	Locking snap hook
PFL-6-Z7/9FT	9ft. web lifeline with rebar hook & swivel shackle	Locking snap hook

All models shown include 3,600 lb. gate-strength connectors



TITAN™ TUBULAR SHOCK-ABSORBING LANYARDS

- Built-in woven inner core smoothly expands reducing fall arrest forces
- The outer jacket serves as a back-up web lanyard

SKU	Legs	Harness Connection	Anchorage Connection	Length
T5111-Z7/6FTAF	1	Locking snap hook	Locking snap hook	6 ft.
T5112-Z7/6FTAF	1	Locking snap hook	Large locking rebar hook	6 ft.



TITAN™ B-COMPLIANT ROOF KITS

The Titan B-Compliant™ Roof Kits provide a complete fall protection solution for roofing applications. The kits simplify product selection by providing all of the components necessary for fall protection safety and to meet federal OSHA compliance

- Economical
- Complete Fall Protection Solution
- Easy to Use

SKU	Description
TRK2000-Z7/25FT	Compliant roof kit with 25-ft lifeline
TRK2000-Z7/50FT	Compliant roof kit with 50-ft lifeline

Kits include: lightweight, full-body harness, rope grab with permanently-attached 3-ft. lanyard with shock-absorber pack, high-strength rope lifeline, reusable stainless steel roof bracket with plated D-ring and waterproof storage container



RESPIRATORY PROTECTION | DUST MASKS



DUST MASKS

- One size fits most faces
- Single strap
- Protects against non-toxic dust, pollen and dander
- Adjustable nose bridge clip offers a secure fit
- NOT NIOSH APPROVED - nuisance dust only

SKU	Description	Packaging
RWS-54001	Dust/Nuisance Mask	50/box

*Not for use against silica, asbestos or other harmful substances

RESPIRATORY PROTECTION | DISPOSABLE RESPIRATORS



ONE-FIT™ MOLDED CUP PARTICULATE RESPIRATORS

- Strong and rigid outer shell prevents mask from collapse in high humidity or moist environments
- Molded nose bridge comfortably fits a variety of face shapes and sizes; one size fits most

SKU	Description	Packaging
14110444	Molded Cup, N95 Non-Valved	20/Box
14110445	Molded Cup, N95 Valved	10/Box

SAF-T-FIT® PLUS RESPIRATORS

- Molded cup design and durable suspension straps
- Boomerang nose seal for added comfort

SKU	Description	Size	Packaging
14110390	N95 Boomerang Nose Seal	Sm	20/Box
14110391	N95 Boomerang Nose Seal	Med/Lrg	20/Box
14110392	N95 Boomerang Nose Seal	XL	20/Box
14110393	N95 Boomerang Nose Seal, Exhalation Valve	Sm	20/Box
14110394	N95 Boomerang Nose Seal, Exhalation Valve	Med/Lrg	20/Box
14110395	N95 Boomerang Nose Seal, Exhalation Valve	XL	20/Box

RESPIRATORY PROTECTION | REUSABLE RESPIRATORS



NORTH® 5500 AND 5500 CONVENIENCE PACKS

- 5500 is an economically priced half mask that doesn't sacrifice comfort and fit
- Convenience packs include – 5500 Half mask, cartridges and/or filters for convenience
- Cartridges and filters are replaceable so facepiece can be re-used

SKU	Size	Description
550030	Sm/Med/Lrg	Thermoplastic elastomer half mask
5580P100	Sm/Med/Lrg	Half mask with P100 filters
5501N95	Sm/Med/Lrg	Half mask respirator with organic vapor cartridges and N95 pre-filters and caps



NORTH® PREMIUM SILICONE HALF MASK

- 100% Silicone facepiece is flexible, to provide a soft, secure and comfortable fit
- Dual elasticity headstraps provide a secure and flexible fit
- Wide contoured sealing area fits a greater variety of facial types

SKU	Size	Description
770030	Sm/Med/Lrg	Soft, comfortable & durable half mask

Cartridges sold separately



NORTH® 5400 SERIES FULL FACEPIECE

- Wide sealing area fits more facial types
- Nose cup provides less dead air space and channels exhaled breath out
- Latex free, thermoplastic elastomer with no natural rubber proteins which may cause an allergic reaction
- Wide panoramic lens provides optimal field of vision in all directions

SKU	Size	Description
54001S	Small	Thermoplastic elastomer full facepiece with 4 point headstrap
54001	Medium/Large	Thermoplastic elastomer full facepiece with 4 point headstrap



NORTH® RU6500 FULL FACEPIECE

- 100% Silicone facepiece and seal provides comfortable and secure fit
- Polycarbonate lens provides widest field of vision
- Lens offers distortion free visibility and optical clarity
- Threaded cartridge connector secures cartridges and filters to avoid accidental disconnections

SKU	Size	Description
RU65001S	Small	Silicone full facepiece w/ 5-point headstrap
RU65001M	Medium	Silicone full facepiece w/ 5-point headstrap
RU65001L	Large	Silicone full facepiece w/ 5-point headstrap
RU65002S	Small	Silicone full facepiece w/ mesh headnet
RU65002M	Medium	Silicone full facepiece w/ mesh headnet
RU65002L	Large	Silicone full facepiece w/ mesh headnet



PR500 SERIES MASK MOUNTED

- Front mount assembly provides an option for users who prefer not having the PAPR blower on their belt
- Lightweight unit will not slow worker efficiency
- Water-resistant battery pack is contoured for better fit

SKU	Size	Description
PR501S	Small	PR 500 Series PAPR Assembly, includes Facepiece with 5-Point Headstrap, battery, blower, HEPA filter, shower cap and battery charger
PR501M	Medium	
PR501L	Large	



NORTH® CARTRIDGES

SKU	Description	Packaging
N75001L	Organic Vapor Approved for use against Organic Vapors	Pair
75SCL	Defender™ Multi-Purpose Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide, Chlorine Dioxide, Hydrogen Fluoride)	Pair

NORTH® CARTRIDGES

SKU	Description	Packaging
75SCP100L	Defender Multi-Purpose with P100 Approved for use against Organic Vapors, Ammonia, Methylamine, Formaldehyde and Acid Gases (Chlorine, Hydrogen Chloride, Sulfur Dioxide, Hydrogen Sulfide Chlorine Dioxide, Hydrogen Fluoride); and 99.97% filter efficiency for all particulates	Pair
7581P100L	Organic Vapor with P100 Approved for use against Organic Vapors and 99.97% filter efficiency for all particulates	Pair

NORTH® PARTICULATE FILTERS AND ACCESSORIES

SKU	Description	Packaging
7580P100	P100 Combination Filter & Cartridge 99.97% efficiency for all particulates	Pair
75FFP100	Flexible, Low Profile P100 Filter For use under welding helmets; 99.97% efficiency for all particulates	Pair
7506N95	N95 Pad Filter 95% filter efficiency for non-oil based aerosol particulates	10/pack
N750036	Assembly for filters: includes (2) N750027 covers and (2) N750038 filter supports to attach filter pads to gas and vapor cartridges	1 pair
N750037	Assembly for filters: includes (2) N750027 covers and (2) N750015 filter holders to attach filters to facepiece	1 pair
N750029	Shower Cap For use with North low profile cartridge/filter combinations and 7580P100. Deflects moisture during decontamination shower or sparks and slag during welding and grinding	Each

PAPR and Air Supplied Respiratory equipment also available.
Contact Customer Care at 866.786.2353 or your HSP sales representative.

NORTH® FIT TEST KITS

For most applications a qualitative fit test will be sufficient. Irritant Smoke creates a positive reaction of coughing if there is breakthrough. Bitrex uses a nebulizer to spray a bitter substance inside a hood. Since Bitrex requires N95 type filters, it is the preferred method for qualitatively fit testing disposable filtering facepieces.

- Annual Fit Test Compliant

SKU	Description
193170	Bitrex Qualitative Fit Test Kit. Includes sensitivity and fit test solutions, sensitivity and fit test nebulizers, fit test hood

* Honeywell respiratory fit test forms and video link for fit testing can be obtained from your Honeywell Safety Sales Representative



HAND AND ARM PROTECTION | GENERAL PURPOSE GLOVES



HONEYWELL COATED SEAMLESS KNIT GLOVES

- PVC safety coatings help to keep hands from slipping over sharp edges, minimizing worker cut and slash injuries to hands
- Seamless knits allow air to flow; hands are kept cooler and dryer than wearing leather gloves
- PKD18A complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes	Min Order/Case Pack
PKD18A	7 gauge, standard weight, acrylic, white, single side white dot	Men (M)	12Pr / 144 Pr
PKD18L	7 gauge, standard weight, acrylic, white, single side white dot	Ladies (L)	12Pr / 144 Pr

NORTH® ECO KNIT®

ECONOMICAL, GENERAL PURPOSE GLOVES

- Complies with USDA and FDA regulations, 21 CFR, for use in food processing

SKU	Description	Sizes	Min Order/Case Pack
11RK	Natural, standard weight, cotton/poly	S - XL	12Pr / 240 Pr

WORKEASY®

VALUE LIGHTWEIGHT DIPPED GLOVES

- Both styles have 13 gauge, light weight, seamless polyester liners
- Soft, thin and flexible polyurethane or nitrile coatings
- Economical without sacrificing quality

SKU	Description	Sizes	Min Order/Case Pack
WE100	White polyester liner with gray nitrile coating	7(S) - 11(XXL)	12Pr / 144Pr
WE110	Black polyester liner with black nitrile coating	7(S) - 11(XXL)	12Pr / 144Pr



NORTHFLEX RED™

FOAM PVC COATED GLOVES

- Lightweight, 15 gauge seamless nylon liners are stretchy and form fitting
- Foamed PVC coatings is flexible and provides tough abrasion resistance
- Specially engineered open surface texture that clears liquids from surfaces and enables a very firm wet-grip

SKU	Description	Sizes	Min Order/Case Pack
NF11	Red nylon liner, palm coated with black foamed PVC	5(XXS) - 11(XXL)	12Pr /144Pr



PURE FIT™

LIGHTWEIGHT DIPPED GLOVES

- Nylon fiber is low-linting and provides excellent abrasion resistance
- Synthetic coatings resist nicks, cuts and abrasions
- Palm dipped design reduces hand fatigue and offers great dexterity and tactile sensitivity

SKU	Description	Sizes	Min Order/Case Pack
390	White liner with gray foamed nitrile palm coating	7(S) - 11(XXL)	12Pr /144Pr
393	Black liner with black breathable foam nitrile palm coating	6(XS) - 11(XXL)	12Pr /144Pr



TUFF-GLO™

HIGH VISIBILITY DIPPED GLOVES

- High-visibility orange helps to keep workers in view
- Durable and highly abrasion resistant nylon liners provide excellent protection in light-to mid-duty jobs
- Foam nitrile coating has excellent grip in wet or dry applications; preventing hands from sliding over sharp edges
- Gloves are soft and lightweight to prevent worker hand fatigue

SKU	Description	Sizes	Min Order/Case Pack
395HVZ	Orange nylon liner with orange foam nitrile	7(S) - 10(XL)	12Pr /144Pr



NORTHFLEX OIL GRIP™

BREATHABLE FOAM NITRILE COATED GLOVES

- Advanced MicroFinish® surface provides exceptional grip in oily applications
- The nitrile surface is textured with thousands of microscopic pockets that disperse fluids and allow a high level of surface contact between glove and object
- Two stage, full hand coating is impermeable to liquids, helping to keep hands dry
- Lightweight, 13 gauge seamless nylon liner is form-fitting and comfortable

SKU	Description	Sizes	Min Order/Case Pack
NF35F	Dark green nylon liner with full hand black coating	7(S) - 11(XXL)	12Pr /72Pr



PERFECT FIT™

KEVLAR SEAMLESS KNIT GLOVES

- Seamless knit construction eliminates uncomfortable seams that can rub or chafe
- Gloves are easily laundered with minimized shrinkage
- Economical price point for long lasting quality
- Safety dot coating provides extra protection from hands slipping over sharp surfaces

SKU	Cut level ANSI/EN388	Description	Sizes	Min Order/Case Pack
KV13A	2/NA	1 gauge lightweight, yellow	Men's (L)	12Pr /144Pr
KVD18A-100	3/NA	7 gauge medium weight safety dot coated	Men's (L)	12Pr /144Pr



WORKEASY®

VALUE, DYNEEMA®, COATED GLOVES

- Lightweight, 13 gauge seamless knit liner has improved cut protection
- Flexible and thin polyurethane coating provides excellent tactile sensitivity
- Economical without sacrificing quality

SKU	Cut level ANSI/EN388	Description	Sizes	Min Order/Case Pack
WE300	3/5	Light gray, Dyneema® fiber liner with gray PU	6(XS)-11(XXL)	12Pr /144Pr



PURE FIT™

DYNEEMA®, BLEND COATED GLOVES DYNEEMA®, BLEND COATED GLOVES

- Lightweight, 13 gauge Dyneema® fiber liners offer exceptional cut resistance
- Blended with stainless steel for even more cut protection
- Interior plating of Dyneema and spandex for great fit and cool feel for worker comfort
- Nitrile dipped palm for enhanced grip

SKU	Cut level ANSI/EN388	Description	Sizes	Min Order/Case Pack
PF570	4/5	Dyneema/stainless, plated, w/gray nitrile	7S-11XX	12Pr /72Pr



BULL DOG™

100% KEVLAR GLOVES WITH LEATHER REINFORCEMENTS

- 100% DuPont Kevlar seamless knit liner provides superior cut protection
- Leather palm is great for grip of oily objects
- Leather covers palm, fingers and wraps between fingers for added protection

SKU	Cut level ANSI/EN388	Description	Sizes	Min Order/Case Pack
KV18-45	4/NA	7 gauge medium weight	Men's, Ladies' (L)	12Pr /144Pr

PERFECT FIT™ KEVLAR® SLEEVES

- 100% DuPont™ Kevlar® brand fiber provides excellent protection from cut, slash and abrasion hazards
- Yellow, 2-ply sleeve



SKU	Description	Sizes	Min Order/Case Pack
KVS-2-(length) TH	Standard weight, 100% Kevlar with thumb hole, yellow	14, 18	10Each /100Each

NORTH® GRIP N® HOT MILL

- Provides protection against intermittent heat up to 400° F
- Nitrile palm coating provides excellent grip and longer life
- Knit allows for air to flow, unlike cut/sewn hot mill gloves



SKU	Description	Sizes	Min Order/Case Pack
51/7147	Natural, nitrile "N" both sides, knitwrist	Men's (M)	72Pr /72Pr

NORTHFLEX COLD GRIP PLUS 5™

- Outer shell is a 15 gauge seamless knit, lightweight and thin for excellent dexterity
- Foamed PVC coating has excellent abrasion resistance and grip
- High-visibility orange shell for increased awareness in low-light environments
- PVC coating extends over knuckles for added abrasion protection
- Thermal interior is soft and provides extra cushion for palms of hand
- Gloves retain flexibility, even at low temperatures
- Recommended for temperatures down to -15° F (-26° C)
- EN 388 Cut level 5, Abrasion level 4



SKU Pack	Cut Level	Description	Sizes	Min Order/Case NSI/EN388
NFD11HD	4/5	Hi-Viz orange shell with thermal liner with black foamed PVC	7(S) - 11(XXL)	12Pr /72Pr

WHITING & DAVIS MESH GLOVE

ANTI-MICROBIAL POLYPROPYLENE STRAP



SKU	Description	Sizes
A515D	5 Finger design, web strap	2XS-2XL

Many other glove models available, including aprons, sleeves, etc. Call Customer Care or Technical Support for additional information

NORTH® DEXI-TASK™

EXAM GRADE NITRILE DISPOSABLE GLOVES

- Formulation provides better chemical resistance for incidental exposure and a more comfortable feel
- 100% nitrile does not contain allergy-causing proteins
- Dexi-Task complies with USDA and FDA regulations, 21 CFR, for use in food processing



SKU	Description	Sizes	Grip/Cuff	Length/Gauge	Min Order/Case Pack
LA049	Blue, lightly powdered, ambidextrous, exam grade	S,M,L,XL	Smooth/rolled	9"/5 mil	10Box /10Box
LA049PF	Blue, powder-free, ambidextrous, exam grade	S,M,L,XL	Smooth/rolled	9"/5 mil	10Box /10Box

100 pair of gloves per box

NORTH® NITRIGUARD PLUS™

UNSUPPORTED NITRILE GLOVES

- 100% nitrile content offers superior resistance to cuts, snags, abrasions, and punctures
- Gloves are free of latex proteins which can cause allergic reactions
- Comply with USDA and FDA regulations, 21 CFR, for use in food processing



SKU	Description	Sizes	Grip/Cuff	Length/Gauge	Min Order/Case Pack
LA102G	Green, sanitized interior	7-11	Sandpatch/straight	13"/11 mil	144Pr / 144Pr
LA142G	Green, sanitized interior	7-11	Sandpatch/straight	13"/15 mil	144Pr / 144Pr
LA172G	Green, flock interior	7-11	Sandpatch/straight	13"/17 mil	144Pr / 144Pr

NORTH® NITRI-KNIT™

SUPPORTED NITRILE GLOVES

- Complies with USDA and FDA regulations, 21 CFR, for use in food processing.
- Gloves will not swell, sag or weaken from fat absorption
- Nitrile offers superior mechanical strength and outperforms supported natural rubber, neoprene and vinyl gloves when exposed to solvent, caustics and animal fats
- Hand portion is treated with a permanent anti-bacterial and anti-mildew agent



SKU	Description	Sizes	Grip/Cuff	Length	Min Order/Case Pack
NK803ES	Blue, interlock liner	7-11	Rough/elastic	26"	12Pr / 144Pr
NK803	Blue, interlock liner	7-11	Rough/elastic	12"	12Pr / 144Pr

NORTH® BUTYL™

UNSUPPORTED BUTYL GLOVES

- Highest permeation resistance to gas and water vapor for greater worker protection, especially when handling toxic substances
- Highly resistant to ketones (MEK, MIBK, acetone) and esters (tricresyl phosphate, amyl acetate, ethyl acetate)
- Flexible and sensitive, even at lower temperatures



SKU	Description	Sizes	Grip/Cuff	Length	Min Order/Case Pack
B131	Black, sanitized interior	7-11	Smooth/rolled bead	11"/13 mil	1Pr / 288Pr

SILVER SHIELD®

- Resistant to over 280 different chemicals, including alcohols, aliphatics, aromatics, chlorines, ketones and esters – provides high performance protection in the most demanding applications
- Does not contain latex or chemical accelerators – little chance of allergic reactions
- Can be used as a secondary inner glove – allows worker maximum protection in heavy duty jobs where the dangers of mechanical damage to gloves are high



SKU	Description	Sizes	Grip/Cuff	Length	Min Order/Case Pack
SSG	Silver, unlined	6-8	Smooth/straight	14.5"/2.7 mil	50Pr / 50Pr



PROTECTIVE CLOTHING | DISPOSABLE COVERALLS



NORTH® GEN "PRO" COVERALL

- Unique combination of non-woven fabrics, which meets CE Type 5 and 6 protection
- Resistant to noxious dust and splash
- Elastic waist, knitted cuff, a 2-way zip, resealable flap, hooded and a generous cut

SKU	Description	Sizes	Min. Order
35596	North Gen "Pro" disposable coverall, blue	S - 4XL	20



NORTH® GEN "FSR" COVERALL

- Flame retardant material to meet NFPA701 and EN533 Index 1
- Unique combination of non-woven fabrics, which meets with CE Type 5 and 6 protection
- Resistant to noxious dust, oil and chemical splashes and anti-static to meet EN1149-1
- Designed to be both practical and comfortable with a 2-way zip, elastic waist and cuffs, hooded and a generous cut

SKU	Description	Sizes	Min. Order
25596	North Gen "FR" disposable coverall	S - 4XL	20

TRAFFIC SAFETY | HIGH VISIBILITY



TRAFFIC CONES

- All-vinyl construction assures durability and flexibility in all weather conditions
- Long lasting brilliant fluorescent orange color provides high visibility protection
- Ultraviolet stabilized color provides maximum resistance to fading
- High density base creates low center of gravity for maximum stability
- Available in 3 sizes – 12", 18", 28"
- Engineered to meet MUTCD specifications

SKU	Description
RWS-50010	12" Orange
RWS-50011	18" Orange
RWS-50012	28" Orange



SAFETY VESTS WITH REFLECTIVE STRIPS

- High visibility for day and night
- Front and side Velcro® closures
- Available in Orange and Lime Green

SKU	Description
RWS-50003	Orange
RWS-50004	Lime Green



BARRICADE TAPE

- Polyethylene barricade tape
- Each roll measures 3" x 1000 ft.
- Dispenser box included for easy handling and storage

SKU	Description	MESSAGE
CT3YE1	Yellow	CAUTION
CT3YE2	Yellow	DO NOT ENTER





FIRST AID | FIRST AID KITS

ANSI STANDARD CHANGES

The American National Standard-Minimum Requirements for Workplace First Aid Kits and Supplies, ANSI/ISEA Z308.1-2015, has been updated and goes into effect on June 17, 2016. Refer to ANSI/ISEA Z308.1-2015 standard for full details. ANSI does not enforce laws or write regulations. The standard is intended as a guide to aid the manufacturer, consumer and general public.



25 & 50 PERSON KITS

AVAILABLE IN PLASTIC AND STEEL

SKU	Description	Type	Class
FAK25PL-CLSA	25 person kit, plastic	III	A
FAK25STL-CLSA	25 person kit, steel	IV	A
FAK50PL-CLSA	50 person kit, plastic	III	A
FAK50STL-CLSA	50 person kit, steel	IV	A



SOFTPAK, FIRST RESPONDER KIT

SKU	Description	Type	Class
FRKSOFTPAK-CLSB	First Responder kit	II	B



CONSTRUCTION FIRST AID KIT

These kits provide a wide variety of first aid items that meet requirements for most minor injuries or worksite emergencies encountered in a construction environment. These Kits are economical, sturdy, waterproof and are designed to withstand tough construction environments. These kits are made of tough polypropylene or steel, and comply with OSHA 1926.50 requirements

SKU	Description
019742-0029L	Construction first aid kit, 10 person, bulk fill, plastic case
019729-0016L	Construction first aid kit, 10 person, unitized fill, steel case



SOFT-SIDED BURN CARE KIT

Soft-sided emergency burn kits are portable and fit anywhere. They can be utilized for most industrial, institutional and medical emergencies. Various sized Water-Jel® soaked burn dressings relieves pain, and prevents infection by protecting against airborne contamination. Gel is water soluble to be easily rinsed for further medical treatment. Kit also contains fire blanket, sterile gauze, scissors and instruction card.

SKU	Description
049055	Soft-sided burn kit, Small

CPR WALL STATION AND CPR KIT

SKU	Description
019735-0022L	CPR Kit, metal Quantity Description Refill Item # 6 Antiseptic wipes, BZK 021635M, 2 CPR Microshield® 121051 2 Medical gloves, synthetic (pair) 029990
121053	CPR Microkey in black mini-pouch with keychain

FIRST AID | BLOODBORNE PATHOGEN (BBP) AND BODY FLUID KITS



BBP DECONTAMINATION STATION

Complete kits with the necessary supplies to clean a spill that contains the risk of blood-borne pathogens or other body fluids. The Honeywell BBP Station is necessary for OSHA regulation 29 CFR 1910.130 compliance. The one-time use disposable kit is simple to assemble, clean with and dispose. With minimal training, virtually any employee can be called upon to quickly decontaminate potentially harmful bloodborne pathogens such as HIV, H1N1, Norovirus, TB, and others.*

- (1) Reusable wall mounted station
- (1) Bottle of disinfectant
- (1) Mop with handle assembly and absorbent pad
- (2) Medical gloves
- (2) Shoe covers
- (1) Face mask with eye shield
- (1) Impervious gown
- (1) Plastic biohazard waste disposal bag

SKU	Description	Packaging
RWS-507001	Wall Mounted Bloodborne Pathogen Clean-up Kit	1 wall board, 2 Spill Clean Up bags
RWS-507001R	Bloodborne Pathogen Clean-up Kit Refill	1 Spill Clean Up bag
RWS-507002	Disinfectant bottle refill	2 Bottles

*Before spill cleanup begins, access to area needs to be restricted. Please refer to our Traffic Safety section on page (29) for appropriate cones and caution tapes



PERSONAL RESPONSE KIT AND BODY FLUID KITS

Honeywell North Metal Emergency CPR Kit

- Waterproof and Mountable
- Kit contents are individually wrapped to provide tamper evidence and to ensure usability of product
- Includes antiseptic wipes, CPR Microshield, medical gloves and synthetic medical gloves

SKU	Description
019745-0032L	North Response Kit, 16 person unit, plastic case
127011	Refill Kit for North Response Kit

SUNX® - SPF 30+ SUNSCREEN

- UVA/UVB Protection
- Passed lineman's glove testing
- Oil-free, not greasy
- Water and very sweat resistant
- PABA (Para-aminobenzoic acid) free
- Cedar fragrance discourages insects
- Contains aloe vera gel and vitamin E



SKU	Description	Packaging
122000SD-H5	SunX® Foil Pack Dispenser	50 pr/box
122018-H5	SunX® Lotion bottle, 2oz	24 pr/box
122019-H5	SunX® Lotion bottle, 4oz	12 pr/box
122021	SunX® Lip Balm	4 pr/box

BUG X® - INSECT REPELLANT WITH DEET

- Highly effective 52.25% DEET formula
- 8" X 5" size for full coverage
- EPA registered in all 50 states
- Repels mosquitoes, ticks, fleas, mites, black flies, sand flies, and deerflies



SKU	Description	Packaging
122004XA	Bug X® Towlette Dispenser	50 pr/box
122024-H5	Bug X® Pump spray, 2oz	12 pr/box

IVY XT® - PRE-CONTACT TOWELETTE

- Dries quickly on the skin
- Almost unnoticeable on skin
- Washes off with soap and water
- Not greasy or sticky



SKU	Description	Packaging
122010X	Ivy XT® Pre-Contact Towlette Dispenser	50 pr/box

IVY XT® - CLEANSER TOWELETTE

- Scrubs away poisonous oils
- Little or no odor
- Gentle to skin
- Contains moisturizers



SKU	Description	Packaging
122015X	Ivy XT® Cleanser Towlette Dispenser	50 pr/box

OUTDOOR SKIN PROTECTION KIT

Easily portable vinyl kit contains single-use applications of SunX®, IvyX™, BugX™, StingX™, Anti-itch gel, Lip Balm & hand sanitizer.



SKU	Description	Packaging
122025-H5	Professional Outdoor Skin Protection Kit	16 pr/box

BITE AND STING FIRST AID KIT

Developed specially for treatment of bites and stings. Ideal for snake and spider bites, and mosquito, bee and wasp stings.



SKU	Description	Packaging
019741-0028L	Bite and Sting First Aid Kit	10 pr/box

STING RELIEF

Sting Relief wipes provide fast relief from insect bites and stings. Also use for the temporary relief of pain and itching associated with minor burns, and scrapes. Hydrocortisone provides anti-itch relief from insect bites and skin irritation.



SKU	Description	Packaging
021202ST	Sting Relief Wipes	10 pr/box

DOG SPRAY

Protection against animal attacks, active ingredient is Capsaicin



SKU	Description	Packaging
113885H	North Spray Dog Shield 1-1/2oz	1 pr/box



EMERGENCY EYEWASH | SECONDARY WALL STATIONS

WALL STATIONS

- Sealed, sterile, bottles contain Sperial Saline – a buffered, saline solution superior to tap water for emergency eye care
- Blow-fill-seal bottles are tamper resistant, yet easily removed in an emergency
- Does not meet ANSI Z358.1-2009 15-minute flushing requirement
- Made in the USA



SKU	Description	Packaging
32-000460-0000-H5	16 oz. Single Eyewash Wall Station	8/case
32-000461-0000	32 oz. Single Eyewash Wall Station	8/case
32-000465-0000	16 oz. Double Eyewash Wall Station	4/case
32-000462-0000-H5	32 oz. Double Eyewash Wall Station	4/case

EMERGENCY EYEWASH | SECONDARY EYEWASH BOTTLES



EYESALINE EYEWASH BOTTLES

- Bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency eye care
- Blow-fill-seal bottles are tamper resistant, yet easily removed in an emergency
- Does not meet the current ANSI Z358.1 15-minute flushing requirement
- Made in the USA

SKU	Description	Packaging
32-000455-0000-H5	32 oz. Bottles with Extended Flow Nozzles (Trilingual)	12/case
32-000454-0000-H5	16 oz. Bottles with Extended Flow Nozzles (Trilingual)	12/case

EMERGENCY EYEWASH | EYEWASH BOTTLES



EYESALINE PERSONAL TRAVEL BAG

- Rugged, durable bag securely holds six 1 oz. and six 4 oz. bottles of Eyesaline sterile eyewash

SKU	Description
32-000440-0000	Eyesaline Personal Travel Bag (13" X 9" X 4")

EMERGENCY EYEWASH | PRIMARY EYEWASH DEVICES - MEETS COMPLIANCE



FENDALL PURE FLOW 1000®

- Easy installation. No plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or stand
- Factory-sealed fluid cartridges eliminate mixing, measuring, and the opportunity for airborne particles or microorganisms to contaminate the fluid prior to use
- Permits thorough flushing with a constant flow rate and stream height that provides 0.4 gpm for entire 15-minute cycle required by ANSI Z358.1
- Captures waste fluid to eliminate spill hazards and simplify fluid disposal
- Integral valve at bottom of unit allows easy draining of reservoir after use
- 24-month cartridge life,* at least four times longer than other primary self-contained eyewash devices, saves time and money on replacements and inspections, cartridges sold separately
- Cartridges remain sealed until activated. Expiration date is included on activation straps – and cartridge replacement takes less than five minutes

SKU	Description
32-001000-0000	Pure Flow 1000 Station
32-001050-0000-H5	Pure Flow 1000 Saline Cartridge



FENDALL 2000™

- Delivers 100% sterile saline from a 100% sterile delivery system
- 24-month cartridge life,* saves time and money on replacements and inspections
- Built-in alarm system that sounds when the unit has been activated and again when the injured individual has completed the required 15-minute flush
- Deactivation button that allows for fast and easy maintenance without false activation
- Arm/headrest provides user comfort, enabling better compliance
- Integrated waste containment to prevent spills and is easily emptied
- Sleek assembly that fits in most locations
- Self-contained, with no plumbing required, makes this highly portable
- Easy-view side windows to check sterile solution expiration date and key contact information
- Comes complete with emergency eyewash station sign, mounting bracket, installation DVD, tamper seal, and 1-year warranty. Sterile saline solution cartridge sold separately
- Meets ANSI Z358.1 15-minute flush requirement for primary eyewash stations
- Sterile Solution Made in the USA

SKU	Description
32-002000-0000	Fendall 2000 Station
32-ST2050-0000	Sterile Fendall 2000 Cartridge



FENDALL PORTA STREAM® II + III

- Easy installation with no plumbing required. Can be easily and affordably placed near most workplace hazards with single bracket mounting device or transported with optional universal cart or universal stand.
- Molded handle accepts hanging bracket for vertical or horizontal surface installation
- Versatile flushing fluid options include Eyesaline Concentrate – a buffered, saline solution superior to tap water for emergency eye care, and Water Additive
- Large 1.6 gallon (60.5L) capacity permits thorough flushing by providing 0.4 gpm over the entire 15-minute flushing period required by current ANSI Z358.1
- Nozzles cover a wide area around the eyes
- Honeywell Eyesaline Concentrate requires 6-month maintenance cycle. Water Additive requires a 4-month maintenance cycle
- Meets current ANSI Z358.1 15-minute flush requirement for primary eyewash stations
- Made in the USA

SKU	Description
32-000200-0000	Eyewash Station (English) with Eyesaline Concentrate
32-000230-0000	Eyewash Station (English) with Water Additive
32-000230-0020	Eyewash Station (English) with Water Additive (English/French)
32-000310-0000	Eyewash Station (freeze protected) with Eyesaline Concentrate



EYESALINE CONCENTRATE

- Mix with clean, potable water (10:1 ratio)
- Creates a preserved, buffered, Eyesaline solution

SKU	Description
32-000513-0000-H5	Eyesaline Concentrate for Use with Fendall Porta Stream II, III (English/Spanish)



WATER ADDITIVE

- Mix with clean, potable water
- One bottle (8oz) suitable for 14-16 gallons
- 30-month* shelf life (unopened)
- Sold in cases of four with tamper evident seals

SKU	Description
32-001100-0000	Water Additive for Use with All Portable Devices (English/Spanish)

*Shelf life determined by date of manufacture. Always check product expiration date.



DOES THIS SITE REQUIRE EYEWASH?

Exposure/splash to the eyes from chemicals with a PH <=2 or >= 11

- Paint
- Solvents
- Battery Charging Stations
- Hazardous Chemical Storage
- Tool Parts Washers
- Chemical Mixing/Pumping Areas

If employees use chemical-resistant gloves, cartridge or air-supplied respirators, chemical-resistant goggles or flammable storage containers, emergency eyewash is likely to be required. Refer to equipment manuals and Safety Data Sheets (SDS) on chemical packaging to learn whether emergency eyewash is required because of specific hazardous materials.

EMERGENCY EYEWASH BASICS

The ANSI Z358.1 standard for eyewash mandates:

- Eyewash be made available within a 10-second walk of a hazard.
For a strong acid or strong caustic, the eyewash should be immediately adjacent to the hazard.
- An injured person flush his or her eyes for a full 15 minutes.
- It also details how emergency eyewash should be delivered: the rate of flow, fluid angle, temperature, user's position, and station location, installation and maintenance.

Approximately half of all businesses required to meet this standard remain in non-compliance. The National Safety Council reports that the average lost-time injury costs nearly \$30,000, and eye injuries that are not properly treated can result in partial or complete vision loss to an individual.

SELECTING THE RIGHT EYEWASH STATION


Primary Eyewash Options - Meets ANSI Z358.1 standard

- Plumbed Units**
- Expensive to install, impractical to move and require weekly maintenance
 - Water temperature is not easily regulated
 - Ordinary tap water may contain harmful bacteria or contaminants that can cause additional eye damage

- Self-Contained Portable Units with Sterile Flushing Fluid**
- Easy to move and can fit into nearly any workspace
 - Deliver a sterile or buffered saline solution at room temperature for safe and comfortable flushing
 - Require the least frequent maintenance because the fluid in sealed-cartridge stations provides the longest shelf life – up to 24 months.

Secondary or Supplemental Eyewash – Does not meet ANSI Z358.1 standard

- Wall Stations**
- Delivered in bottles or smaller portable stations
 - Supports primary eyewash units by delivering immediate treatment en route to a primary eyewash unit



LOCK-OUT/TAG-OUT | LOCKOUT STATIONS



LOCKOUT/TAGOUT (LOTO) STATION

CONVENIENT AND HIGH VISIBILITY CENTERS THAT MAKE YOUR LOTO EQUIPMENT EASY TO FIND AND USE.

- Designed to withstand harsh conditions
- Made of double molded polystyrene with plastic or metal hanging hooks for locks and lockout hasps
- Other configurations available as well - call Customer Care for more details
- Small Station - 18" X 24"

SKU	Qty	Description
LSE101F	1	LSE101 Lockout Panel
	2	VS02 V-Safe Lockout 2"
	1	VS04 V-Safe Lockout 4"
	1	VS06 V-Safe Lockout 6"
	1	BS01 B-Safe Lockout
	2	LP110 E-Safe Lockout 110-220 volts
	1	LP550 E-Safe Lockout 220-550 volts
	1	MS86 M-Safe metal hasp
	4	MS01 M-Safe nylon hasp
	1	ELA290 "Do Not Operate" tags/25
	1	ELA255 "Do Not Open" tags/25
	1	3D Master Lock

JANITORIAL & FACILITY MAINTENANCE | PRODUCT GUIDE

	Eye Wear	Emergency Eyewash	Hearing	Respiratory	Disposable Gloves	General Purpose Gloves	Clothing	Footwear	First Aid	Lock out Tag out	Fall Protection	Traffic
General Cleaning												
Office & Conference Room					✓							
Lobby and Common Areas		✓			✓							
Restroom	✓			✓	✓	✓			✓			
Kitchen and Break Room Maintenance		✓			✓	✓			✓	✓		✓
Trash & Recycling Removal		✓			✓	✓	✓	✓	✓	✓		
Window Cleaning	✓				✓						✓	✓
Post-Construction Cleanup	✓	✓		✓		✓	✓	✓	✓		✓	✓
Pre/Post Move-In Cleanup				✓		✓	✓	✓	✓			✓
Emergency Clean-Ups	✓	✓		✓	✓	✓	✓	✓	✓			✓
Environmental Cleaning	✓	✓		✓	✓	✓	✓	✓	✓		✓	✓
Event cleaning					✓	✓	✓	✓	✓			✓
Chemical mixing	✓	✓		✓	✓		✓		✓			
Carpet Care												
Vacuuming			✓									
Spot Cleaning	✓	✓		✓	✓			✓	✓			
Dry, Steam and Foam Shampooing		✓			✓			✓				✓
Hard Floor Care												
Sweeping & Mopping		✓			✓			✓				✓
Waxing		✓						✓				✓
Restoration	✓	✓	✓	✓	✓	✓		✓	✓			✓
Protective coatings & seals	✓	✓		✓	✓	✓	✓	✓	✓			✓
Outdoor Maintenance												
Landscaping	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Street Cleaning	✓	✓	✓			✓			✓			✓
Snow removal	✓		✓			✓		✓	✓			
Pressure Washing	✓		✓			✓	✓	✓	✓		✓	✓
Graffiti Removal	✓	✓		✓	✓	✓			✓		✓	
Litter Removal					✓	✓		✓				
Project separation						✓	✓					✓
Traffic control	✓					✓	✓					✓
Fabric & Furniture Maintenance												
Blind & Drapery Maintenance	✓											✓
Fabric/Leather Cleaning & Conditioning	✓	✓		✓	✓		✓		✓			
Fabric Partition Cleaning	✓	✓		✓	✓				✓			
Preventive Maintenance												
Painting	✓	✓		✓	✓	✓	✓		✓		✓	✓
Air conditioner repair	✓					✓		✓	✓	✓	✓	✓
Roof repair	✓	✓	✓			✓		✓	✓	✓	✓	✓
Light carpentry	✓	✓	✓	✓		✓			✓			✓
Re-Lamping	✓					✓			✓	✓	✓	✓
HVAC/facility mechanical maintenance	✓	✓				✓		✓	✓	✓	✓	✓
Pest Control	✓	✓		✓	✓	✓	✓		✓			
Rodent/Bird Proofing	✓	✓		✓	✓	✓	✓		✓		✓	
Plumbing	✓	✓	✓			✓		✓	✓			✓
Equipment Recharging Station	✓	✓			✓	✓			✓			
Grinding/Polishing	✓	✓	✓	✓		✓			✓			
Metal fabrication	✓	✓	✓	✓		✓			✓	✓		
Welding	✓	✓		✓		✓	✓		✓			
Mold Remediation	✓	✓		✓	✓		✓		✓		✓	✓
Hospitality												
Maid housekeeping		✓	✓		✓				✓			
Food Preparation					✓	✓	✓		✓			
Server					✓				✓			
Dishwasher					✓				✓			

For more information

www.honeywellsafety.com

Technical Service: 800.873.5242

Honeywell Commercial Safety Products

900 Douglas Pike
Smithfield, RI 02917

US:

Phone: 800.430.5490
Fax: 800.322.1330

www.honeywell.com

Canada:

Phone: 888.212.7233
Fax: 888.667.8477

SPEC.266 | Rev 1 | 1/17
© 2017 Honeywell International Inc.

Honeywell