99073A_A2 Page 1 of 7

International Paint Inc.

Houston, Texas 77091

6001 Antoine Drive

MATERIAL SAFETY DATA SHEET

INTERTHANE 990HS OSHA SAFETY ORANGE

MSDS Revision No: A2 -6 MSDS Revision Date: 01/07/2004

EMERGENCY NUMBERS:

(800) 424-9300 CHEMTREC (USA) (703) 527-3887 CHEMTREC (Intl)

(800) 854-6813

Poison Control Center

Sales Order: {SalesOrd}

CUSTOMER SERVICE:

(Non-Emergency)

(800) 589-1267

International Paint

(800) 631-7481 Interlux

GENERAL INFORMATION 1.

INTERTHANE 990HS OSHA SAFETY ORANGE **Product Identity:**

Bulk Sales Reference No: 99073A

International.

IMPORTANT: Read this MSDS before handling or disposing of this product, and provide this information to the employee, customers, and users of this product. PLEASE NOTE THE MSDS REVISION NUMBER AT THE TOP OF THIS PAGE. If the MSDS Revision Number posted at the top of this page does not match the MSDS Revision Number on the product label, please contact Customer Service at the phone number included above for the correct MSDS. This product is covered by the OSHA Hazard Communication Standard and this document has been prepared in accordance with requirements of this standard.

NOTICE: OSHA hazardous chemicals are listed in Section 2 if present at 1% or more. Carcinogens and extraordinarily/special hazardous chemicals are listed in Section 2 if present at .1% or more. Additional regulatory information for specific chemical categories is included in Section 15.

HAZARDOUS INGREDIENT INFORMATION 2.

CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	100 ppm TWA; 465 mg/m3 TWA
	Methyl n-amyl ketone 10 - 25% by Weight	ACGIH:	50 ppm TWA
		NIOSH:	100 ppm TWA; 465 mg/m3 TWA800 ppm IDLH
		Supplier:	No Data Available
		OHSA, CAN	V: 25 ppm TWAEV; 115 mg/m3 TWAEV
		Mexico:	50 ppm TWA; 235 mg/m3 TWA100 ppm STEL; 465 mg/m3 STEL
000110-43-0		Brazil:	No Data Available
000110-43-0		Source	Health Data
		NIOSH:	Irritation; liver kidney
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No
CAS No.	Ingredient Name & %	Source	Exposure Data

99073A A2 Page 2 of 7

9073A_A2			Page 2 o
		OSHA:	150 ppm TWA; 710 mg/m3 TWA200 ppm STEL; 950 mg/m3 STEL
		ACGIH:	150 ppm TWA200 ppm STEL
		NIOSH:	150 ppm TWA; 710 mg/m3 TWA200 ppm STEL; 950 mg/m3 STEL170 ppm IDLH
		Supplier:	No Data Available
		OHSA, CAN:	150 ppm TWAEV; 710 mg/m3 TWAEV200 ppm STEV; 950 mg/m3 STEV
	D. C. L. C.	Mexico:	150 ppm TWA; 710 mg/m3 TWA200 ppm STEL; 950 mg/m3 STEL
000123-86-4	n-Butyl acetate 1.0 - 10% by Weight	Brazil:	No Data Available
	1.0 1070 by 11 bigin	Source	Health Data
		NIOSH:	Mucous membrane and eye irritation; high concentrations cause nervous system effects in animals
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No;
		IAKC.	Group 2b: No; Group 3: No; Group 4: No
CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN:	50 ppm TWAEV; 300 mg/m3 TWAEV
		Mexico:	No Data Available
000763-69-9	ETHYL 3- ETHOXYPROPANOATE	Brazil:	No Data Available
000703-09-9	1.0 - 10% by Weight	Source	Health Data
		NIOSH:	No Data Available
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No;
		IAKC.	Group 2b: No; Group 3: No; Group 4: No
CAS No.	Ingredient Name & %	Source	Exposure Data
		OSHA:	No Data Available
		ACGIH:	No Data Available
	Silica, amorphous 1.0 - 10% by Weight	NIOSH:	6 mg/m3 TWA3000 mg/m3 IDLH
		Supplier:	No Data Available
		OHSA, CAN:	0.10 mg/m3 TWAEV
		Mexico:	No Data Available
007631-86-9		Brazil:	No Data Available
00/031-86-9		C	Health Data
	110 Toyo oy Weight	Source	iicanii Data
	The Toyle of Weight	NIOSH:	No Data Available

99073A_A2 Page 3 of 7

OSHA: Select Carcinogen: No

NTP: Known Carcinogen: No; Suspected Carcinogen: No

Group 1: No; Group 2A: No;
Group 2b: No; Group 3: Yes; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
	Titanium dioxide 1.0 - 10% by Weight	OSHA:	15 mg/m3 TWA (total dust)
		ACGIH:	10 mg/m3 TWA
		NIOSH:	5000 mg/m3 IDLH
		Supplier:	No Data Available
		OHSA, CAN	: 10 mg/m3 TWAEV (total dust)
		Mexico:	10 mg/m3 TWA (nuisance particulate)20 mg/m3 STEL
013463-67-7		Brazil:	No Data Available
015405-07-7		Source	Health Data
		NIOSH:	Lung tumors in animals
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: Yes; Group 4: No

CAS No.	Ingredient Name & %	Source	Exposure Data
	Nepheline syenite 10 - 25% by Weight	OSHA:	No Data Available
		ACGIH:	No Data Available
		NIOSH:	No Data Available
		Supplier:	No Data Available
		OHSA, CAN	I: 10 mg/m3 TWAEV (total dust)
		Mexico:	No Data Available
037244-96-5		Brazil:	No Data Available
037244-70-3		Source	Health Data
		NIOSH:	No Data Available
		Source	Carcinogen Data
		OSHA:	Select Carcinogen: No
		NTP:	Known Carcinogen: No; Suspected Carcinogen: No
		IARC:	Group 1: No; Group 2A: No; Group 2b: No; Group 3: No; Group 4: No

3. HAZARD IDENTIFICATION

Overview:	NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.
Inhalation:	Harmful if inhaled. Causes nose and throat irritation. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.
Eyes:	Causes severe eye irritation. Do not get in eyes.
Skin:	Causes skin irritation. May be harmful if absorbed through the skin.
Ingestion:	Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.

99073A A2 Page 4 of 7

Chronic Effects:

Skin/Hand:

Contains an ingredient which can cause organ damage (See Section 2 and Section 15 for each ingredient). Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 2 and Section 15 for each

ingredient). Risk of cancer depends on duration and level of exposure.

HMIS Rating: Health: 2 Flammability: 3 Reactivity: 0

4. FIRST AID MEASURES

Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.

Inhalation:

Inhalation:

Eyes:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin:

In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.

If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.

5. PROTECTIVE EQUIPMENT AND CONTROL MEASURES

Select equipment to provide protection from the ingredients listed in Section 2 of this document. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness or if air monitoring demonstrates dust, vapor, or mist levels are above applicable limits, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application. Follow respirator manufacturer's directions for respirator use. FOR USERS OF 3M RESPIRATORY PROTECTION ONLY: For information and assistance on 3M occupational health and safety products, call OH&ESD Technical Service toll free in U.S.A. 1-800-243-4630, in Canada call 1-800-267-4414. Please do not contact these numbers regarding other manufacturer's respiratory protection products. 3M does not endorse the accuracy of the information contained in this Material Safety Data Sheet.

Do not get in eyes. Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, safety glasses, chemical goggles, and/or head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded

after each use.

Protective equipment should be seld

Protective equipment should be selected to provide protection from exposure to the chemicals listed in Section 2 of this document. Depending on the site-specific conditions of use, protective gloves, apron, boots, head and face protection may be required to prevent contact. The equipment must be thoroughly cleaned, or discarded after each use.

Engineering Controls: Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation.

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential **Other Work Practices:** exposure. Use good personal hygiene practices. Wash hands before eating, drinking, using toilet facilities, etc. Promptly remove soiled clothing and wash clothing thoroughly before reuse. Shower after work using plenty of soap and water.

6. FIRE AND EXPLOSION INFORMATION

Flash Point: F: 99
C: 37

Lower Explosive Limit (LEL): 1 (%vol in air) at Normal Atmospheric Temp and Pressure

Flammable liquid and vapor. FLAMMABLE/COMBUSTIBLE MATERIALS: Will be easily ignited by heat, sparks or flames. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks) creating a vapor explosion hazard. Runoff to sewers may create fire or explosion hazard. Containers may explode when heated.

CAUTION: This product has a very low flashpoint. Use of water spray when fighting fire may be inefficient. SMALL FIRES: Use dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRES: Use water spray, fog, or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material.

Also Reference Emergency Response Guide Number: 127

file://C:\msds\USmasscat\0400621.htm

Fire Fighting Procedures:

3/6/2004

99073A A2 Page 5 of 7

> 7. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid

Not Determined pH:

1.227922 **Specific Gravity:**

Boiling Point (F): 210

Vapor Density: Heavier than air

VOC Content (lbs): Refer to the Technical Data Sheet for this product.

Slower than ether **Evaporation Rate:**

STABILITY AND REACTIVITY DATA 8.

This product is stable and hazardous polymerization will not occur. General:

Strong oxidizing agents. **Incompatible Materials:**

May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide **Hazardous Decompostion:**

and Carbon Monoxide.

9. HANDLING AND STORAGE

Storage Temperature: Store between 32 and 120 F

Handling and Storage

Precautions:

Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Vapors may cause flash fire or ignite explosively. Prevent build-up of vapors by opening all windows and doors to achieve crossventilation. Do not get in eyes, on skin or clothing. Close container after each use. Wash thoroughly after handling.

10. TOXICOLOGICAL DATA

General:

NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. No additional information provided for this product. See Section 2 for chemical specific data.

11. ECOLOGICAL DATA

No additional information provided for this product. See Section 2 for chemical specific data. General:

12. ACCIDENTAL RELEASE MEASURES

ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only nonsparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop

Spill Response Procedures: leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible

material and transfer to containers. Use non-sparking tools to collect absorbed material.

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low

Public Safety: areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet).

Also, Reference Emergency Response Guide Number: 127

13. DISPOSAL CONSIDERATION

Dispose of in accordance with local, state and federal regulations. (Also reference RCRA information in Section 15 Waste Disposal:

if listed).

99073A A2 Page 6 of 7

14. TRANSPORTATION INFORMATION

DOT (Domestic Surface Transportation)		IMO / IMDG (Ocean Transportation)	
DOT Proper Shipping Name:		IMDG Proper Shipping Name:	
PAINT		PAINT	
DOT Hazard Class:	3	IMDG Hazard Class:	3.3 - High flashpoint flammable liquids
UN / NA Number:	UN 1263	UN Number:	UN 1263
DOT Packing Group:	III	IMDG Packing Group:	: III
CERCLA/DOT RQ:	4077 gal. / 41701 lbs.	System Reference Code	e: 1

15. REGULATORY INFORMATION

	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are
	represented. All ingredients of this product are listed on the TSCA (Toxic Substance Control Act)
D 14 0 :	Inventory or are not required to be listed on the TSCA Inventory.
Regulatory Overview:	Note: Any chemical ingredients listed in Section 15, that do not also appear in Section 2, are
	contained in the product at a concentration below the applicable OSHA threshold level of 1% or
	0.1%.
WHMIS Classification:	B2: D2B

Regulatory List Product Ingredients on List

DOT Marine Pollutants (10%): (No Product Ingredients Listed) **DOT Severe Marine Pollutants (1%):** (No Product Ingredients Listed) EPCRA 311/312 Chemicals and RQs

(>.1%):

000123-86-4 n-Butyl acetate: 5000 lb final RQ; 2270 kg final RQ

001330-20-7 Xylenes (o-, m-, p- isomers): 100 lb final RQ; 45.4 kg final RQ

EPCRA 302 Extremely Hazardous (>.1%): (No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals (>.1%):

000108-65-6 Propylene glycol monomethyl ether acetate

001330-20-7 Xylenes (o-, m-, p- isomers)

Mass RTK Substances (>1%):

000110-43-0 Methyl n-amyl ketone n-Butyl acetate 000123-86-4 007631-86-9 Silica, amorphous 013463-67-7 Titanium dioxide

Mass Extraordinarily Haz Sub (>.01%): (No Product Ingredients Listed)

Penn RTK Substances (>1%):

000110-43-0 Methyl n-amyl ketone n-Butyl acetate 000123-86-4 007631-86-9 Silica, amorphous 013463-67-7 Titanium dioxide

Penn Special Hazardous Substances

(>.01%):

000108-88-3 Toluene

Rhode Island Hazardous Substances

(>.1%):

000110-43-0 Methyl n-amyl ketone 000123-86-4 n-Butyl acetate 013463-67-7 Titanium dioxide

Xylenes (o-, m-, p- isomers) 001330-20-7

RCRA Status (>.01%):

(No Product Ingredients Listed)

N.J. RTK Substances (>1%):

Methyl n-amyl ketone 000110-43-0 000123-86-4 n-Butyl acetate 007631-86-9 Silica, amorphous 013463-67-7 Titanium dioxide

N.J. Special Hazardous Substances

(>.01%):

000123-86-4 n-Butyl acetate 99073A_A2 Page 7 of 7

N.J. Env. Hazardous Substances (>.1%):

000108-65-6 Propylene glycol monomethyl ether acetate

001330-20-7 Xylenes (o-, m-, p- isomers)

Proposition 65 - Carcinogens (>0%):

000050-00-0 Formaldehyde 000108-88-3 Toluene

Proposition 65 - Female Repro Toxins

(>0%):

(No Product Ingredients Listed) Proposition 65 - Male Repro Toxins (>0%): (No Product Ingredients Listed) **Proposition 65 - Developmental Toxins**

(>0%):

000108-88-3 Toluene

16. OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

End Of Document