

Revision Number: 004.0

Issue date: 04/14/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

Loctite(R) Silicone Lubricant Dielectric IDH number:

234317

Rocky Hill, Connecticut 06067

Product type:

Lubricant

Item number:

51360

Restriction of Use:

None identified

Region:

**United States** 

Company address: Henkel Corporation One Henkel Way

Contact information:

Telephone: (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center

1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

# 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW** 

WARNING:

CAUSES SKIN IRRITATION.

CAUSES SERIOUS EYE IRRITATION

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A

### PICTOGRAM(S)



### **Precautionary Statements**

Prevention:

Response:

Wash thoroughly after handling. Wear eye and face protection. Wear protective gloves.

IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. If skin irritation occurs: Get medical attention. If eye irritation persists: Get medical attention. Take

off contaminated clothing.

Storage:

Not prescribed

Disposal:

Not prescribed

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*	
Silicone Resin	Proprietary	60 - 100	

<sup>\*</sup> Exact percentage is a trade secret, Concentration range is provided to assist users in providing appropriate protections,

# 4. FIRST AID MEASURES

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give

artificial respiration. If symptoms develop and persist, get medical attention.

Skin contact: Wash with soap and water. If symptoms develop and persist, get medical

attention.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. If eye

irritation persists, consult a specialist.

Ingestion: Do not induce vomiting. If symptoms develop and persist, get medical

attention.

Symptoms: See Section 11.

Notes to physician: None

# 5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Special firefighting procedures: Wear a self-contained breathing apparatus with a full face piece operated in

pressure-demand or other positive pressure mode.

Unusual fire or explosion hazards: No

None

Hazardous combustion products:

Formaldehyde. Oxides of carbon. Oxides of silicon.

### 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** 

Contain spill. Do not allow material to contaminate ground water system.

Clean-up methods:

Store in a partly filled, closed container until disposal. Contaminated surfaces will be extremely slippery. Final cleaning may require use of steam, solvents or detergents. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

## 7. HANDLING AND STORAGE

Handling:

Use only with adequate ventilation. Avoid eye contact.

Storage:

Store in original container until ready to use.

For information on product shelf life contact Henkel Customer Service at (800) 243-4874.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	ACGIH TLV OSHA PEL		OTHER	
Silicone Resin	None	None	None	None	

**Engineering controls:** 

Use local ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits.

Product name: Loctite(R) Silicone Lubricant Dielectric Grease Page 2 of 5

Respiratory protection:

Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

Eye/face protection:

Safety glasses with side-shields.

Skin protection:

Chemical resistant, impermeable gloves.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:

Color:

Odor:

Odor threshold:

pH:

. Vapor pressure:

Boiling point/range: Melting point/ range:

Specific gravity: Vapor density:

Flash point:

Flammable/Explosive limits - lower: Flammable/Explosive limits - upper:

Autoignition temperature: Evaporation rate: Solubility in water:

Partition coefficient (n-octanol/water):

VOC content:

Viscosity: Decomposition temperature:

\_\_\_\_

Liquid

Opaque None

Not available.

Not available.

< 5 mm hg (80 °F (26.7 °C))

Not available. Not available.

0.95

Not available. > 93 °C (> 199.4 °F)

Not available.
Not available.
Not available.
Not available.
Insoluble
Not available.

Zero

Not available.

# 10. STABILITY AND REACTIVITY

Stability:

Stable

Hazardous reactions:

Will not occur.

Hazardous decomposition

products:

None under normal use.

Incompatible materials:

Oxidizing agents.

Reactivity:

IDH number: 234317

Not available.

Conditions to avoid:

None known

### 11. TOXICOLOGICAL INFORMATION

Product toxicity data:

Henkel is not aware of any toxicity data on the specific mixture of chemical components

contained in this product.

Relevant routes of exposure:

Skin, Eyes

#### Potential Health Effects/Symptoms

Inhalation:

Not a hazard under normal conditions of use.

Skin contact:

Causes skin irritation.
Causes serious eye irritation.

Eye contact: Ingestion:

Not expected to be harmful by ingestion.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects		
Silicone Resin	None	Irritant		

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)		
Silicone Resin	No	No	No		

## 12. ECOLOGICAL INFORMATION

**Ecological information:** 

Not available.

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number:

Not a RCRA hazardous waste.

#### 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name:

Not regulated

Hazard class or division:

None

Identification number:

None

Packing group:

None

International Air Transportation (ICAO/IATA)

Proper shipping name:

Not regulated

Hazard class or division:

None

Identification number:

None

Packing group:

None

Water Transportation (IMO/IMDG)

Proper shipping name:

Not regulated

Hazard class or division:

None None

Identification number:

None

# 15. REGULATORY INFORMATION

#### **United States Regulatory Information**

TSCA 8 (b) Inventory Status:

Packing group:

All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification:

None above reporting de minimis

CERCLA/SARA Section 302 EHS:

None above reporting de minimis

CERCLA/SARA Section 311/312:

Immediate Health

CERCLA/SARA Section 313:

None above reporting de minimis

IDH number: 234317 Product name: Loctite(R) Silicone Lubricant Dielectric Grease Page 4 of 5

California Proposition 65:

No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information** 

**CEPA DSL/NDSL Status:** 

All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

# 16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by:

Catherine Bimler, Regulatory Affairs Specialist

issue date:

04/14/2014

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.



Henkel Corporation

Groves Industrial Supply 7301 Pinemont Dr HOUSTON, TX 77040-6607 United States

Date:

08/17/2014

Dear Valued Customer:

Enclosed please find a new or revised Safety Data Sheet(s) (SDSs). You are receiving this/these in accordance with country/regional regulatory requirements.

Item Number

IDH Number

Product Description

51360

234317

Loctite(R) Silicone Lubricant Dielectric Grease

Previous versions of these documents should be replaced by the newer version.

SDSs should be forwarded to personnel responsible for workplace safety and to employees who will be handling this/these product(s) to ensure awareness and understanding of safety concerns and regulatory responsibilities. SDSs must also be forwarded on to your customers if you further distribute or resell the product.

If you have any questions, please contact your local Product Safety and Regulatory Affairs Specialist.

Sincerely,

Henkel Product Safety and Regulatory Affairs

NOTE: Henkel Corporation is in the process of revising and authoring Safety Data Sheets (SDSs) to comply with regulatory changes in accordance to the Globally Harmonized System of Classification and Labeling of Chemicals (GHS). As such, you may notice changes to our SDSs (formerly known as MSDSs). The format of the SDS has been modified to include, for example, GHS Hazard Classification, Hazard Category, Precautionary Text and Pictograms. Changes to overall hazard warnings may also occur as a result. Please review these changes as they are received. Product labels may also change as a result and will be closely aligned, where possible, to the release of the GHS SDS.

Changes will continue until the implementation deadline of June 1, 2015. For further information, please visit www.henkelna.com/GHS.