SAFETY DATA SHEET



1. Identification

Product identifier MILFORM® 64SST

STAMPING AND DRAWING FLUID

Other means of identification

SDS number Not applicable

Recommended use STAMPING AND DRAWING FLUID

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name CIMCOOL® Industrial Products LLC

3000 Disney Street Cincinnati, Ohio 45209

513-458-8199

Telephone (General

Information)

Emergency telephone

number

Emergency telephone

number (outside USA)

1-800-424-9300 (CHEMTREC)

1-703-527-3887 (CHEMTREC)

2. Hazard(s) identification

Physical hazards Not classified.

Health hazardsAcute toxicity, inhalationCategory 4Skin corrosion/irritationCategory 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation. Harmful if inhaled.

Precautionary statement

Prevention Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing mist or

vapor. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of

the workplace. Avoid release to the environment.

Response IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF IN

EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If swallowed: Call a poison center/doctor if you feel unwell. Take off contaminated clothing and wash it before reuse.

Storage Keep container tightly closed. Protect from sunlight. Store in a well-ventilated place. Store away

from incompatible materials. Store in accordance with local/regional/national/international

regulations.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information 93.78% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients

Mixtures

 Material name: MILFORM® 64SST
 SDS US

 Version #: 01
 Issue date: 05-02-2014

 1 / 8
 1 / 8

Chemical name	Common name and synonyms	CAS number	%
PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC		64742-52-5	15 - 40
ETHOXYLATED FATTY AMINE		61791-26-2	1 - 5
Other components below reportable level	s		40 - 70

The exact percentages of hazardous ingredients have been withheld as a trade secret.

4. First-aid measures

Inhalation If symptoms are experienced, remove source of contamination or move victim to fresh air. If

symptoms persist, get medical attention.

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing Skin contact

and shoes. Wash clothing separately before reuse. If skin irritation occurs: Get medical

advice/attention.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth thoroughly. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs Ingestion

naturally, have victim lean forward to reduce risk of aspiration. Get medical advice/attention if you

feel unwell.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation. Defatting of the skin.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor

in attendance.

5. Fire-fighting measures

Suitable extinguishing media Foam. Dry chemicals. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures

that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Combustible.

Special protective equipment and precautions for firefighters

Wear suitable protective equipment.

Fire-fighting

equipment/instructions containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Move

General fire hazards Combustible liquid.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate personal protective equipment. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Clean up in accordance with all applicable regulations. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment.

Material name: MILFORM® 64SST SDS US Version #: 01 Issue date: 05-02-2014 2/8

7. Handling and storage

Precautions for safe handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid contact with skin and eyes. Avoid prolonged and repeated contact. Do not breathe vapor. Do not ingest. Do not get this material on clothing. Use only in well-ventilated areas. Observe good industrial hygiene practices. Wash thoroughly after handling. When using, do not eat, drink or smoke. Practice good housekeeping. Handle and open container with care. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Do not handle or store near an open flame, heat or other sources of ignition. To maintain product quality, do not store in heat or direct sunlight. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep containers closed when not in use. Store in a well-ventilated place. Room temperature - normal conditions. Use care in handling/storage. Do not allow material to freeze. If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Appropriate engineering

controls

Ensure compliance with applicable exposure limits. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Use protective gloves made of: Nitrile. Hand protection

Wear suitable protective clothing and eye/face protection. Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Contaminated work clothing should not be allowed out of the workplace. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

CLEAR Appearance

Physical state Liquid. Liquid. Form Not available. Color Not available. Odor **Odor threshold** Not available.

Not Applicable Melting point/freezing point < 8 °F (< -13.3 °C)

Initial boiling point and boiling

Not Applicable

range

400 °F (204.4 °C) Cleveland Open Cup Flash point

Like water when diluted **Evaporation rate**

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available

100 % Water Miscible Solubility(ies)

Partition coefficient (n-octanol/water)

Not available.

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Combustible IIIB Flash point class pH in aqueous solution 8.6 @ 10% 1.052 Specific gravity **VOC ASTM D2369** 3 %

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Avoid temperatures exceeding the flash point. Contact with incompatible

materials.

Incompatible materials Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

Strong acids. Strong oxidizing agents. Avoid contact with oxidizers or reducing agents.

Hazardous decomposition

products

Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

11. Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed. Expected to be a low ingestion hazard. Harmful if inhaled. May cause irritation to the respiratory system. Inhalation Causes skin irritation. May be harmful in contact with skin. Skin contact

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing,

redness, swelling, and blurred vision. Skin irritation. Defatting of the skin.

Information on toxicological effects

May be harmful in contact with skin. May be harmful if swallowed. May cause respiratory irritation. Acute toxicity

Causes serious eye irritation. Harmful in contact with eyes.

Components **Species Test Results**

ETHOXYLATED FATTY AMINE (CAS 61791-26-2)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

500 - 2000 mg/kg LD50 Rat

PETROLEUM DISTILLATES, HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg

Inhalation

LD50 Rat > 5 mg/l, 4 hours

Oral

LD50 Rat > 5000 mg/kg

Prolonged skin contact may cause temporary irritation. Defatting, drying and cracking of skin. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation. Harmful in contact with eyes.

Respiratory or skin sensitization

Respiratory sensitization Not available. Skin sensitization Not classified.

4/8

Material name: MILFORM® 64SST

^{*} Estimates for product may be based on additional component data not shown.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Not classified. Reproductive toxicity Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be harmful if swallowed and enters airways. Chronic effects Prolonged exposure may cause chronic effects.

Further information Symptoms may be delayed.

12. Ecological information

Contains a substance which causes risk of hazardous effects to the environment. **Ecotoxicity**

Test Results Components ETHOXYLATED FATTY AMINE (CAS 61791-26-2) Aquatic Crustacea FC50 3.7 - 7.2 mg/l, 48 hours Water flea (Daphnia magna) Fish LC50 Bluegill (Lepomis macrochirus) 1.1 - 1.6 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil This product is miscible in water.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Consult authorities before disposal. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

14. Transport information

DOT

UN number UN3082

Environmentally hazardous substances, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED **UN proper shipping name**

PARAFFIN, ALKYLARYLSULFONIC ACID, SODIUM SALT SOLUTION), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) Ш **Packing group Environmental hazards**

> Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

8, 146, 335, IB3, T4, TP1, TP29 Special provisions

Packaging exceptions 155 203 Packaging non bulk 241 Packaging bulk

Material name: MILFORM® 64SST

Version #: 01 Issue date: 05-02-2014

^{*} Estimates for product may be based on additional component data not shown.

Supplemental Information: 49CFR 171.4 excludes "non-bulk" packages (119 gallons or less) from Marine Pollutant Requirements unless all or part of the shipment is by vessel.

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED

PARAFFIN, ALKYLARYLSULFONIC ACID, SODIUM SALT SOLUTION)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed.

Cargo aircraft only Allowed.

IMDG

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (C14-C17 MEDIUM CHAIN

CHLORINATED PARAFFIN, ALKYLARYLSULFONIC ACID, SODIUM SALT SOLUTION),

MARINE POLLUTANT

Not available.

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards

Marine pollutant Yes EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

DOT; IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. It may be reportable under the provisions of SARA Sections 311 and 312 if specific threshold criteria are met or exceeded.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

US state regulations Product is a hazardous substance as defined under the OSHA Hazard Communication Standard

and may be reportable under the provisions of SARA Sections 311 and 312.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

California South Coast Air **Quality Management District (SCAQMD) Rule** 1144 (VOC Emissions)

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 24 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 100 % to maintain compliance.

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Material name: MILFORM® 64SST

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

SDS US

16. Other information, including date of preparation or last revision

Issue date 05-02-2014

Version #

Further information Not available.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer**

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision Information Product and Company Identification: Product and Company Identification

Hazards Identification: US Hazard Categories Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

Regulatory Information: United States

Material Attributes & Uses; Experimental Data: Product Uses

HazReg Data: Pacific Rim GHS: Classification

Material name: MILFORM® 64SST SDS US