# SAFETY DATA SHEET



1. Identification

**Product identifier** CIMVANTAGE® CSS-NR7 BLUE

METALWORKING FLUID

Other means of identification

SDS number Not applicable

METALWORKING FLUID Recommended use

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

CIMCOOL® Industrial Products LLC Company name

> 3000 Disney Street Cincinnati, Ohio 45209

Telephone (General

Information)

513-458-8100

**Emergency telephone** 

number

1-800-424-9300 (CHEMTREC)

**Emergency telephone** number (outside USA)

1-703-527-3887 (CHEMTREC)

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Serious eye irritation Category 2 Sensitization, skin Category 1

> Reproductive toxicity Effects on or via lactation

Not classified. **Environmental hazards OSHA** defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** May cause an allergic skin reaction. Causes serious eye irritation. May cause harm to breast-fed

children.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not breathe mist or vapor. Avoid contact during

pregnancy/while nursing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear eye

protection/face protection. Wear protective gloves.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Response

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If exposed or

concerned: Get medical advice/attention. Wash contaminated clothing before reuse.

Store away from incompatible materials. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: CIMVANTAGE® CSS-NR7 BLUE SDS US 1 / 10 The classified hazards shown on this SDS are associated with the product concentrate. These hazards are not expected under recommended use conditions and dilution.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES		64742-52-5	5 - 10
C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN		63449-39-8	3 - 7
ARYL, ALKYL DERIVS., SULFONATED SODIUM SALTS		148520-82-5	1 - 5
HEXAHYDRO-1,3,5-TRIS (2-HYDROXYETHYL)-S- TRIAZINE		4719-04-4	1 - 5
MONOISOPROPANOLAMINE		78-96-6	1 - 5
TRADE SECRET*		Proprietary*	1 - 5
Other components below reportable I	levels		60 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a POISON CENTER or doctor/physician if you feel unwell. Under normal

conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Rinse with water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated

clothing before reuse.

Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical Eve contact

attention if irritation develops and persists.

Rinse mouth. Drink 1 or 2 glasses of water. Do not induce vomiting. If vomiting occurs, keep head Ingestion

low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel

unwell.

Most important symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause allergic skin reaction.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

If exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in General information

attendance.

## 5. Fire-fighting measures

Foam. Dry chemical powder. Carbon dioxide (CO2). Use extinguishing measures that are Suitable extinguishing media

appropriate to local circumstances and the surrounding environment.

Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Wear suitable protective equipment.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. In the

event of fire and/or explosion do not breathe fumes.

No unusual fire or explosion hazards noted. General fire hazards

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: CIMVANTAGE® CSS-NR7 BLUE

SDS US 2 / 10 

# Methods and materials for containment and cleaning up

Local authorities should be advised if significant spillages cannot be contained. This product is miscible in water. Clean up in accordance with all applicable regulations.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

#### **Environmental precautions**

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

# Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Do not allow material to freeze. Store away from incompatible materials (see Section 10 of the SDS). If frozen, product may separate. Thaw completely at room temperature and stir thoroughly prior to use.

# 8. Exposure controls/personal protection

## Occupational exposure limits

U.S. - OSHA

	Туре	Value	
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)	PEL	5 mg/m3	
ACGIH			
	Туре	Value	
SEVERELY-HYDROTREAT ED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)	TWA	5 mg/m3	

# Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles). Do not get in eyes. Eye wash fountain is

recommended.

Skin protection

Hand protection Use protective gloves made of: Nitrile.Other Wear suitable protective clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Do not get in eyes, on skin, on clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance CLEAR

**Physical state** Liquid. Liquid. **Form** 

Color Chemical Odor **Odor threshold** Not available.

10.4

Melting point/freezing point < 32 °F (< 0 °C) Initial boiling point and boiling > 212 °F (> 100 °C)

range

Flash point Not Applicable

Like water when diluted **Evaporation rate** 

Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. Relative density Not available.

100 % Water Miscible Solubility(ies)

**Partition coefficient** 

(n-octanol/water)

Not available.

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Not available. **Viscosity** 

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing. 8.9 @ 5% pH in aqueous solution 1.015 Specific gravity **VOC ASTM D2369** 6 %

### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Heat, flames and sparks. Contact with incompatible materials.

Incompatible materials Acids. Oxidizing agents. Do not add sodium nitrite or other nitrosating agents which may form

cancer causing nitrosamines.

**Hazardous decomposition** 

Conditions to avoid

products

Smoke, fumes, oxides of nitrogen, hydrogen chloride, and oxides of carbon

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Not classified.

Skin contact May cause an allergic skin reaction.

Eye contact Causes eye irritation.

Ingestion Not classified.

Material name: CIMVANTAGE® CSS-NR7 BLUE

SDS US 4 / 10 Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction.

Information on toxicological effects

**Acute toxicity** May cause an allergic skin reaction.

Components Species Test Results

ARYL, ALKYL DERIVS., SULFONATED SODIUM SALTS (CAS 148520-82-5)

<u>Acute</u>

Oral LD50

Rat 404 mg/kg

MONOISOPROPANOLAMINE (CAS 78-96-6)

Acute Dermal

Liquid

LD50 Rabbit 1576 mg/kg

Inhalation

Mist

LC0 Rat 1005 mg/m³, 3 hours

**Oral** *Liquid* 

LD50 Rat 2813 mg/kg

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

**Acute** 

Dermal

Liquid

LD50 Rabbit > 2000 mg/kg

Inhalation

Mist

LC50 Rat 2.18 mg/l, 4 hr

Oral

Liquid

LD50 Rat > 5000 mg/kg

TRADE SECRET

Acute

Dermal

Liquid

LD50 Rabbit > 1260 mg/kg

Oral

Liquid

LD50 Rat 500 - 2000 mg/kg

Chronic

Oral

Liquid

NOAEL Rat

500 ppm

Skin corrosion/irritation Not classified.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause sensitization by skin contact.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

**US. National Toxicology Program (NTP) Report on Carcinogens** 

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Reproductive toxicity May cause harm to breastfed babies.

Specific target organ

toxicity - single exposure

Specific target organ toxicity - repeated

exposure

Components

Not classified.

Not classified.

Not an aspiration hazard. **Aspiration hazard** 

**Chronic effects** Not classified.

The classification for health and environmental hazards is derived by a combination of calculation **Further information** 

**Test Results** 

0.17 mg/l, 48 hours

methods and test data, if available.

# 12. Ecological information

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

Species

Components		opecies	i est ivesuits
C14-C17 MEDIUM CH	AIN CHLORINATE	D PARAFFIN (CAS 63449-39-8)	
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 0.1 mg/l, 96 hours
MONOISOPROPANOL	_AMINE (CAS 78-9	96-6)	
Aquatic			
Fish	LC50	Goldfish (Carassius auratus)	210 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	109 mg/l, 48 hours
SEVERELY-HYDROTE	REATED NAPHTH	ENIC PETROLEUM DISTILLATES (CAS	64742-52-5)
Aquatic			
Acute			
Crustacea	EC50	Daphnia	> 10000 mg/l, 48 hours
Fish	LC50	Fish	> 100 mg/l, 96 hours
Chronic			
Crustacea	NOEC	Daphnia	10 mg/l, 21 days
Fish	NOEC	Fish	> 100 mg/l
TRADE SECRET			
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	0.72 - 1.4 mg/l, 96 hours
Acute			

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Daphnia

Bioaccumulative potential

Crustacea

Partition coefficient n-octanol / water (log Kow)

MONOISOPROPANOLAMINE -0.93

EC50

Mobility in soil This product is miscible in water.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: CIMVANTAGE® CSS-NR7 BLUE

# 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

**UN** number UN3082

Environmentally hazardous substances, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED **UN proper shipping name** 

PARAFFIN), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) Packing group Ш **Environmental hazards** 

> Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**Special provisions** 8, 146, 335, IB3, T4, TP1, TP29

155 Packaging exceptions Packaging non bulk 203 241 Packaging bulk

Supplemental Information: 49CFR 171.4 excludes "non-bulk" packages (119 gallons or less) from Marine Pollutant Requirements unless all or part of the shipment is by vessel.

**IATA** 

**UN** number UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (C14-C17 MEDIUM CHAIN CHLORINATED

PARAFFIN)

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** Yes **ERG Code** 9L

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

**IMDG** 

UN3082 **UN number** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (C14-C17 MEDIUM CHAIN **UN proper shipping name** 

CHLORINATED PARAFFIN), MARINE POLLUTANT

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards** 

Marine pollutant

Yes **EmS** F-A. S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.


Material name: CIMVANTAGE® CSS-NR7 BLUE

SDS US 7 / 10 

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

DOT; IATA; IMDG



#### Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

1.0 % One-Time Export Notification only.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

HEXAHYDRO-1,3,5-TRIS (2-HYDROXYETHYL)-S-

TRIAZINE (CAS 4719-04-4)

TSCA Chemical Action Plans, Chemicals of Concern

C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN

(CAS 63449-39-8)

Short-Chain Chlorinated Paraffins (SCCPs) and Other Chlorinated

Paraffins Action Plan

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories** 

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Material name: CIMVANTAGE® CSS-NR7 BLUE

SDS US 

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Not regulated.

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

MONOISOPROPANOLAMINE (CAS 78-96-6) Low priority

**Food and Drug** 

Administration (FDA)

# **US** state regulations

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

#### US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

C14-C17 MEDIUM CHAIN CHLORINATED PARAFFIN (CAS 63449-39-8)

SEVERELY-HYDROTREATED NAPHTHENIC PETROLEUM DISTILLATES (CAS 64742-52-5)

#### US. Massachusetts RTK - Substance List

MONOISOPROPANOLAMINE (CAS 78-96-6)

#### US. New Jersey Worker and Community Right-to-Know Act

MONOISOPROPANOLAMINE (CAS 78-96-6)

#### US. Pennsylvania Worker and Community Right-to-Know Law

MONOISOPROPANOLAMINE (CAS 78-96-6)

#### **US. Rhode Island RTK**

Not regulated.

California South Coast Air **Quality Management** District (SCAQMD) Rule 1144 (VOC Emissions)

This product is subject to SCAQMD Rule 1144; it is compliant and may be sold and used in the SCAQMD. The VOC content of the product is 49 g/L, measured by ASTM Method E-1868-10. This product has a specified use dilution VOC limit of 75 g/L, the maximum dilution concentration is 100 % to maintain compliance.

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

NITRILOTRIACETIC ACID (CAS 139-13-9) Listed: January 1, 1988

#### International Inventories

Country(s) or region	Inventory name	On inventory or exempt (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

#### 16. Other information, including date of preparation or last revision

10-31-2014 Issue date 09-02-2016 **Revision date** 

Version # 02

**Further information** Not available. NFPA ratings Health: 1 Flammability: 0

Instability: 0

Material name: CIMVANTAGE® CSS-NR7 BLUE SDS US

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **Revision information**

This document has undergone significant changes and should be reviewed in its entirety.

Material name: CIMVANTAGE® CSS-NR7 BLUE 10 / 10