# SAFETY DATA SHEET

# 1. Identification

**Product identifier** Master STAGES™ Skramex™

None.

Other means of identification

Subcategory: Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass Recommended use

cleaners, carpet cleaners, metal cleaners)

**Recommended restrictions** Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Master Chemical Corporation 501 West Boundary Street **Address** 

Perrysburg, Ohio 43551-1200

**United States** 

**Telephone** 419-874-7902

Website www.masterchemical.com E-mail info@masterchemical.com

**Emergency phone number** CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, oral Category 4

> Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 1

Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements



Signal word Danger

**Hazard statement** Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage.

**Precautionary statement** 

Prevention Do not breathe dust or mist. Wash hands thoroughly after handling. Do not eat, drink, or smoke

when using this product. Wear eye protection/face protection. Wear protective gloves/protective

clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/take off Response

immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

poison center/doctor. Wash contaminated clothing before reuse.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

**Mixtures** 

Material name: Master STAGES™ Skramex™ SDS US

Chemical name	Common name and synonyms	CAS number	%
GLYCOL ETHER		34590-94-8	5 - < 10
SODIUM HYDROXIDE		1310-73-2	3 - < 5
TRADE SECRET*		Proprietary*	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
Other components below reportable le	evels		70 - < 80

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

**Inhalation** Move to fresh air.

**Skin contact** Wash affected area with mild soap and water.

None known.

**Eye contact** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

**Ingestion** In the unlikely event of swallowing contact a physician or poison control center.

Most important

symptoms/effects, acute and

delayed

**General information** Get medical attention, if needed.

# 5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Use standard firefighting procedures and consider the hazards of other involved materials.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use

personal protective equipment as required.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

# 7. Handling and storage

Precautions for safe handling Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

# 8. Exposure controls/personal protection

# Occupational exposure limits

# US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
GLYCOL ETHER (CAS 34590-94-8)	PEL	600 mg/m3	
		100 ppm	
SODIUM HYDROXIDE (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Limit Values			
_	_		
Components	Туре	Value	
GLYCOL ETHER (CAS 34590-94-8)	STEL	150 ppm	
GLYCOL ETHER (CAS			
GLYCOL ETHER (CAS	STEL	150 ppm	

SDS US

**US. NIOSH: Pocket Guide to Chemical Hazards** Value Components Type GLYCOL ETHER (CAS STEL 900 mg/m3 34590-94-8) 150 ppm **TWA** 600 mg/m3 100 ppm SODIUM HYDROXIDE Ceiling 2 mg/m3 (CAS 1310-73-2)

## **Exposure guidelines**

US - California OELs: Skin designation

GLYCOL ETHER (CAS 34590-94-8) Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

GLYCOL ETHER (CAS 34590-94-8) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

GLYCOL ETHER (CAS 34590-94-8) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

GLYCOL ETHER (CAS 34590-94-8) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

GLYCOL ETHER (CAS 34590-94-8) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. Color Blue Odor Mild

Not available. **Odor threshold** 13 - 13.5

Melting point/freezing point 24.08 °F (-4.4 °C) Initial boiling point and boiling

range

222.98 °F (106.1 °C)

> 212.0 °F (> 100.0 °C) Flash point

**Evaporation rate** < 1 BuAc Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure

Material name: Master STAGES™ Skramex™ 1141 Version #: 01 Issue date: 06-17-2015 Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Flash point class ATSM D-92-90 pH in aqueous solution 11.3 - 12.3 Specific gravity 1.027 - 1.135

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid None known.

**Incompatible materials** Strong oxidizing agents. Acids.

**Hazardous decomposition** 

products

To avoid thermal decomposition, do not overheat.

# 11. Toxicological information

## Information on possible routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactCauses severe skin burns and eye damage.

**Eye contact**Causes serious eye damage. **Ingestion**May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Serious eye irritation. May be harmful if swallowed. May cause redness and pain.

# Information on toxicological effects

Acute toxicity

May be harmful if swallowed.

Skin corrosion/irritation

Corrosive to skin and eyes.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

**Respiratory sensitization**Classification not possible. Not a respiratory sensitizer. **Skin sensitization**This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Classification not possible.

Specific target organ toxicity -

repeated exposure

Classification not possible.

**Aspiration hazard** Classification not possible. Not an aspiration hazard.

Chronic effects None known.

# 12. Ecological information

**Ecotoxicity** Not available.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Follow precautions for safe handling described in this safety data sheet.

# 14. Transport information

DOT

**UN** number UN1760

**UN** proper shipping name CORROSIVE LIQUIDS, N.O.S. (SODIUM HYDROXIDE)

Transport hazard class(es) Class 8 Subsidiary risk Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

**UN number** UN1760

UN proper shipping name CORROSIVE LIQUIDS, N.O.S. (SODIUM HYDROXIDE)

Transport hazard class(es)

Class 8 Subsidiary risk Ш Packing group **Environmental hazards** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Forbidden.

aircraft

Cargo aircraft only Forbidden.

**IMDG** 

**UN number** UN1760

CORROSIVE LIQUIDS, N.O.S. (SODIUM HYDROXIDE) **UN proper shipping name** 

Not established.

Transport hazard class(es)

8 Class Subsidiary risk Ш Packing group

**Environmental hazards** 

No. Marine pollutant

**EmS** Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to

Annex II of MARPOL 73/78 and

the IBC Code

1141 Version #: 01 Issue date: 06-17-2015

5/7



# IATA; IMDG



# 15. Regulatory information

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

## SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

## **US state regulations**

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or regionInventory nameOn inventory (yes/no)\*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 06-17-2015

Version # 01

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.