

# SAFETY DATA SHEET

## 1. Identification

Product identifier	Master STAGES™ Whamex™	м	
Other means of identification	None.		
Recommended use	Metal cleaners		
<b>Recommended restrictions</b>	Applicable for industrial settings only. No other uses are advised.		
Manufacturer/Importer/Supplier	Distributor information		
Manufacturer			
Company name	Master Chemical Corporation		
Address	501 West Boundary Street		
	Perrysburg, Ohio 43551-1200		
	United States		
Telephone	419-874-7902		
Website	www.masterchemical.com		
E-mail	info@masterchemical.com		
Emergency phone number	CHEMTREC	1-800-424-9300	

# 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Not classified
	Acute toxicity, dermal	Not classified
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Causes skin irritation. Causes serious eye irritation.
Precautionary statement	
Prevention	Wash hands thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

# 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
GLYCOL ETHER		34590-94-8	5 - < 10

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	5 - < 10
TRADE SECRET*		Proprietary*	3 - < 5
Other components below reportable lev	els		70 - < 80

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation	Move to fresh air.
Skin contact	Wash affected area with mild soap and water.
Eye contact	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center.
Most important symptoms/effects, acute and delayed	None known.
General information	Get medical attention, if needed.

## 5. Fire-fighting measures

Suitable extinguishing media	Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
Specific hazards arising from the chemical	No unusual fire or explosion hazards noted.
Special protective equipment and precautions for firefighters	Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use personal protective equipment as required.
Methods and materials for containment and cleaning up	Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

## 7. Handling and storage

Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow. Precautions for safe handling Wash thoroughly after handling.

Conditions for safe storage, Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place. including any incompatibilities

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
GLYCOL ETHER (CAS 34590-94-8)	PEL	600 mg/m3	
		100 ppm	
US. ACGIH Threshold Limit Valu	es		
Components	Туре	Value	
GLYCOL ETHER (CAS 34590-94-8)	STEL	150 ppm	
	TWA	100 ppm	
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	
GLYCOL ETHER (CAS 34590-94-8)	STEL	900 mg/m3	
		150 ppm	
	TWA	600 mg/m3	

Components	Туре	Value
		100 ppm
cposure guidelines		
US - California OELs: Skin	designation	
GLYCOL ETHER (CAS	34590-94-8)	Can be absorbed through the skin.
US - Tennessee OELs: Ski	n designation	
GLYCOL ETHER (CAS	34590-94-8)	Can be absorbed through the skin.
US ACGIH Threshold Limit	Values: Skin designation	1
GLYCOL ETHER (CAS	34590-94-8)	Can be absorbed through the skin.
US NIOSH Pocket Guide to	Chemical Hazards: Skin	designation
GLYCOL ETHER (CAS		Can be absorbed through the skin.
US. OSHA Table Z-1 Limits	for Air Contaminants (29	CFR 1910.1000)
GLYCOL ETHER (CAS	34590-94-8)	Can be absorbed through the skin.
opropriate engineering ontrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
dividual protection measures	s, such as personal protect	ctive equipment
Eye/face protection	Safety glasses.	
Skin protection		
Hand protection	Wear appropriate chemi	ical resistant gloves.
Respiratory protection	In case of insufficient ve	ntilation, wear suitable respiratory equipment.
eneral hygiene onsiderations		ersonal hygiene measures, such as washing after handling the material ing, and/or smoking. Routinely wash work clothing and protective

# 9. Physical and chemical properties

, ,	•
Appearance	
Physical state	Liquid.
Color	Yellow
Odor	Mild
Odor threshold	Not available.
рН	10.5 - 11
Melting point/freezing point	5 °F (-15 °C)
Initial boiling point and boiling range	Not available.
Flash point	> 215.6 °F (> 102.0 °C)
Evaporation rate	< 1 BuAc
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Upper/lower flammability or exp Flammability limit - lower (%)	<b>losive limits</b> Not available.
Flammability limit - lower	
Flammability limit - lower (%) Flammability limit - upper	Not available.
Flammability limit - lower (%) Flammability limit - upper (%)	Not available. Not available.
Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%)	Not available. Not available. Not available.
Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%)	Not available. Not available. Not available. Not available.
Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Vapor pressure	Not available. Not available. Not available. Not available. Not available.
Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Vapor pressure Vapor density	Not available. Not available. Not available. Not available. Not available. Not available.
Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Vapor pressure Vapor density Relative density	Not available. Not available. Not available. Not available. Not available. Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Flash point class	ASTM D93-08
pH in aqueous solution	10 - 10.6
Specific gravity	1.026 - 1.134

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Stable at normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.
Incompatible materials	Powerful oxidizers. Acids.
Hazardous decomposition products	To avoid thermal decomposition, do not overheat.

# 11. Toxicological information

## Information on possible routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	May be irritating to the skin.
Eye contact	May be irritating to eyes.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	May be irritating to the skin. May be irritating to eyes.

### Information on toxicological effects

Acute toxicity	Not classified.	
Product	Species	Test Results
Master STAGES™ Whamex™		
Acute		
Dermal		
LD50	Rabbit	> 2000, mg/kg
Inhalation		
LC50	Rat	> 205, mg/l
Oral		
LD50	Rat	> 5000, mg/kg
Skin corrosion/irritation	May be irritating to the skin.	
Serious eye damage/eye irritation	May be irritating to eyes.	
Respiratory or skin sensitization	n	
<b>Respiratory sensitization</b>	Classification not possible. Not a respiratory sensitiz	er.
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by	IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)	
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive of	r developmental effects.

Specific target organ toxicity - single exposure	Classification not possible.
Specific target organ toxicity - repeated exposure	Classification not possible.
Aspiration hazard	Classification not possible. Not an aspiration hazard.
Chronic effects	None known.

## 12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

Disposal instructions	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Follow precautions for safe handling described in this safety data sheet.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No
	Reactivity Hazard - No
SADA 202 Extremely bezerdeue substance	

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

#### **US state regulations**

## **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	06-03-2015
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to

loss, injury, damage or expense due to improper use.

ensure safe conditions for handling, storage and disposal of the product, and to assume liability for