



Product Family Miller MightyLite **Self-Retracting Lifelines**Wire Rope Self-Retracting Lifeline models

Visit MillerFallProtection.com >

Honeywell MILLER"

Product Numbers & Ordering Information		
	Product Numbers	Details
	9054/	MightyLite Bracket Mounting Bracket for MightyLite RL50 and RL65 units
	9066/	MightyLite Bracket Mounting bracket for MightyLite RL100 and RL130 units
	9082/	Retrofit Bracket Swivel bracket for RL20 and RLS30 MightyLites
	9083/	Retrofit Bracket Swivel bracket for RL50 and RL65 MightyLites
	RL100BG/100FT	MightyLite Cable Self-Retracting Lifeline 100-ft. galvanized wire rope (3/16") lifeline
	RL100BSS/100FT	MightyLite Cable Self-Retracting Lifeline 100-ft. stainless steel wire rope (3/16") lifeline

	RL100G/100FT	MightyLite Cable Self-Retracting Lifeline 100-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline
	RL100G-Z7/100FT	MightyLite Cable Self-Retracting Lifeline 100-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL100SS/100FT	MightyLite Cable Self-Retracting Lifeline 100-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline
* C # [RL100SS-S/100FT	MightyLite Cable Self-Retracting Lifeline 100-ft. stainless steel wire rope (3/16") lifeline with SS snap w/carabiner and tagline
を 日本日本	RL100SS-Z7/100FT	MightyLite Cable Self-Retracting Lifeline 100-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
を 1 世 1 世 1 世 1 世 1 世 1 世 1 世 1 世 1 世 1	RL130BG/130FT	MightyLite Cable Self-Retracting Lifeline 130-ft. galvanized wire rope (3/16") lifeline
	RL130BSS/130FT	MightyLite Cable Self-Retracting Lifeline 130-ft. stainless steel wire rope (3/16") lifeline
	RL130G/130FT	MightyLite Cable Self-Retracting Lifeline 130-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline
	RL130G-Z7/130FT	MightyLite Cable Self-Retracting Lifeline 130-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL130SS/130FT	MightyLite Cable Self-Retracting Lifeline 130-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline
* C # ()	RL130SS-S/130FT	MightyLite Cable Self-Retracting Lifeline 130-ft. stainless steel wire rope (3/16") lifeline with SS snap w/carabiner and tagline
	RL175BSS/175FT	MightyLite Cable Self-Retracting Lifeline 175-ft. stainless steel wire rope (3/16") lifeline
* C # ()	RL175G/175FT	MightyLite Cable Self-Retracting Lifeline 175-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline

タを報じ	RL175G-Z7/175FT	MightyLite Cable Self-Retracting Lifeline 175-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline; ANSI Z359-2007 Compliant
を 発見	RL175SS/175FT	MightyLite Cable Self-Retracting Lifeline 175-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline
を発し	RL175SS-S/175FT	MightyLite Cable Self-Retracting Lifeline 175-ft. stainless steel wire rope (3/16") lifeline with SS snap w/carabiner and tagline
テルロタ タを集員	RL20BG/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. galvanized wire rope (3/16") lifeline
	RL20BP/20FT	MightyLite Web Self-Retracting Lifeline 20-ft. polyester webbing (1") lifeline
	RL20BSS/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. stainless steel wire rope (3/16") lifeline
	RL20BSS-S/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. stainless steel wire rope (3/16") lifeline with SS snap
	RL20G/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline
	RL20G-W/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. galvanized unit with web lifeline - carabiner and tagline
	RL20G-Z7/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL20K/20FT	MightyLite Web Self-Retracting Lifeline 20-ft. kevlar webbing lifeline w/carabiner and tagline
	RL20P/20FT	MightyLite Web Self-Retracting Lifeline 20-ft. polyester webbing (1") lifeline w/carabiner and tagline
-age	RL20P-Z7/20FT	MightyLite Web Self-Retracting Lifeline 20-ft. polyester webbing (1") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant

	RL20SS/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline
	RL20SS-S/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. stainless steel wire rope (3/16") lifeline with SS snap, carabiner and tagline
	RL20SS-Z7/20FT	MightyLite Cable Self-Retracting Lifeline 20-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL30BG/30FT	MightyLite Cable Self-Retracting Lifeline 30-ft. galvanized wire rope (3/16") lifeline
マール D	RL30BSS/30FT	MightyLite Cable Self-Retracting Lifeline 30-ft. stainless steel wire rope (3/16") lifeline
	RL30G/30FT	MightyLite Cable Self-Retracting Lifeline 30-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline
	RL30G-Z7/30FT	MightyLite Cable Self-Retracting Lifeline 30-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RLS30G-Z7/30FT	MightyLite Cable Self-Retracting Lifeline 30-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL30SS/30FT	MightyLite Cable Self-Retracting Lifeline 30-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline
	RL30SS-Z7/30FT	MightyLite Cable Self-Retracting Lifeline 30-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL40BK/40FT	MightyLite Web Self-Retracting Lifeline 40-ft. kevlar webbing lifeline
	RL40K/40FT	MightyLite Web Self-Retracting Lifeline 40-ft. kevlar webbing lifeline w/carabiner and tagline
をはいる	RL50BG/50FT	MightyLite Cable Self-Retracting Lifeline 50-ft. galvanized wire rope (3/16") lifeline

* C # []	RL50BP/50FT	MightyLite Web Self-Retracting Lifeline 50-ft. polyester webbing (1") lifeline
	RL50BSS/50FT	MightyLite Cable Self-Retracting Lifeline 50-ft. stainless steel wire rope (3/16") lifeline
サモ報 []	RL50G/50FT	MightyLite Cable Self-Retracting Lifeline 50-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline
サモ報告	RL50G-W/50FT	MightyLite Cable Self-Retracting Lifeline 50-ft. galvanized unit with web load indicator - carabiner and tagline
サを報じ	RL50G-Z7/50FT	MightyLite Cable Self-Retracting Lifeline 50-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL50P/50FT	MightyLite Web Self-Retracting Lifeline 50-ft. polyester webbing (1") lifeline w/carabiner and tagline
	RL50P-Z7/50FT	MightyLite Web Self-Retracting Lifeline 50-ft. polyester webbing (1") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL50SS/50FT	MightyLite Cable Self-Retracting Lifeline 50-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline
	RL50SS-S/50FT	MightyLite Cable Self-Retracting Lifeline 50-ft. stainless steel wire rope (3/16") lifeline with SS snap-w/carabiner and tagline
ense graf	RL50SS-Z7/50FT	MightyLite Cable Self-Retracting Lifeline 50-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
	RL65BG/65FT	MightyLite Cable Self-Retracting Lifeline 65-ft. galvanized wire rope (3/16") lifeline
	RL65BSS/65FT	MightyLite Cable Self-Retracting Lifeline 65-ft. stainless steel wire rope (3/16") lifeline
一本品が	RL65G/65FT	MightyLite Cable Self-Retracting Lifeline 65-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline

RL65G-Z7/65FT	MightyLite Cable Self-Retracting Lifeline 65-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
RL65SS/65FT	MightyLite Cable Self-Retracting Lifeline 65-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline
RL65SS-S/65FT	MightyLite Cable Self-Retracting Lifeline 65-ft. stainless steel wire rope (3/16") lifeline with SS snap - w/carabiner and tagline
RL65SS-Z7/65FT	MightyLite Cable Self-Retracting Lifeline 65-ft. stainless steel wire rope (3/16") lifeline w/carabiner and tagline, ANSI Z359-2007 Compliant
RLS30BG/30FT	MightyLite Cable Self-Retracting Lifeline Compact 30-ft. galvanized wire rope (3/16") lifeline
RLS30BS/30FT	MightyLite Cable Self-Retracting Lifeline Compact 30-ft. stainless steel wire rope (3/16") lifeline
RLS30G/30FT	MightyLite Cable Self-Retracting Lifeline Compact 30-ft. galvanized wire rope (3/16") lifeline w/carabiner and tagline
RLS30G-W/30FT	MightyLite Cable Self-Retracting Lifeline Compact 30-ft. galvanized unit with web load indicator - carabiner and tagline
RLS30S/30FT	MightyLite Cable Self-Retracting Lifeline Compact 30-ft. stainless steel wire rope (3/16") w/carabiner and tagline
RLS30SS-S/30FT	MightyLite Cable Self-Retracting Lifeline Compact 30-ft. stainless steel wire rope (3/16") with SS snap - carabiner and tagline
RLS30S-Z7/30FT	MightyLite Cable Self-Retracting Lifeline 30-ft. stainless steel wire rope (3/16") w/carabiner and tagline, ANSI Z359-2007 Compliant

Overview

Key Features

Miller MightyLite Self-Retracting Lifelines (SRL's) are up to 30% lighter than competitive models in their class. Available in 20- (6m), 30- (10m), 50- (15m), 65-ft. (20m), 100- (30m), 130- (40m) and 175-ft. (54m) lengths.

- Durable and dependable, corrosion-resistant stainless steel and aluminum housing
- No annual factory recertification required* lowers cost of ownership and increases productivity
- Ideal for hard-to-mount locations

- Corrosion-resistant stainless steel and aluminum components extend service life
- Carabiner and tagline included**

*Except in Canada where the Canadian Standards Association requires annual factory recertification. **Also available without the carabiner and tagline.

Recommended Industries/Use

• Other • Oil and Gas • Utilities

Hazards

· Fall from height

Regulations

Meets all applicable OSHA, ANSI and CSA standards

Warranty Information

We sincerely believe that our fall protection equipment is the best in the world. Our products endure rigorous test to ensure that the fall protection equipment you trust is manufactured to the highest standards. Miller fall protection products are tested to withstand normal wear and tear, but are not indestructible and can be damaged by misuse. Our Limited Lifetime Warranty does not apply to normal wear and tear or abusive treatment of the product. In the unlikely event that you should discover defects in either workmanship or materials, under our Limited Lifetime Warranty, we will repair or replace the product at our expense. If a replacement is necessary and your product is no longer available, a comparable product will be substituted. Should a product issue surface, contact us at 800/873-5242. Manufacturing specifications are subject to change without notice.

Specifications

Specification Sheets

• For full engineering specification sheets, go to the spec sheet section under downloads and documentation

Maximum Working Capacity

• Rated to 400 lbs. (181.4kg) capacity when using a SofStop shock absorber (928LS/18INYL)

Literature & Documents

Miller Wind Energy Catalog - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/20568 /1033.aspx

Safety at Height Solutions for the Wind Energy Industry

Miller MiniLite and MightyLite Brochure - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/20609/1033.aspx

Miller MiniLite and MightyLite Brochure

Miller MightyLite SRL Bracket Brochure - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/20608/1033.aspx

Miller MightyLite SRL Bracket Brochure

Miller SRL Manual - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/15824/1033.aspx

Miller Self-Retracting Lifeline Manual

SP100 Miller MightyLite _MightEvac Spec Sheet - US

http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Fall_Protection/Fall_Limiters/Self-Retracting_Lifelines/19164/1033.aspx

Miller MightyLite and MightEvac Spec Sheet

Training & Proper Use

Proper product training and professional fall protection training is recommended. Refer to Product Use Instructions enclosed with products.

Additional Information

800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

Technical Support

Contact Miller Technical Service at 800/873-5242 or 814/423-2118 email: millertechexpert@sperianprotection.com

© Honeywell International Inc.