INJECTION MOLDED CASES - PELICAN LIMITED LIFETIME GUARANTEE OF EXCELLENCE

Pelican Products, Inc. guarantees its products for a lifetime against breakage or defects in workmanship. Pelican™ injection molded cases are guaranteed to be watertight to a depth of 3.3 feet (1 meter) for 30 minutes (IP 67) if properly closed with undamaged o-ring in place unless otherwise stated. To the extent permitted by law, Pelican's liability is limited to the case and not its contents or foam. All warranty claims of any nature are barred if the container has been altered, damaged or in any way physically changed, or subjected to abuse, misuse, negligence or accident.

In Australia: www.pelican.com/warranty/australia

For complete warranty details, see http://www.pelican.com/warranty

MASSACHUSETTS

South Deerfield, MA 01373

147 North Main Street

Tel: 800.542.7344

Fax: 413.665.8330

www.pelican.com

Lifetime Guarantee does not cover Roto Molded cases.

U.S.A.

CALIFORNIA 23215 Early Avenue Torrance, CA 90505

Tel: 310.326.4700 800.473.5422 Fax: 310.326.3311 www.pelican.com

CANADA

Pelican Products ULC 10221-184th Street Edmonton, Alberta Tel: +780.481.6076 Fax: +780.481.9586

www.pelican.ca

Erina NSW 2250 www.pelicanaustralia.com

INDIA and SOUTH ASIA

(Bangladesh, Bhutan, Maldives, Nepal, Sri Lanka) Pelican Products and Services India Pvt. Ltd Level "4", Augusta Point, Sector-53, Golf Course Road

Gurgaon 122002 Haryana, India Tel: +91.124.4354148 Fax: +91.124.4354001

www.pelican.com

AUSTRALIA

Pelican Products Australia Suite 2.33 West Wing Platinum Building Tel: +612.4367.7022 Fax: +612.4367.7066

Pine City Building, Room 1026 777 Zhaojiabang Road Shanghai, China 200032 Tel: +86.21.64189685 Fax: +86.21.64189679 www.pelican.com/cn

INTERNATIONAL

AND AFRICA

Peli Products, S.L.U.

c/ Provenca, 388, Planta 7

08025 · Barcelona, Spain

Tel: +34.934.674.999

Fax: +34.934.877.393

www.peli.com

EUROPE. MIDDLE EAST

Pelican Products China Representative Office

Pelican Products Korea Ltd #909 Hyundai 41 Tower, 917-9, Mok-dong, Yangchon-gu, Seoul, Korea 158-050 Tel: +82.2.6092.4700 Fax: +82.2.6792.4700 www.pelican.com/ko

SE ASIA and rest of ASIA (Hong Kong, Macau, Taiwan, Pakistan)

Pelican Products Singapore Pte Ltd 30 Merchant Road, #02-08 Riverside Point Singapore 058282 Phone: +65 64385418 www.pelican.com

LATIN AMERICA

JAPAN
Pelican Products K.K.

Nisso 22 Bldg 9F

1-11-10 Azabu Dai

Minato ward Tokyo

Tel: +81.33.585.9100

www.pelican.com/jp

Fax: +81.33.585.9109

106-0041 Japan


KOREA

23215 Early Avenue Torrance, California 90505 USA Tel: +1.310.326.4700 x 1462 Fax: +1.310.325.5740 www.pelican.com

DISTRIBUTED BY:









PELICAN™ STORM CASE™

PELICAN

PELICAN™ CUSTOM SOLUTIONS



If you've ever owned a Pelican Protector™ case, you are already familiar with our legendary toughness and quality.

In my role at Pelican I've listened with great pride to many amazing stories of our cases in action - withstanding shifting glaciers, IED explosions and Silverback gorillas. These stories and associated pictures are just too good not to share, so we've featured the best in this catalog and many more at http://www.pelican.com/info/media-testimonials/. Please log in to tell us your own incredible stories.

On the new product front, we've been very busy and are excited to share our latest innovations including extreme coolers, luggage and iPad®/iPhone®-specific cases, just to name a few. To see our up-to-the-minute product introductions, visit www.pelican.com or follow us on our social media channels.

And finally, Pelican couldn't have become the global company that it is today without the loyalty of our customers (soldiers, firefighters, police officers, photographers and sportsmen), as well as our many other new customers (consumers and outdoor enthusiasts) who depend on our products every day. Please know that we will continue to honor that trust by developing the toughest and most dependable cases on the market.

Again, thank you for placing your trust in Pelican for your equipment protection needs.

Industrial Law Enforcement Outdoor Consumer Dive









CHOICE

With hundreds of case sizes and options we have the widest range of standard configurations in the industry.





O	PTIONAL COL	_OF	S FOR ALL S	SIN	GLE LID CASI	ES						
	Gray - 133 Fed Std# 26270		Tan - 250 Fed Std# 20372		Blue - 135(lt) Pantone# 292U		White - 132 Fed Std# 27925		Yellow - 136 Pantone# 012U		Green - 138(forest) Fed Std# 24052	Orange - 134 Fed Std# 12197
	Yellow - 131 Fed Std# 23538		Maroon - 197 Pantone# 202U		Blue - 101(dk) Fed Std# 25052		Black - 032 Fed Std# 27040		Red - 130 Fed Std# 21105		Olive Drab - 137 Fed Std# 34096	Purple - 129 Pantone# 245U
Note: Some options are not available on all case sizes and availability is subject to change at manufacturer's discretion												



TABLE + OF CONTENTS

PELICAN AIR SERIES	1-4
PELICAN SERIES	
Memory Card & Micro Cases	5-6
Small Cases	7
Digital Survival Cases	8-10
Medium Cases	11-12
Large Cases	13-16
Long Cases	17-18
Pelican Cases Specifications	19-20
SURVIVOR STORIES	21-22
PELICAN STORM SERIES	
Small Cases	23-24
Medium Cases	25-26
Large Cases	27-28
Pelican Storm Case Specifications	29
CUSTOM SOLUTIONS	
Case Accessories	30
Standard Protection	31-34
Advanced Case Solutions	35-36
Custom Foam	37-38
Beyond Foam	39-40
Also From Pelican	41-42
	diagn com

+ PELICAN™ AIR: THE LIGHTEST PROTECTOR CASES ON THE PLANET.

At up to 40% lighter than other polymer cases, Pelican™ Air cases will lighten the loads of the dedicated pros across the world who have set out to change the game.

Pelican[™] Air cases are the first in a series of remarkable innovations engineered by Pelican, the pioneers of protective cases.

For over 40 years Pelican has manufactured the most influential protective cases in the world, and we're just getting started.

With the launch of the Pelican[™] Air line of cases, we're redefining the future of protection with a remarkable union of light and tough.





1485 AIR

1525 AIR 1535 AIR WHEELED

CARRY-ON

1555 AIR

1605 AIR

1615 AIR WHEELED

CHECK-IN

THE SCIENCE BEHIND LIGHTNESS

- Honeycomb structural elements that are actually stronger than solid polymer material
- Molded from the next generation of Pelican's lightweight HPXTM resin, a proprietary formula that rebounds without breaking

UP TO THE TEST

- Submerged for 30 minutes at a depth of one meter
- Drop-tested on concrete (with loads from six feet) on all sides and corners
- Wheels are roll tested over
 1,000 yards with loads at 5 mph
- 28 lb. steel dart dropped on all sides from 3 feet

PELICAN AIR

WATCH FOR NEW SHAPES AND SIZES THIS YEAR



1485 AIR

INTERNAL DIMS: 17.75" x 10.18" x 6.15" (45.1 x 25.9 x 15.6 cm)

EXTERNAL DIMS: 19.17" x 12.80" x 6.89"

(48.7 x 32.5 x 17.5 cm)

Cat. No. 1485** Cat. No. 1485NF*** Cat. No. 1485WD****

Cat. No. 1485TP****



1525 AIR

INTERNAL DIMS:

20.50" x 11.30" x 6.75" (52.1 x 28.7 x 17.1 cm)

EXTERNAL DIMS: 21.96" x 13.97" x 7.49"

(55.8 x 35.5 x 19 cm)

Cat. No. 1525** Cat. No. 1525NF*** Cat. No. 1525WD****

Cat. No. 1525TP****



1535 AIR WHEELED CARRY-ON

INTERNAL DIMS:

20.39" x 11.20" x 7.20" (51.8 x 28.4 x 18.3 cm)

EXTERNAL DIMS:

21.96" x 13.97" x 8.98" (55.8 x 35.5 x 22.8 cm)

Cat. No. 1535**

Cat. No. 1535NF*** Cat. No. 1535WD****

Cat. No. 1535TP*****



1555 AIR


INTERNAL DIMS:

23.00" x 12.75" x 7.50" (58.4 x 32.4 x 19.1 cm)

EXTERNAL DIMS:

24.76" x 15.46" x 8.24" (62.9 x 39.3 x 20.9 cm)

Cat. No. 1555NF***





1605 AIR

INTERNAL DIMS:

26.00" x 14.00" x 8.38" (66 x 35.6 x 21.3 cm)

EXTERNAL DIMS:

28.87" x 16.77" x 9.12" (73.3 x 42.6 x 23.2 cm)



Cat. No. 1605**

Cat. No. 1605NF*** Cat. No. 1605WD**** Cat. No. 1605TP*****



1615 AIR WHEELED CHECK-IN

INTERNAL DIMS:

29.59" x 15.50" x 9.38" (75.2 x 39.4 x 23.8 cm)

EXTERNAL DIMS:

32.58" x 18.40" x 11.02" (82.8 x 46.7 x 28 cm)




Cat. No. 1615NF***

Cat. No. 1615WD**** Cat. No. 1615TP*****





CASE CONTENTS NOT INCLUDED



0915 CASE

INTERNAL DIMS:

4.79" x 2.25" x 0.55" (12.2 x 5.7 x 1.4cm)

EXTERNAL DIMS: 5.55" x 3.27" x 0.85'

(14.1 x 8.3 x 2.2cm)

Cat. No. 0915 Stores 12 SD cards or 6 mini SD cards and 6 micro SD cards



0945 CASE

INTERNAL DIMS: 4.79" x 2.25" x 0.55"

 $(12.2 \times 5.7 \times 1.4 \text{ cm})$

EXTERNAL DIMS: 5.55" x 3.27" x 0.85" (14.1 x 8.3 x 2.2 cm)

Cat. No. 0945 Stores 6 compact flash cards



0955 CASE

INTERNAL DIMS:

4.79" x 2.25" x 0.55" (12.2 x 5.7 x 1.4 cm)

EXTERNAL DIMS: 5.55" x 3.27" x 0.85' (14.1 x 8.3 x 2.2cm)

Cat. No. 0955 Holds keys, ID, cards and cash



1010 MICRO CASE

INTERNAL DIMS:

4.37" x 2.87" x 1.68" $(11.1 \times 7.3 \times 4.3 \text{ cm})$

EXTERNAL DIMS: 5.88" x 4.06" x 2.12"

(14.9 x 10.3 x 5.4 cm)

are available.

Cat. No. 1010 Available in clear with a colored rubber liner or in solid colors with a black rubber liner. Pick N Pluck™ foam inserts



i1010 MICRO CASE

4.37" x 2.87" x 1.68" $(11.1 \times 7.3 \times 4.3 \text{ cm})$

EXTERNAL DIMS: 5.88" x 4.06" x 2.12

 $(14.9 \times 10.3 \times 5.4 \text{ cm})$

Cat. No. i1010

Designed to protect iPod classic®, iPod nano®, and iPod shuffle

1020 MICRO CASE



INTERNAL DIMS: 5.14" x 2.64" x 1.37" $(13.1 \times 6.7 \times 3.5 \text{ cm})$ **EXTERNAL DIMS:** 6.68" x 3.88" x 1.86' (17 x 9.9 x 4.7 cm) Available in clear with a colored rubber liner or in solid colors with a black rubber liner. Pick N Pluck™

1015 MICRO CASE

i1015 MICRO CASE

INTERNAL DIMS: 5.14" x 2.64" x 1.37'

(13.1 x 6.7x 3.5 cm)

EXTERNAL DIMS: 6.68" x 3.88" x 1.86" $(17x 9.9 \times 4.7 cm)$

Cat. No. i1015 Designed for iPhone™, iPhone™ 4 and



INTERNAL DIMS: 5.31 x 3.56 x 1.68 $(13.5 \times 9 \times 4.3 \text{ cm})$

EXTERNAL DIMS: 6.82" x 4.75" x 2.12" (17.3 x 12.1 x 5.4 cm)

Cat. No. 1020 Available in clear with a colored rubber liner or in solid colors with a black rubber liner. Pick N Pluck™

1030 MICRO CASE

foam inserts are available.

INTERNAL DIMS:

6.37" x 2.62" x 2.06" $(16.2 \times 6.7 \times 5.2)$

EXTERNAL DIMS:

7.50" x 3.87" x 2.43" (19 x 9.8 x 6.2 cm)

Cat. No. 1030

Available in clear with a colored rubber liner or in solid colors with a black rubber liner, Pick N Pluck™ foam inserts are available.



1040 MICRO CASE

INTERNAL DIMS:

6.50" x 3.87" x 1.75" $(16.5 \times 9.8 \times 4.4 \text{ cm})$

EXTERNAL DIMS: 7.50" x 5.06" x 2.12"

(19 x 12.8 x 5.4 cm)

Cat. No. 1040 Available in clear with a colored rubber liner or in solid colors with a black rubber liner, Pick N Pluck™ foam inserts are available



1050 MICRO CASE

foam inserts are available.

INTERNAL DIMS: 6.31" x 3.68" x 2.75"

 $(16 \times 9.3 \times 7 \text{ cm})$ EXTERNAL DIMS:

7.50" x 5.06" x 3.12" $(19 \times 12.8 \times 7.9 \text{ cm})$

Cat. No. 1050 Available in clear with a colored rubber liner or in solid colors with a black rubber liner, Pick N Pluck™ foam inserts are available



1060 MICRO CASE

INTERNAL DIMS: 8.25" x 4.25" x 2.25"

(20.9 x 10.8 x 5.7 cm)

EXTERNAL DIMS: 9.37" x 5.56" x 2.62"

(23.8 x 14.1 x 6.7 cm)

Cat. No. 1060

Available in clear with a colored rubber liner or in solid colors with a black rubber liner, Pick N Pluck™ foam inserts are available.



CASE CONTENTS NOT INCLUDED CASE CONTENTS NOT INCLUDED

Lightweight, but extremely strong; compact, yet fully capable. Perfect for valuable gear like hand tools and small to medium electronic components, hand held GPS systems, and DSLR cameras. All small cases are available empty or with pre-scored Pick N Pluck™foam.

WATERTIGHT

The secret is the tongue-and-groove fit with a Polymer o-ring acting as a waterproof sea Also, our Automatic Pressure Equalization Valv releases built-up air pressure while keeping water molecules out, resulting in a watertigh case that is easy to oper



1120 CASE

INTERNAL DIMS:

7.29" x 4.79" x 3.33' (18.5 x 12.2 x 8.5 cm)

EXTERNAL DIMS: 8.41" x 6.76" x 3.87

(21.4 x 17.2 x 9.8 cm)

Cat. No. 1120** Cat. No. 1120NF***



1150 CASE

INTERNAL DIMS:

8.29" x 5.79" x 3.75" (21 x 14.7 x 9.5 cm)

EXTERNAL DIMS: 9.44" x 7.80" x 4.29"

(24 x 19.8 x 10.9 cm)

* Cat. No. 1150**

Cat. No. 1150NF***



1170 CASE

INTERNAL DIMS:

10.54" x 6.04" x 3.16" (26.8 x 15.3 x 8 cm)

EXTERNAL DIMS: 11.64" x 8.34" x 3.78"

(29.6 x 21.2 x 9.6 cm)

Cat. No. 1170**

Cat. No. 1170NF***



1200 CASE

INTERNAL DIMS: 9.25" x 7.12" x 4.12"

(23.5 x 18.1 x 10.5 cm) **EXTERNAL DIMS:**

10.62" x 9.68" x 4.87' (27 x 24.6 x 12.4 cm)

— Cat. No. 1200** Cat. No. 1200NF***



1300 CASE

INTERNAL DIMS:

9.17" x 7.00" x 6.12" (23.3 x 17.8 x 15.5 cm)

EXTERNAL DIMS:

10.62" x 9.68" x 6.87' $(27 \times 24.6 \times 17.4 \text{ cm})$

* Cat. No. 1300**

Cat. No. 1300NF***



1400 CASE

INTERNAL DIMS:

11.81" x 8.87" x 5.18" $(30 \times 22.5 \times 13.2 \text{ cm})$

EXTERNAL DIMS: 13.37" x 11.62" x 6.00" (33.9 x 29.5 x 15.2 cm)

* Cat. No. 1400** Cat. No. 1400NF***



i1065 HARDBACK™CASE

INTERNAL DIMS:

9.96" x 7.76" x 0.81" (25.3 x 19.7 x 2.1 cm)

EXTERNAL DIMS:

10.86" x 9.28" x 1.24" (27.6 x 23.6 x 3.1 cm)

Cat. No. i1065 Designed to protect Apple iPad® 2, 3 and 4



DIGITAL

1070CC HARDBACK™CASE

INTERNAL DIMS:

12.80" x 8.95" x 0.72' (32.5 x 22.7 x 1.8 cm)

EXTERNAL DIMS:

15.29" x 11.96" x 1.6" (38.8 x 30.4 x 4.1 cm)

Cat. No. 1070CC Designed to fit 13"



1055CC HARDBACK™CASE

INTERNAL DIMS:

8.55" x 5.52" x 0.85' (21.7 x 14 x 2.2 cm)

EXTERNAL DIMS: 9.42" x 7.02" x 1.24"

(23.9 x 17.8 x 3. cm)

Cat. No. 1055CC Designed to protect the most popular eReaders and 7 inch tablets, also fits the new iPad



1065CC HARDBACK™CASE

INTERNAL DIMS:

9.96" x 7.76" x 0.81" (25.3 x 19.7 x 2.1 cm)

EXTERNAL DIMS: 10.86" x 9.28" x 1.24"

 $(27.6 \times 23.6 \times 3.1 \text{ cm})$

Cat. No. 1065CC

Designed to protect most 10 inch tablets including iPad®, iPad® 2, iPad® 2 with Smart Cover iPad® 3, iPad® 3 with Smart Cover



1075 HARDBACK™CASE

INTERNAL DIMS:

11.11" x 7.92" x 1.63" (28.2 x 20.1 x 4.1 cm)

EXTERNAL DIMS:

12.38" x 9.75" x 2.13" (31.4 $\times 24.8 \times 5.4 \text{ cm}$

Cat. No. 1075*

Designed to protect various electronics including external



CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED

1075CC HARDBACK™CASE

INTERNAL DIMS:

11.11" x 7.92" x 1.63" (28.2 x 20.1 x 4.1 cm)

EXTERNAL DIMS: 12.38" x 9.75" x 2.13" (31.4 x 24.8 x 5.4 cm)

Cat. No. 1075CC (with netbook liner) Designed to protect most popular netbooks up to 11.3" x 8.1" x 1.6"

INTERNAL DIMS:

11.11" x 7.92" x 1.63"

(28.2 x 20.1 x 4.1 cm)

12.38" x 9.75" x 2.13"

 $(31.4 \times 24.8 \times 5.4 \text{ cm})$

Designed to fit pistols,

revolvers and magazines

EXTERNAL DIMS:

Cat. No. P1075*

P1075 HARDBACK™CASE



i1075 HARDBACK™CASE

INTERNAL DIMS: 11.11" x 7.92" x 1.63" (28.2 x 20.1 x 4.1 cm)

EXTERNAL DIMS: 12.38" x 9.75" x 2.13" (31.4 x 24.8 x 5.4 cm)

Cat. No. i1075 (with iPad® insert) Designed to protect the iPad®, iPad®2 or iPad®2 with Smart Cover®



1085 HARDBACK™CASE

INTERNAL DIMS:

14.29" x 10.37" x 1.97"

EXTERNAL DIMS: 15.64" x 12.41" x 2.50"

Designed to protect 14" laptops



 $(36.3 \times 26.3 \times 5 \text{ cm})$

 $(39.7 \times 31.5 \times 6.3 \text{ cm})$

Cat. No. 1085*



15.78" x 11.16" x 2.06"

EXTERNAL DIMS:

 $(43.6 \times 33.6 \times 6.6 \text{ cm})$

Designed to protect 15" laptops



EXTERNAL DIMS:

with laptop liner) Designed to protect 15" laptops



1470 CASE

INTERNAL DIMS:

15.70" x 10.70" x 3.87" (39.9 x 27.2 x 9.8 cm)

(42.9 x 33.6 x 11.3 cm)

EXTERNAL DIMS: 16.88" x 13.23" x 4.47"

Cat. No. 1470**

Cat. No. 1470NF***



1490 CASE

INTERNAL DIMS: 17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)

EXTERNAL DIMS: 19.87" x 13.93" x 4.68" $(50.4 \times 35.4 \times 11.9 \text{ cm})$

Cat. No. 1490**

Cat. No. 1490NF***



1490CC1 CASE

INTERNAL DIMS:

17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)

EXTERNAL DIMS: 19.87" x 13.93" x 4.68"

(50.4 x 35.4 x 11.9 cm)

Cat. No. 1490CC1 Case with lid organizer. fitted shock absorbing tray, and removable shoulder strap



1490CC2 CASE

INTERNAL DIMS:

17.75" x 11.37" x 4.12" (45.1 x 28.9 x 10.5 cm)

EXTERNAL DIMS:

19.87" x 13.93" x 4.68" $(50.4 \times 35.4 \times 11.9 \text{ cm})$

Cat. No. 1490CC2 Case with lid organizer, Pick N Pluck™ foam, and removable shoulder strap



1495 CASE

INTERNAL DIMS:

18.87" x 13.12" x 3.81' (47.9 x 33.3 x 9.7 cm)

EXTERNAL DIMS:

21.62" x 17.25" x 4.87 (54.9 x 43.8 x 12.4 cm)

Cat. No. 1495** Cat. No. 1495NF***



1495CC1 CASE

INTERNAL DIMS:

18.87" x 13.12" x 3.81" (47.9 x 33.3 x 9.7 cm)

EXTERNAL DIMS: 21.62" x 17.25" x 4.87"

(54.9 x 43.8 x 12.4 cm)

Cat. No. 1495CC1

Case with lid organizer, shock absorbing tray, nylon padded computer sleeve, accessories pouch, and removable shoulder strap



1085CC HARDBACK™CASE

INTERNAL DIMS:

EXTERNAL DIMS:

14.29" x 10.37" x 1.97" $(36.3 \times 26.3 \times 5 \text{ cm})$

15.64" x 12.41" x 2.50' $(39.7 \times 31.5 \times 6.3 \text{ cm})$

Cat. No. 1085CC (with laptop liner) Designed to protect 14" laptops



1095 HARDBACK™CASE

INTERNAL DIMS:

 $(40.1 \times 28.3 \times 5.2 \text{ cm})$

17.18" x 13.24" x 2.60'

Cat. No. 1095*



1095CC HARDBACK™CASE

PROTECTION

Pelican's Pick N Pluck™ foam lets you customize the interior according to your

gear. An easy, do-it-yourself system: layers of foam are pre-scored in tiny cubes. Simply measure your equipment over the grid and pluck away.

INTERNAL DIMS:

15.78" x 11.16" x 2.06" $(40.1 \times 28.3 \times 5.2 \text{ cm})$

17.18" x 13.24" x 2.60 $(43.6 \times 33.6 \times 6.6 \text{ cm})$

Cat. No. 1095CC



1495CC2 CASE

INTERNAL DIMS:

18.87" x 13.12" x 3.81" $(47.9 \times 33.3 \times 9.7 \text{ cm})$

EXTERNAL DIMS: 21.62" x 17.25" x 4.87" (54.9 x 43.8 x 12.4 cm)

Cat. No. 1495CC2 Case with lid organizer, Pick N Pluck™ foam, and removable shoulder strap



1430 TOP LOADER CASE

INTERNAL DIMS:

13.56" x 5.76" x 11.70" $(34.4 \times 14.6 \times 29.7 \text{ cm})$

EXTERNAL DIMS: 16.40" x 8.71" x 13.15" (41.6 x 22.1 x 33.4 cm)

Cat. No. 1430**, Cat. No. 1430NF***

(with padded divider and lid organizer) Cat. No. 1437

(with padded office divider and lid organizer)

1440 TOP LOADER CASE

INTERNAL DIMS:

17.10" x 7.50" x 16.00" $(43.4 \times 19 \times 40.6 \text{ cm})$

EXTERNAL DIMS: 19.70" x 12.00" x 18.00"

 $(50 \times 30.5 \times 45.7 \text{ cm})$



Cat. No. 1444 (with utility padded divider and lid organize

Cat. No. 1447 (with padded office divider and lid organizer)







MEDIUM CASES

Mobility with room for protecting larger gear or multiple instruments and accessories. Interior options are available for extra protection. Select models meet carry-on luggage specifications. Most cases are available empty, with foam or padded dividers. See chart on page 19.





1460 CASE

INTERNAL DIMS: 14.66" x 10.24" x 6.12"

1450 CASE

16.54" x 13.03" x 6.84"

INTERNAL DIMS:

EXTERNAL DIMS:

18.54" x 9.92" x 10.92'

20.85" x 12.73" x 12.75"

(52.9 x 32.3 x 32.4 cm)

Case with adjustable and

removable tray dividers

for easy customization

(47.1 x 25.2 x 27.7cm)



1460 TOOL CASE



INTERNAL DIMS: 18.54" x 9.92" x 10.92'

EXTERNAL DIMS: 20.85" x 12.73" x 12.75" (52.9 x 32.3 x 32.4 cm)

(47.1 x 25.2 x 27.7cm)

* Cat. No. 1460**

Cat. No. 1460NF*** Cat. No. 1460AALG

Includes custom foam for 9430/9435

1460 EMS CASE

INTERNAL DIMS:

18.54" x 9.92" x 10.92" (47.1 x 25.2 x 27.7 cm)

EXTERNAL DIMS:

20.85" x 12.73" x 12.75" (52.9 x 32.3 x 32.4 cm)

Cat. No. 1460EMS Case with custom configured lid organizer and trays for EMS professionals



1500 CASE

INTERNAL DIMS:

16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)

EXTERNAL DIMS: 18.50" x 14.06" x 6.93"

(47 x 35.7 x 17.6 cm) *

Cat. No. 1500** Cat. No. 1500NF*** Cat. No. 1504****



1500 EMS CASE

INTERNAL DIMS:

16.75" x 11.18" x 6.12" (42.5 x 28.4 x 15.5 cm)

EXTERNAL DIMS:

18.50" x 14.06" x 6.93' $(47 \times 35.7 \times 17.6 \text{ cm})$

Cat. No. 1500EMS Case with custom configured lid organizer and trays for EMS professionals



1510 CASE

INTERNAL DIMS:

19.75" x 11.00" x 7.60" (50.1 x 27.9 x 19.3 cm)

EXTERNAL DIMS:

22.00" x 13.81" x 9.00" $(55.9 \times 35.1 \times 22.9 \text{ cm})$

*

Cat. No. 1510** Cat. No. 1510NF*** Cat. No. 1514NF****



1510M CASE

INTERNAL DIMS:

19.75" x 11.00" x 7.60" (50.1 x 27.9 x 19.3 cm)

EXTERNAL DIMS: 23.55" x 14.36" x 10.62"

(59.8 x 36.5 x 27 cm)

Cat. No. 1510M** Cat. No. 1510MNF***

Mobility version features 2 oversized wheels for use on rough terrain.

INTERNAL DIMS:

19.75" x 11.00" x 7.60"

 $(50.1 \times 27.9 \times 19.3 \text{ cm})$



1510 LOC CASE

INTERNAL DIMS:

19.75" x 11.00" x 7.60" (50.1 x 27.9 x 19.3 cm)

EXTERNAL DIMS:

22.00" x 13.81" x 9.00" (55.9 x 35.1 x 22.9 cm)

Cat. No. 1510LOC Case with fully enclosed apparel insert, padded laptop sleeve, and accessory pouch



1510 SC CASE

INTERNAL DIMS:

19.75" x 11.00" x 7.60" $(50.1 \times 27.9 \times 19.3 \text{ cm})$

EXTERNAL DIMS: 22.00" x 13.81" x 9.00"

(55.9 x 35.1 x 22.9 cm)

Cat. No. 1510SC Case with padded dividers, padded laptop sleeve, and accessory pouch



EXTERNAL DIMS: 22.00" x 13.81" x 9.00"

(55.9 x 35.1 x 22.9 cm)

1510 LFC CASE



Cat. No. 1510LFC Case with Pick N Pluck™ foam, padded laptop sleeve, and accessory pouch



1550 EMS CASE

INTERNAL DIMS: 18.43" x 14.00" x 7.62" (46.8 x 35.5 x 19.3 cm)

EXTERNAL DIMS:

20.62" x 16.87" x 8.12" (52.4 x 42.8 x 20.6 cm)

Cat. No. 1550EMS

organizer and trays for EMS professionals



1520 CASE

INTERNAL DIMS:

18.06" x 12.89" x 6.72" (45.9 x 32.7 x 17.1 cm)

EXTERNAL DIMS: 19.78" x 15.77" x 7.41" (50.2 x 40 x 18.8 cm)

*

Cat. No. 1520NF***

1520 Case with 1527 Convertible Travel Bag

Cat. No. 1520**

Cat. No. 1524****

1550 CASE

INTERNAL DIMS: 18.43" x 14.00" x 7.62"

(46.8 x 35.5 x 19.3 cm) **EXTERNAL DIMS:** 20.62" x 16.87" x 8.12"

(52.4 x 42.8 x 20.6 cm)

*

Cat. No. 1550** Cat. No. 1550NF***

Cat. No. 1554****







* minimum quantities apply, ** with foam, *** no foam, **** with padded dividers



1560 CASE

INTERNAL DIMS:

19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)

EXTERNAL DIMS:

22.07" x 17.92" x 10.42" (56 x 45.5 x 26.5 cm) *

Cat. No. 1560** Cat. No. 1560NF*** Cat. No. 1564****



1560LOC CASE

INTERNAL DIMS:

19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)

EXTERNAL DIMS:

22.07" x 17.92" x 10.42' (56 x 45.5 x 26.5 cm)



Cat. No. 1560LOC

Case with fully enclosed apparel insert, padded laptop sleeve, and accessory pouch



1600 CASE

INTERNAL DIMS:

21.51" x 16.54" x 7.99"

24.39" x 19.36" x 8.79"

(61.9 x 49.2 x 22.3 cm)

(54.6 x 42 x 20.3 cm)

EXTERNAL DIMS:

*

Cat. No. 1600NF***

Cat. No. 1604****

Cat. No. 1600**

INTERNAL DIMS: 19.92" x 14.98" x 9.00" $(50.6 \times 38 \times 22.9 \text{ cm})$

EXTERNAL DIMS: 22.07" x 17.92" x 10.42' $(56 \times 45.5 \times 26.5 \text{ cm})$

1560LFC CASE



Cat. No. 1560LFC Case with Pick N Pluck™ foam, padded laptop sleeve. and accessory pouch





19.92" x 14.98" x 9.00"

(50.6 x 38 x 22.9 cm)

(56 x 45.5 x 26.5 cm)



1560M CASE

INTERNAL DIMS: 19.92" x 14.98" x 9.00" (50.6 x 38 x 22.9 cm)

EXTERNAL DIMS: 23.78" x 18.33" x 12.08"

 $(60.4 \times 46.5 \times 30.7 \text{ cm})$

Cat. No. 1560MNF*** Mobility version features: 2 oversized wheels for use on rough terrain.



1560SC CASE

INTERNAL DIMS:

EXTERNAL DIMS: 22.07" x 17.92" x 10.42'

Cat. No. 1560SC Case with padded dividers, padded laptop sleeve, and accessory pouch

1600 EMS CASE

The Pelican™ Case design is the resul of multiple generations of refinement

This evolution is proven through

submergence and other lab tests.

INTERNAL DIMS: 21.51" x 16.54" x 7.99"

(54.6 x 42 x 20.3 cm) **EXTERNAL DIMS:**

24.39" x 19.36" x 8.79" (61.9 x 49.2 x 22.3 cm)

Cat. No. 1600EMS

Case with custom configured lid organizer and travs for EMS professionals



PELICAN CASE CATALOG

CASE CONTENTS NOT INCLUDED

1610 CASE

INTERNAL DIMS:

21.78" x 16.69" x 10.62" $(55.3 \times 42.4 \times 27 \text{ cm})$

EXTERNAL DIMS:

24.83" x 19.69" x 11.88" (63 x 50 x 30.2 cm)



Cat. No. 1610** Cat. No. 1610NF** Cat. No. 1614****



1610M CASE

INTERNAL DIMS:

21.78" x 16.69" x 10.62" $(55.3 \times 42.4 \times 27 \text{ cm})$

EXTERNAL DIMS:

26.20" x 23.00" x 13.68" $(66.5 \times 58.4 \times 34.7 \text{ cm})$



Cat. No. 1610M** Cat. No. 1610MNF***

Mobility version features: 2 oversized wheels for use on rough terrain.



1620 CASE

INTERNAL DIMS:

21.48" x 16.42" x 12.54" $(54.5 \times 41.7 \times 31.8 \text{ cm})$

EXTERNAL DIMS:

24.76" x 19.57" x 13.90" $(62.9 \times 49.7 \times 35.3 \text{ cm})$

*

Cat. No. 1620** Cat. No. 1620NF*** Cat. No. 1624****





INTERNAL DIMS:

30.13" x 25.13" x 15.36" $(76.5 \times 63.8 \times 39 \text{ cm})$

EXTERNAL DIMS: 33.43" x 28.40" x 17.65'

(84.9 x 72.1 x 44.8 cm) *

0340 CASE

INTERNAL DIMS:

EXTERNAL DIMS:

 $(52 \times 52 \times 48.9 \text{ cm})$

18.00" x 18.00" x 18.00"

20.50" x 20.50" x 19.25"

 $(45.7 \times 45.7 \times 45.7 \text{ cm})$

Cat. No. 1690** Cat. No. 1690NF** Cat. No. 1694****



1730 CASE

INTERNAL DIMS:

34.00" x 24.00" x 12.50" $(86.3 \times 60.9 \times 31.7 \text{ cm})$

EXTERNAL DIMS: 37.05" x 27.20" x 14.37"

 $(94.1 \times 69.1 \times 36.5 \text{ cm})$ *

Cat. No. 1730** Cat. No. 1730NF**



1780 CASE

INTERNAL DIMS:


41.12" x 21.54" x 14.88" $(104.4 \times 54.7 \times 37.8 \text{ cm})$

EXTERNAL DIMS: 44.90" x 25.32" x 16.50"

 $(114 \times 64.3 \times 41.9 \text{ cm})$ *



Cat. No. 1780** Cat. No. 1780NF***



1620M CASE

INTERNAL DIMS:

21.48" x 16.42" x 12.54" (54.5 x 41.7 x 31.8 cm)

EXTERNAL DIMS:

26.20" x 23.00" x 15.61" (66.5 x 58.4 x 39.6 cm)

Cat. No. 1620M** Cat. No. 1620MNF***

Mobility version features: 2 oversized wheels for use on rough terrain.



1630 CASE

INTERNAL DIMS: 27.70" x 20.98" x 15.50" $(70.3 \times 53.3 \times 39.4 \text{ cm})$

EXTERNAL DIMS:

31.28" x 24.21" x 17.48" $(79.4 \times 61.5 \times 44.4 \text{ cm})$



Cat. No. 1630** Cat. No. 1630NF*** Cat. No. 1634****



1640 CASE

INTERNAL DIMS:

23.70" x 24.00" x 13.90" $(60.2 \times 60.9 \times 35.3 \text{ cm})$

EXTERNAL DIMS:

27.20" x 27.50" x 16.30" (69.1 x 69.8 x 41.4 cm)



Cat. No. 1640** Cat. No. 1640NF*** Cat. No. 1644****



Cat. No. 0340** Cat. No. 0340NF*** Cat. No. 0344****



0350 CASE

INTERNAL DIMS:

20.00" x 20.00" x 20.00" $(50.8 \times 50.8 \times 50.8 \text{ cm})$

EXTERNAL DIMS: 22.50" x 22.43" x 21.25"

(57.1 x 56.9 x 54 cm) *

Cat. No. 0350** Cat. No. 0350NF*** Cat. No. 0354****

0500 CASE

0370 CASE

INTERNAL DIMS: 24.00" x 24.00" x 24.00" $(60.9 \times 60.9 \times 60.9 \text{ cm})$

EXTERNAL DIMS: 26.50" x 26.50" x 25.25"

 $(67.3 \times 67.3 \times 64.1 \text{ cm})$



Cat. No. 0370** Cat. No. 0370NF*** Cat. No. 0374****



1650 CASE

INTERNAL DIMS: 28.57" x 17.52" x 10.62" $(72.5 \times 44.5 \times 27 \text{ cm})$

EXTERNAL DIMS:

31.59" x 20.47" x 12.45" $(80.2 \times 52 \times 31.6 \text{ cm})$

*

Cat. No. 1650**

Cat. No. 1650NF*** Cat. No. 1654****



1660 CASE

INTERNAL DIMS:

28.20" x 19.66" x 17.63" (71.6 x 49.9 x 44.8 cm)

EXTERNAL DIMS: 31.59" x 22.99" x 19.48"

 $(80.2 \times 58.4 \times 49.5 \text{ cm})$

Cat. No. 1660**

Cat. No. 1660NF*** Cat. No. 1664****



1670 CASE

INTERNAL DIMS:

28.10" x 16.49" x 9.19" $(71.3 \times 41.9 \times 23.3 \text{ cm})$

31.04" x 19.39" x 11.17"

$(78.8 \times 49.2 \times 28.4 \text{ cm})$ *

Cat. No. 1670**

EXTERNAL DIMS:

Mobility design features: 4 extra-wide wheels and 2 extra-wide handles.



0450 CASE

INTERNAL DIMS:

Varies by drawer configuration

EXTERNAL DIMS: 23.95" x 14.75" x 17.95" $(60.8 \times 37.5 \times 45.6 \text{ cm})$

Cat. No. 0450ND (no drawers) Cat. No. 0450WD (with drawers)



34.95" x 18.45" x 25.25" $(88.7 \times 46.8 \times 64.1 \text{ cm})$

INTERNAL DIMS:

EXTERNAL DIMS: 39.95" x 23.45" x 28.65" $(101.4 \times 59.5 \times 72.7 \text{ cm})$

Cat. No. 0500** Cat. No. 0500NF***



INTERNAL DIMS:

47.57" x 24.07" x 17.68" (120.8 x 61.1 x 44.9 cm

EXTERNAL DIMS:

51.05" x 27.54" x 22.79 (129.6 x 69.9 x 57.9 cm)







CASE CONTENTS NOT INCLUDED

* minimum quantities apply, ** with foam, *** no foam, **** with padded dividers

CASES

Ideal for weapons, but are also used by industrial workers for instruments and gear. Equipped with sturdy polyurethane wheels for ease of transport. All Long Cases are available empty or with solid foam (not Pick N Pluck™ foam). See chart on page 19.



All Long Cases are equiped with wheels

1700 CASE

INTERNAL DIMS:

35.75" x 13.50" x 5.25" (90.8 x 34.3 x 13.3 cm)

EXTERNAL DIMS:

38.12" x 16.00" x 6.12" (96.8 x 40.6 x 15.5 cm)



Cat. No. 1700NF***



1720 CASE

INTERNAL DIMS:

42.00" x 13.50" x 5.25" (106.6 x 34.3 x 13.3 cm)

EXTERNAL DIMS:

44.37" x 16.00" x 6.12" (112.7 x 40.6 x 15.5 cm)

*

Cat. No. 1720** Cat. No. 1720NF***



1740 CASE

INTERNAL DIMS:

40.98" x 12.92" x 12.13" (104 x 32.8 x 30.8 cm)

EXTERNAL DIMS:

44.16" x 16.09" x 14.00" (112.1 x 40.9 x 35.5 cm)

Cat. No. 1740** Cat. No. 1740NF***



1750 CASE

INTERNAL DIMS:

50.50" x 13.50" x 5.25" (128.2 x 34.3 x 13.3 cm)

EXTERNAL DIMS:

53.00" x 16.00" x 6.12" (134.6 x 40.6 x 15.5 cm)

Cat. No. 1750** Cat. No. 1750NF**



1770 CASE

INTERNAL DIMS:

54.58" x 15.58" x 8.63" (138.6 x 39.6 x 21.9 cm)

EXTERNAL DIMS:

57.42" x 18.48" x 11.23' $(145.8 \times 46.9 \times 28.5 \text{ cm})$

Cat. No. 1770** Cat. No. 1770NF***



1780HL CASE

INTERNAL DIMS:

41.12" x 21.54" x 14.88" $(104.4 \times 54.7 \times 37.8 \text{ cm})$

EXTERNAL DIMS:

44.90" x 25.32" x 16.50" $(114 \times 64.3 \times 41.9 \text{ cm})$



Cat. No. 1780HL (rifle hard liner insert) Cat. No. 1700RF (rifle foam cut insert)











CASE CONTENTS NOT INCLUDED

* minimum quantities apply, ** with foam, *** no foam, **** with padded dividers



PELICAN SERIES CASE SPECIFICATIONS AND FEATURES

			10, 1110110 / 1			PAL	A I	N N	A S	19	M			
	CAT. NO.	INTERIOR DIMENSION inches	NS centimeters	EXTERIOR DIMENSION inches	IS centimeters							.ORS		
	1485 AIR	17.75 x 10.18 x 6.15	(45.1 x 25.9 x 15.6)	19.17 x 12.80 x 6.89	(48.7 x 32.5 x 17.5)	0	S							
	1525 AIR	20.50 x 11.30 x 6.75	(52.1 x 28.7 x 17.1 cm)	21.96 x 13.97 x 7.49	(55.8 x 35.5 x 19 cm)	0	S							
	1535 AIR	20.39 x 11.20 x 7.20	(51.8 x 28.4 x 18.3 cm)	21.96 x 13.97 x 8.98	(55.8 x 35.5 x 22.8 cm)	0	s				S			
-	1555 AIR	23.00 x 12.75 x 7.50	(58.4 x 32.4 x 19.1 cm)	24.76 x 15.46 x 8.24	(62.9 x 39.3 x 20.9 cm)	0	S							
	1605 AIR	26.00 x 14.00 x 8.38	(66 x 35.6 x 21.3 cm)	28.87 x 16.77 x 9.12	(73.3 x 42.6 x 23.2 cm)	0	S							
	1615 AIR	29.59 x 15.50 x 9.38	(75.2 x 39.4 x 23.8 cm)	32.58 x 18.40 x 11.02	(82.8 x 46.7 x 28 cm)	0	S				S			
	MC/SWC	4.79 x 2.25 x 0.55	(12.2 x 5.7 x 1.4)	5.55 x 3.27 x 0.85	(14.1 x 8.3 x 2.2)									
	i1010	4.37 x 2.87 x 1.68	(11.1 x 7.3 x 4.3)	5.88 x 4.06 x 2.12	(14.9 x 10.3 x 5.4)									
	1010	4.37 x 2.87 x 1.68	(11.1 x 7.3 x 4.3)	5.88 x 4.06 x 2.12	(14.9 x 10.3 x 5.4)									
	1015	5.14 x 2.64 x 1.37	(13.1 x 6.7 x 3.5)	6.68 x 3.88 x 1.86	(17 x 9.9 x 4.7)									
	i1015	5.14 x 2.64 x 1.37	(13.1 x 6.7 x 3.5)	6.68 x 3.88 x 1.86	(17 x 9.9 x 4.7)									
-	1020	5.31 x 3.56 x 1.68	(13.5 x 9 x 4.3)	6.82 x 4.75 x 2.12	(17.3 x 12.1 x 5.4)									
	1030	6.37 x 2.62 x 2.06	(16.2 x 6.7 x 5.2)	7.50 x 3.87 x 2.43	(19 x 9.8 x 6.2)									
	1040	6.50 x 3.87 x 1.75	(16.5 x 9.8 x 4.4)	7.50 x 5.06 x 2.12	(19 x 12.8 x 5.4)									
	1050	6.31 x 3.68 x 2.75	(16 x 9.3 x 7)	7.50 x 5.06 x 3.12	(19 x 12.8 x 7.9)									
	1060	8.25 x 4.25 x 2.25	(20.9 x 10.8 x 5.7)	9.37 x 5.56 x 2.62	(23.8 x 14.1 x 6.7)									
	1120	7.29 x 4.79 x 3.33	(18.5 x 12.2 x 8.5)	8.41 x 6.76 x 3.87	(21.4 x 17.2 x 9.8)			0						*
	1150	8.29 x 5.79 x 3.75	(21 x 14.7 x 9.5)	9.44 x 7.80 x 4.29	(24 x 19.8 x 10.9)			0						*
	1170	10.54 x 6.04 x 3.16	(26.8 x 15.3 x 8)	11.64 x 8.34 x 3.78	(29.6 x 21.2 x 9.6)									*
	1200	9.25 x 7.12 x 4.12	(23.5 x 18.1 x 10.5)	10.62 x 9.68 x 4.87	(27 x 24.6 x 12.4)			0						*
	1300	9.17 x 7.00 x 6.12	(23.3 x 17.8 x 15.5)	10.62 x 9.68 x 6.87	(27 x 24.6 x 17.4)			0						*
	1400	11.81 x 8.87 x 5.18	(30 x 22.5 x 13.2)	13.37 x 11.62 x 6.00	(33.9 x 29.5 x 15.2)			0	0					
Ī	1055CC	8.55 x 5.52 x 0.85	(21.7 x 14 x 2.2)	9.42 x 7.02 x 1.24	23.9 x 17.8 x 3.1									
	1065CC	9.96 x 7.76 x 0.81	(25.3 x 19.7 x 2.1)	10.86 x 9.28 x 1.24	(27.6 x 23.6 x 3.1)									
	i1065	9.96 x 7.76 x 0.81	(25.3 x 19.7 x 2.1)	10.86 x 9.28 x 1.24	(27.6 x 23.6 x 3.1)									
	1070CC	12.80 x 8.95 x 0.72	(32.5 x 22.7 x 1.8)	15.29 x 11.96 x 1.6	(38.8 x 30.4 x 4.1)									
	1075	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)									
	1075CC	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)									
	i1075	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)									
	P1075	11.11 x 7.92 x 1.63	(28.2 x 20.1 x 4.1)	12.38 x 9.75 x 2.13	(31.4 x 24.8 x 5.4)									
	1085	14.29 x 10.37 x 1.97	36.3 x 26.3 x 5	15.64 x 12.41 x 2.50	39.7 x 31.5 x 6.3									
	1085CC	14.29 x 10.37 x 1.97	36.3 x 26.3 x 5	15.64 x 12.41 x 2.50	39.7 x 31.5 x 6.3									
-	1095	15.78 x 11.16 x 2.06	40.1 x 28.3 x 5.2	17.18 x 13.24 x 2.60	43.6 x 33.6 x 6.6									
	1095CC	15.78 x 11.16 x 2.06	40.1 x 28.3 x 5.2	17.18 x 13.24 x 2.60	43.6 x 33.6 x 6.6									
	1470	15.70 x 10.70 x 3.87	(39.9 x 27.2 x 9.8)	16.88 x 13.23 x 4.47	(42.9 x 33.6 x 11.3)		s	0	0					
	1490	17.75 x 11.37 x 4.12	(45.1 x 28.9 x 10.5)	19.87 x 13.93 x 4.68	(50.4 x 35.4 x 11.9)		S	0	0	0				
	1490CC1	17.75 x 11.37 x 4.12	(45.1 x 28.9 x 10.5)	19.87 x 13.93 x 4.68	(50.4 x 35.4 x 11.9)		S	0	0	S				
	1490CC2	17.75 x 11.37 x 4.12	(45.1 x 28.9 x 10.5)	19.87 x 13.93 x 4.68	(50.4 x 35.4 x 11.9)		S	0	0	S				
	1495	18.87 x 13.12 x 3.81	(47.9 x 33.3 x 9.7)	21.62 x 17.25 x 4.87	(54.9 x 43.8 x 12.4)		s		0					
	1495CC1	18.87 x 13.12 x 3.81	(47.9 x 33.3 x 9.7)	21.62 x 17.25 x 4.87	(54.9 x 43.8 x 12.4)		S		0	S				
	1495CC2	18.87 x 13.12 x 3.81	(47.9 x 33.3 x 9.7)	21.62 x 17.25 x 4.87	(54.9 x 43.8 x 12.4)		S		0	S				
	1430	13.56 x 5.76 x 11.70	(34.4 x 14.6 x 29.7)	16.40 x 8.71 x 13.15	(41.6 x 22.1 x 33.4)	0	S	0	0	0			*	
	1440	17.10 x 7.50 x 16.00	(43.4 x 19 x 40.6)	19.70 x 12.00 x 18.00	(50 x 30.5 x 45.7)	0	S		0	0	S			*
				1 22		-						 		

PELICAN SERIES CASE SPECIFICATIONS AND FEATURES

						<u> </u>	12.5	Q,	145	7	2	
	CAT. NO.	INTERIOR DIMENSION inches	S centimeters	EXTERIOR DIMENSION inches	NS centimeters							COLORS
	1450	14.66 x 10.24 x 6.12	(37.2 x 26 x 15.5)	16.54 x 13.03 x 6.84	(42 x 33.1 x 17.4)	0	S	0	0			*
	1460	18.54 x 9.92 x 10.92	(47.1 x 25.2 x 27.7)	20.85 x 12.73 x 12.75	(52.9 x 32.3 x 32.4)		S					*
S	1500	16.75 x 11.18 x 6.12	(42.5 x 28.4 x 15.5)	18.50 x 14.06 x 6.93	(47 x 35.7 x 17.6)	0	S	0	0	О		*
+	1510	19.75 x 11.00 x 7.60	(50.1 x 27.9 x 19.3)	22.00 x 13.81 x 9.00	(55.9 x 35.1 x 22.9)	0	S		0	0	s	*
\footage \footage	1510M	19.75 x 11.00 x 7.60	(50.1 x 27.9 x 19.3)	23.55 x 14.36 x 10.62	(59.8 x 36.5 x 27)	0	S		0	О	s	
	1520	18.06 x 12.89 x 6.72	(45.9 x 32.7 x 17.1)	19.78 x 15.77 x 7.41	(50.2 x 40 x 18.8)	0	S	0	0	0		- *
	1550	18.43 x 14.00 x 7.62	(46.8 x 35.5 x 19.3)	20.62 x 16.87 x 8.12	(52.4 x 42.8 x 20.6)	0	S	0	0			*
	1560	19.92 x 14.98 x 9.00	(50.6 x 38 x 22.9)	22.07 x 17.92 x 10.42	(56 x 45.5 x 26.5)	0	S		0	0	s	*
	1560M	19.92 x 14.98 x 9.00	(50.6 x 38 x 22.9)	23.78 x 18.33 x 12.08	(60.4 x 46.5 x 30.7)	0	S		0	О	s	
	1600	21.51 x 16.54 x 7.99	(54.6 x 42 x 20.3)	24.39 x 19.36 x 8.79	(61.9 x 49.2 x 22.3)	0	S		0	0		*
	1610	21.78 x 16.69 x 10.62	(55.3 x 42.4 x 27)	24.83 x 19.69 x 11.88	(63 x 50 x 30.2)	0	S		0	О	s	*
	1610M	21.78 x 16.69 x 10.62	(55.3 x 42.4 x 27)	26.20 x 23.00 x 13.68	(66.5 x 58.4 x 34.7)	0	S		0	0	s	
	1620	21.48 x 16.42 x 12.54	(54.5 x 41.7 x 31.8)	24.76 x 19.57 x 13.90	(62.9 x 49.7 x 35.3)	0	S		0	О	s	*
	1620M	21.48 x 16.42 x 12.54	(54.5 x 41.7 x 31.8)	26.20 x 23.00 x 15.61	(66.5 x 58.4 x 39.6)	0	S		0	0	s	
	1630	27.70 x 20.98 x 15.50	(70.3 x 53.3 x 39.4)	31.28 x 24.21 x 17.48	(79.4 x 61.5 x 44.4)	0			0	О	s	*
	1640	23.70 x 24.00 x 13.90	(60.2 x 60.9 x 35.3)	27.20 x 27.50 x 16.30	(69.1 x 69.8 x 41.4)	0			0	0	s	*
ດ	1650	28.57 x 17.52 x 10.62	(72.5 x 44.5 x 27)	31.59 x 20.47 x 12.45	(80.2 x 52 x 31.6)	0			0	О	s	*
+	1660	28.20 x 19.66 x 17.63	(71.6 x 49.9 x 44.8)	31.59 x 22.99 x 19.48	(80.2 x 58.4 x 49.5)	0			0	0	s	*
3	1670	28.10 x 16.49 x 9.19	(71.3 x 41.9 x 23.3)	31.04 x 19.39 x 11.17	(78.8 x 49.2 x 28.4)						s	
	1690	30.13 x 25.13 x 15.36	(76.5 x 63.8 x 39)	33.43 x 28.40 x 17.65	(84.9 x 72.1 x 44.8)	0			0	0	s	*
	1730	34.00 x 24.00 x 12.50	(86.3 x 60.9 x 31.7)	37.50 x 27.13 x 14.37	(95.2 x 68.9 x 36.5)				0		s	*
	1780	41.12 x 21.54 x 14.88	(104.4 x 54.7 x 37.8)	44.90 x 25.32 x 16.50	(114 x 64.3 x 41.9)				0		S	*
	0340	18.00 x 18.00 x 18.00	(45.7 x 45.7 x 45.7)	20.50 x 20.50 x 19.25	(52 x 52 x 48.9)	0			0	0		*
	0350	20.00 x 20.00 x 20.00	(50.8 x 50.8 x 50.8)	22.50 x 22.43 x 21.25	(57.1 x 56.9 x 54)	0			0	0	0	
	0370	24.00 x 24.00 x 24.00	(60.9 x 60.9 x 60.9)	26.50 x 26.50 x 25.25	(67.3 x 67.3 x 64.1)	0			0	О	0	*
	0450	Varies by drawer configur	ation	23.95 x 14.75 x 17.95	(60.8 x 37.5 x 45.6)						s	
	0500	34.95 x 18.45 x 25.25	(88.7 x 46.8 x 64.1)	39.95 x 23.45 x 28.65	(101.4 x 59.5 x 72.7)						0	
	0550	47.57 x 24.07 x 17.68	(120.8 x 61.1 x 44.9)	51.05 x 27.54 x 22.79	(129.6 x 69.9 x 57.9)						0	
	1700	35.75 x 13.50 x 5.25	(90.8 x 34.3 x 13.3)	38.12 x 16.00 x 6.12	(96.8 x 40.6 x 15.5)						s	*
_	1720	42.00 x 13.50 x 5.25	(106.6 x 34.3 x 13.3)	44.37 x 16.00 x 6.12	(112.7 x 40.6 x 15.5)				0		S	*
	1740	40.98 x 12.92 x 12.13	(104 x 32.8 x 30.8)	44.16 x 16.09 x 14.00	(112.1 x 40.9 x 35.5)				0		s	*
+ +	1750	50.50 x 13.50 x 5.25	(128.2 x 34.3 x 13.3)	53.00 x 16.00 x 6.12	(134.6 x 40.6 x 15.5)				0		S	*
-	1770	54.58 x 15.58 x 8.63	(138.6 x 39.6 x 21.9)	57.42 x 18.48 x 11.23	(145.8 x 46.9 x 28.5)						S	
	1780HL	41.12 x 21.54 x 14.88	(104.4 x 54.7 x 37.8)	44.90 x 25.32 x 16.50	(114 x 64.3 x 41.9)				0		S	*



















S = Standard feature *= OD Green available upon request

SURVIVOR ## STORIES

SUPERSTORM PROOF

The plane hit with such force that it sheared the left wing and float right off and, as the plane rapidly sunk, everyone was able to escape out the exits. For over nine hours, the plane was submerged some 6-8 feet under water, loosely held to the right pontoon! When we were finally allowed to recover our gear, I was planning for the worst, because the water damage on impact had destroyed just about everyone's gear. But when I opened the lid on my PelicanTM 1650 case, I was astonished to find that there was very little water inside and everything was intact!

Tim Cothren



PELICAN CAT-SNACK

On a recent trip through Zimbabwe the 1150 Pelican[™] case became the prey of a member of the carnivore family. Shumba, less than a year old, pounced on the case and subjected it to its inch long canines. The Pelican[™] case withstood its brush with the jaws of death and also the rock-bashing hike into the Zambezi valley and all the whitewater I encountered in the following weeks.

Ross O'Donoghue



CRUSHED ICE OPTIONAL

We chose the best gear that we could get our hands on, including PelicanTM boxes to safeguard our camera gear, radios and satellite telephone. At 81° North latitude, one of our plastic kayaks, with a Pelican[™] box mounted on deck, became caught in the current-driven ice pack and was thoroughly steamrolled. Many items loaded inside the kayak were crushed, but the PelicanTM deck box emerged through it all unscathed.

Steve Smith, Adventurer



THE HORSE HAS A LOT TO SAY...

During a long trekking expedition in Zanskar and Ladakh (in Northern India) we had all our stuff on horseback. About half way through the trip one of the horses overbalanced and fell from the track into the water. The horse was unhurt beyond a couple of scratches, but the case had been dragged underwater, banged on rocks for a good while and dragged out again. I opened the case and discovered that my Hasselblad®, my spare Nikon® body, several lenses, dozens of films and a DAT recorder and tapes for my audio work were all completely unharmed and dry!

Mike Harding, BBC presenter, travel, writer, poet, playwright. www.mikeharding.co.uk



At remote ancient Roman ruins working on time-lapse astrophotography, packing the car at 04:00 am. A little later on a winding country road I notice that the rear trunk door is open and my Pelican™ Storm Case™ iM2370 is gone! OMG.

Driving back, swearing, looking left and right off the road to see the case (with all the production data and equipment worth 15K Euro). Soon after the gate lays the Pelican™ Storm Case™ iM2370, flat on the dirt road. Scratched and dusty, but it's a Pelican case. Nothing damaged inside, of course.

We are the happiest guys, now having an eye on the trunk door from then on. The production is safe again, with 3 TB of irreplaceable data, stored inside that Pelican™ Storm Case™ iM2370. My Pelican cases are always there for me, and this situation is exactly when they pay off!

Christoph Malin, April 2015, Austria



INTACT AFTER MASSIVE EXPLOSION

My team and I were first responders to a terrorist attack on a hotel in Islamabad, Pakistan. As part of our recovery effort at the blast site, we 'repatriated' one of our armored vehicles. Inside the vehicle, which was in the immediate impact zone of the SVBIED, we discovered an unscathed 'Model 1640 PelicanTM Transport Case. I've enclosed photos of the Pelican Case taken the day that we recovered it from the demolished vehicle. The case stood up against a massive explosion and flying shrapnel.

We gave the case back to its rightful owner, who thankfully was not in the vehicle at the time of the attack. Seeing how well this product withstood this type of abuse, I can say that you have found yourself several new lifetime customers!

US Federal Agent







SMALL CASES

Perfect for small gear and instruments with all the features found in larger cases: strong HPX[™] resin construction, Vortex[™] valve, and Press & Pull™ latches.

PRESS & PULL™ LATCHES

These smooth-opening, patented atches hold tight under pressure and impact with easy-opening performance. Tested to over 400lbs., yet open with a simple



iM2050 CASE

INTERNAL DIMS:

9.50" x 7.50" x 4.25" (24.1 x 19 x 10.8 cm)

EXTERNAL DIMS:

11.80" x 9.80" x 4.70" (30 x 24.9 x 11.9 cm)

Cat. No. iM2050**

Cat. No. iM2050-X0000*** Cat. No. iM2050-X0002****



iM2075

INTERNAL DIMS: 9.50" x 7.50" x 7.25" (24.1 x 19 x 18.4 cm)

EXTERNAL DIMS: 11.80" x 9.80" x 7.70' $(30 \times 24.9 \times 19.6 \text{ cm})$

Cat. No. iM2075**

Cat. No. iM2075-X0000*** Cat. No. iM2075-X0002***



iM2100

INTERNAL DIMS:

13.00" x 9.20" x 6.00" (33 x 23.4 x 15.2 cm)

EXTERNAL DIMS:

14.20" x 11.40" x 6.50" (36.1 x 28.9 x 16.5 cm)

Cat. No. iM2100** Cat. No. iM2100-X0000***

Cat. No. iM2100-X0002***







Look for this icon for wheels on select models.

CASE CONTENTS NOT INCLUDED

PELICAN CASE CATALOG PELICAN CASE CATALOG ** with foam, *** no foam, *** with padded dividers

25

MEDIUM CASES

From firefighters, EMTs, outdoor enthusiasts, and law enforcement to industrial engineers and photographers, there's a Pelican Storm Case for every professional. Built strong in three standard configurations: Pick N Pluck[™] foam, padded dividers (on select models) or empty.

iM2275 STORM CASE

INTERNAL DIMS:

14.12" x 13.19" x 9.90" (35.9 x 33.5 x 25.1 cm)

EXTERNAL DIMS: 15.25" x 15.50" x 10.22" $(38.7 \times 39.4 \times 26 \text{ cm})$

Cat. No. iM2275** Cat. No. iM2275-X0000*** Cat. No. iM2275-X0002****



iM2300 STORM CASE

INTERNAL DIMS: 17.00" x 11.70" x 6.20"

(43.2 x 29.7 x 15.7cm) **EXTERNAL DIMS:**

18.20" x 13.40" x 6.70" (46.2 x 34 x 17cm)

Cat. No. iM2300** Cat. No. iM2300-X0000*** Cat. No. iM2300-X0002***



iM2400 STORM CASE

INTERNAL DIMS:

iM2370 STORM LAPTOP CASE

18.20" x 12.10" x 5.20" (46.2 x 30.7 x 13.2 cm)

EXTERNAL DIMS:

20.00" x 14.70" x 5.80" (50.8 x 37.3 x 14.7 cm)

Cat. No. iM2370** Cat. No. iM2370-X0000*** Cat. No. iM2370-X0

Cat. No. iM2370-X0003 (Computer Case Deluxe)



INTERNAL DIMS:

18.00" x 13.00" x 6.70" $(45.7 \times 33 \times 17 \text{ cm})$

EXTERNAL DIMS:

19.20" x 15.20" x 7.30" (48.7 x 38.6 x 18.5 cm)

Cat. No. iM2400** Cat. No. iM2400-X0000***



iM2200 STORM CASE

INTERNAL DIMS:

15.00" x 10.50" x 6.00" (38.1 x 26.7 x 15.2 cm)

EXTERNAL DIMS:

16.20" x 12.70" x 6.60" (41.1 x 32.2 x 16.8cm)

Cat. No. iM2200**

Cat. No. iM2200-X0000* Cat. No. iM2200-X0002**



iM2306 STORM CASE

INTERNAL DIMS:

17.00" x 6.30" x 6.20" $(43.2 \times 16 \times 15.7 \text{cm})$

EXTERNAL DIMS:

18.20" x 8.40" x 6.70" (46.2 x 21.3 x 17cm)

Cat. No. iM2306**

Cat. No. iM2306-X0000*** Cat. No. iM2306-X0002***



iM2435 STORM CASE

INTERNAL DIMS:

17.50" x 6.50" x 15.50" $(44.4 \times 16.5 \times 39.4 \text{ cm})$

EXTERNAL DIMS:

18.63" x 9.25" x 16.50" $(47.3 \times 23.5 \times 41.9 \text{ cm})$

Cat. No. iM2435**

Cat. No. iM2435-X0000*** Cat. No. iM2435-X0002**** (includes lid organizer)



MOLDED-IN LOCKABLE HASPS

Twin mating hasp holes on the rim of the case allow attachment of padlocks to keep your gear in and thieves out. And check out Pelican's TSA approved cable padlock. Now you can check your baggage with confidence while flying in the USA. The Travel Security Agency has the key, and you have the combination.



RUGGED IN-LINE WHEELS

Shielded from dust, dirt and other contaminants - ball bearing wheels provide low-friction, lowdrag rolling with retractable handles for easy movement of heavy loads



iM2450 STORM CASE

INTERNAL DIMS:

18.00" x 13.00" x 8.40" (45.7 x 33 x 21.3 cm)

EXTERNAL DIMS:

19.20" x 15.20" x 9.00" (48.7 x 38.6 x 22.9 cm)

Cat. No. iM2450** Cat. No. iM2450-X0000***

Cat. No. iM2450-X0002***

iM2600 STORM CASE



iM2500 STORM CASE

INTERNAL DIMS:

20.50" x 11.50" x 7.20" (52 x 29.2 x 18.3 cm)

EXTERNAL DIMS:

21.70" x 14.10" x 8.90" (55.1 x 35.8 x 22.6 cm)

Cat. No. iM2500**

Cat. No. iM2500-X0000*** Cat. No. iM2500-X0002***



iM2620 STORM CASE

INTERNAL DIMS:

20.00" x 14.00" x 7.70" (50.8 x 35.5 x 19.6 cm)

EXTERNAL DIMS: 21.20" x 16.00" x 8.30" (53.8 x 40.6 x 21.1 cm)

Cat. No. iM2600**

Cat. No. iM2600-X0000*** Cat. No. iM2600-X0002****



INTERNAL DIMS: 20.00" x 14.00" x10.00"

(50.8 x 35.5 x 25.4 cm) EXTERNAL DIMS:

21.20" x 16.00" x 10.60" $(53.8 \times 40.6 \times 26.9 \text{ cm})$

Cat. No. iM2620**

Cat. No. iM2620-X0000** Cat. No. iM2620-X0002****





CASE CONTENTS NOT INCLUDED


CASE CONTENTS NOT INCLUDED

PELICAN CASE CATALOG ** with foam, *** no foam, **** with padded dividers ** with foam, *** no foam, **** with padded dividers

PELICAN STORM

LARGE CASES

In the lab or out in the field, a large Pelican[™] Storm Case[™] with HPX[™] resin construction stores and protects Cat. No. iM2700** valuable and sensitive equipment from the elements. Pick N Pluck™ foam adds extra protection from shock during transport.



iM2700 STORM CASE

INTERNAL DIMS: 22.00" x 17.00" x 8.00" $(55.9 \times 43.2 \times 20.3 \text{ cm})$ **EXTERNAL DIMS:**

24.60" x 19.70" x 8.60" $(62.5 \times 50 \times 21.8 \text{ cm})$

Cat. No. iM2700-X0000*** Cat. No. iM2700-X0002****



iM2750 STORM CASE

INTERNAL DIMS: 22.00" x 17.00" x 12.70" $(55.9 \times 43.2 \times 32.2 \text{ cm})$

EXTERNAL DIMS: 24.60" x 19.70" x 14.40"

 $(62.5 \times 50 \times 36.6 \text{ cm})$

Cat. No. iM2750**

Cat. No. iM2750-X0000*** Cat. No. iM2750-X0002****



iM2950 STORM CASE

INTERNAL DIMS: 29.00" x 18.00" x 10.50" $(73.6 \times 45.7 \times 26.7 \text{ cm})$

EXTERNAL DIMS:

31.30" x 20.40" x 12.20" $(79.5 \times 51.8 \times 31 \text{ cm})$

Cat. No. iM2950** Cat. No. iM2950-X0000*** Cat. No. iM2950-X0002****



iM2720 STORM CASE

INTERNAL DIMS:

22.00" x 17.00" x 10.00" $(55.9 \times 43.2 \times 25.4 \text{ cm})$

EXTERNAL DIMS: 24.60" x 19.70" x 11.70"

 $(62.5 \times 50 \times 29.7 \text{ cm})$

Cat. No. iM2720** Cat. No. iM2720-X0000***

Cat. No. iM2720-X0002****



iM2875 STORM CASE

INTERNAL DIMS:

22.50" x 21.10" x 11.40" $(57.1 \times 53.6 \times 28.9 \text{ cm})$

EXTERNAL DIMS:

24.90" x 23.70" x 13.10" (63.2 x 60.2 x 33.3 cm)

Cat. No. iM2870** Cat. No. iM2870-X0000*** Cat. No. iM2870-X0002****



iM2975 STORM CASE

INTERNAL DIMS:

29.00" x 18.00" x 13.80" (73.6 x 45.7 x 35 cm)

EXTERNAL DIMS: 31.30" x 20.40" x 15.50' $(79.5 \times 51.8 \times 39.4 \text{ cm})$

Cat. No. iM2975**

Cat. No. iM2975-X0000* Cat. No. iM2975-X0002***



iM3075 STORM CASE

INTERNAL DIMS:

29.80" x 20.80" x 17.80" (75.7 x 52.8 x 45.2 cm)

EXTERNAL DIMS: 33.30" x 24.40" x 19.30 (84.5 x 62 x 49 cm)

Cat. No. iM3075** Cat. No. iM3075-X0000***

Cat. No. iM3075-X0002****



iM3100 STORM CASE

iM3300 STORM CASE

INTERNAL DIMS:

36.50" x 14.00" x 6.00" (92.7 x 35.5 x 15.2 cm)

EXTERNAL DIMS: 39.80" x 16.50" x 6.70" (101.1 x 41.9 x 17 cm)

Cat. No. iM3100** Cat. No. iM3100-X0000



iM3200 STORM CASE

INTERNAL DIMS:

44.00" x 14.00" x 6.00" (111.7 x 35.5 x 15.2 cm

> **EXTERNAL DIMS:** 47.20" x 16.50" x 6.70

(119.8 x 41.9 x 17 cm

Cat. No. iM3200-X0000**



iM3220 STORM CASE

INTERNAL DIMS:

44.00" x 14.00" x 8.50" (111.7 x 35.5 x 21.6 cm)

iM3300SGN STORM CASE

EXTERNAL DIMS:

47.20" x 16.50" x 9.20" (119.8 x 41.9 x 23.4 cm)

Cat. No. iM3220** Cat. No. iM3220-X0000***

INTERNAL DIMS:

EXTERNAL DIMS:

50.50" x 14.00" x 6.00"

(128.2 x 35.5 x 15.2 cm)

53.80" x 16.50" x 6.70"

 $(136.6 \times 41.9 \times 17 \text{ cm})$

Cat. No. iM3300SGN



Cat. No. iM3300** Cat. No. iM3300-X0000**





Cat. No. iM3300RFI



iM3410 STORM CASE

INTERNAL DIMS: 54.50" x 10.00" x 6.00"

(138.4 x 25.4 x 15.2 cm) **EXTERNAL DIMS:**

57.74" x 12.71" x 6.67" (146.6 x 32.3 x 16.9 cm)

Cat. No. iM3410** Cat. No. iM3410-X0000***



When the weather goes south you'll find a secure grip that won't slip. An in-tool vulcanizing process over-molds the grips to the polymer handle for a lifetime of dependable performance.

iM3300RFL STORM CASE



VORTEX® PRESSURE RELEASE VALVE

DOUBLE-LAYER,

The built-in technology of Pelican Storm Cases automatic pressure equalization valve is also a patented feature. During air travel it prevents vacuum lock to make opening he case natural, even after extreme altitude anges. At the same time, the microscopic filter blocks water molecules and dust particles so your gear stays clean in the Gobi Desert and dry on the Nile River.



CASE CONTENTS NOT INCLUDED

CASE CONTENTS NOT INCLUDED ** with foam, *** no foam, *** with padded dividers

PELICAN™ STORM SERIES CASE SPECIFICATIONS

CASI	2 SI ECII ICAIION	3			
CAT.NO.	INTERIOR DIMENSIONS inches	centimeters	EXTERIOR DIMENSIONS inches	centimeters	COLORS
iM2050	9.50" x 7.50" x 4.25"	24.1 x 19 x 10.8	11.80" x 9.80" x 4.70"	30 x 24.9 x 11.9	
iM2075	9.50" x 7.50" x 7.25"	24.1 x 19 x 18.4	11.80" x 9.80" x 7.70"	30 x 24.9 x 19.6	
iM2100	13.00" x 9.20" x 6.00"	33 x 23.4 x 15.2	14.20" x 11.40" x 6.50"	36.1 x 28.9 x 16.5	
iM2200	15.00" x 10.50" x 6.00"	38.1 x 26.7 x 15.2	16.20" x 12.70" x 6.60"	41.1 x 32.2 x 16.8	
iM2275	14.12" x 13.19" x 9.90"	35.9 x 33.5 x 25.1 cm	15.25" x 15.50" x 10.22"	38.7 x 39.4 x 26 cm	
iM2300	17.00" x 11.70" x 6.20"	43.2 x 29.7 x 15.7	18.20" x 13.40" x 6.70"	46.2 x 34 x 17	
iM2306	17.00" x 6.30" x 6.20"	43.2 x 16 x 15.7	18.20" x 8.40" x 6.70"	46.2 x 21.3 x 17	
iM2370	18.20" x 12.10" x 5.20"	46.2 x 30.7 x 13.2	20.00" x 14.70" x 5.80"	50.8 x 37.3 x 14.7	
iM2400	18.00" x 13.00" x 6.70"	45.7 x 33 x 17	19.20" x 15.20" x 7.30"	48.7 x 38.6 x 18.5	
iM2435	17.50" x 6.50" x 15.50"	44.4 x 16.5 x 39.4	18.63" x 9.25" x 16.50"	47.3 x 23.5 x 41.9	
iM2450	18.00" x 13.00" x 8.40"	45.7 x 33 x 21.3	19.20" x 15.20" x 9.00"	48.7 x 38.6 x 22.9	
iM2500	20.50" x 11.50" x 7.20"	52 x 29.2 x 18.3	21.70" x 14.10" x 8.90"	55.1 x 35.8 x 22.6	
iM2600	20.00" x 14.00" x 7.70"	50.8 x 35.5 x 19.6	21.20" x 16.00" x 8.30"	53.8 x 40.6 x 21.1	
iM2620	20.00" x 14.00" x 10.00"	50.8 x 35.5 x 25.4	21.20" x 16.00" x 10.60"	53.8 x 40.6 x 26.9	
iM2700	22.00" x 17.00" x 8.00"	55.9 x 43.2 x 20.3	24.60" x 19.70" x 8.60"	62.5 x 50 x 21.8	
iM2720	22.00" x 17.00" x 10.00"	55.9 x 43.2 x 25.4	24.60" x 19.70" x 11.70	62.5 x 50 x 29.7	
iM2750	22.00" x 17.00" x 12.70"	55.9 x 43.2 x 32.2	24.60" x 19.70" x 14.40"	62.5 x 50 x 36.6	
iM2875	22.50" x 21.10" x 11.40"	57.1 x 53.6 x 28.9	24.90" x 23.70" x 13.10"	63.2 x 60.2 x 33.3	
iM2950	29.00" x 18.00" x 10.50"	73.6 x 45.7 x 26.7	31.30" x 20.40" x 12.20"	79.5 x 51.8 x 31	
iM2975	29.00" x 18.00" x 13.80"	73.6 x 45.7 x 35	31.30" x 20.40" x 15.50"	79.5 x 51.8 x 39.4	
iM3075	29.80" x 20.80" x 17.80"	75.7 x 52.8 x 45.2	33.30" x 24.40" x 19.30"	84.5 x 62 x 49	
iM3100	36.50" x 14.00" x 6.00"	92.7 x 35.5 x 15.2	39.80" x 16.50" x 6.70	101.1 x 41.9 x 17	
iM3200	44.00" x 14.00" x 6.00"	111.7 x 35.5 x 15.2	47.20" x 16.50" x 6.70"	119.8 x 41.9 x 17	
iM3220	44.00" x 14.00" x 8.50"	111.7 x 35.5 x 21.6	47.20" x 16.50" x 9.20"	119.8 x 41.9 x 23.4	
iM3300	50.50" x 14.00" x 6.00"	128.2 x 35.5 x 15.2	53.80" x 16.50" x 6.70"	136.6 x 41.9 x 17	
iM3410	54.50" x 10.00" x 6.00"	138.4 x 25.4 x 15.2	57.74" x 12.71" x 6.67"	146.6 x 32.3 x 16.9	

CASEACCESSORIES

From custom nameplates and padded shoulder straps, to TSA Locks and humidity indicators, Pelican offers a broad range of case accessories.



Lid Organizers





Padded Dividers







Shoulder Straps TSA Lock Peli Desiccant (Silica Gel)





Card Holder



Caster Wheel Kit







Peli™ Quick Mounts Lid Stays

Refer to www.pelican.com for specific accessories available for each case model

receil to www.penean.com for specific accessories available for each case in

PELICAN™ CASE STANDARD PROTECTION

Most Pelican™ and Pelican™ Storm Cases are available empty, with foam or Padded Dividers. These configurations are available across our full line of injection molded cases and offer off-the-shelf protection solutions.

+ PICK N PLUCK™ FOAM

An easy, do-it-yourself system for the interior of the case. Layers of foam are pre-scored in 1/2" or 1" cubes. Simply lay your equipment on the foam, tape or chalk to mark the foam, and pluck away. Always allow at least one inch of foam between your equipment and the case wall.

We offer replacement foam sets online at http://pelicanpro.com. Just enter the case catalog number in the search field to view available foam sets.

Solid foam (which can be cut with an electric knife or coping saw) is preferred for oversize items such as long guns. The following cases ship with solid foam instead of Pick N Pluck™Foam:

1700 1720 1740 1750 1770 iM3100 iM3200 iM3220 iM3300 iM3410



+ PADDED DIVIDERS

An alternative to Pelican[™] foam is our optional Padded Divider Sets. These durable nylon and foam dividers are extremely versatile. The compartments are connected with Velcro® so you can easily change the configuration according to your needs.



CASE CONTENTS NOT INCLUDED

LID ORGANIZERS

Made of simulated leather or ballistic nylon with nylon zippers. A wide variety of pocket sizes protect and keep your gear organized. They install easily with Velcro® strips (included).

CASE CONTENTS NOT INCLUDED

PELICAN CASE CATALOG PELICAN CASE CATALOG



+ PANEL FRAME AND BEZEL KITS

Many Pelican[™] cases can be adapted for use with electronic interface panels by using a Panel Frame (Pelican[™] Case) or Bezel Kit (Pelican[™] Storm Case[™]) accessory. Mount most interface panels (customer supplied) flush with the rim of the Pelican[™] Case or desired area in a Pelican[™] Storm Case[™], and your technology is ready to go.

A polymer o-ring seals the panel so the base of the case remains watertight, even with the lid open. The mounting bracket, fasteners and o-ring are included in the Panel Frame Kit.

	PELICAN [™] CASE . PANEL FRAME	
CAT. NO.	INTERIOR DIMENSIONS inches/cm LxWxH	EXTERIOR DIMENSIONS inches/cm LxWxH
1120	7.46 x 4.96 x 3.33" (18.5 x 12.2 x 8.5 cm)	8.41 x 6.76 x 3.87" (21.4 x 17.2 x 9.8 cm)
1150	8.49 x 5.99 x 3.75" (21 x 14.7 x 9.5 cm)	9.44 x 7.80 x 4.29" (24 x 19.8 x 10.9 cm)
1200	9.25 x 7.12 x 4.12" (23.5 x 18.1 x 10.5 cm)	10.62 x 9.68 x 4.87" (27 x 24.6 x 12.4 cm)
1300	9.17 x 7.00 x 6.12" (23.3 x 17.8 x 15.5 cm)	10.62 x 9.68 x 6.87" (27 x 24.6 x 17.4 cm)
1400	11.81 x 8.87 x 5.18" (30 x 22.5 x 13.2 cm)	13.37 x 11.62 x 6.00" (33.9 x 29.5 x 15.2 cm)
1430	13.56 x 5.76 x 11.70" (34.4 x 14.6 x 29.7 cm)	16.40 x 8.71 x 13.15" (41.6 x 22.1 x 33.4 cm)
1450	14.66 x 10.24 x 6.12" (37.2 x 26 x 15.5 cm)	16.54 x 13.03 x 6.84" (42 x 33.1 x 17.4 cm)
1470	15.70 x 10.70 x 3.87" (39.9 x 27.2 x 9.8 cm)	16.88 x 13.23 x 4.47" (42.9 x 33.6 x 11.3 cm)
1490	17.75 x 11.37 x 4.12" (45.1 x 28.9 x 10.5 cm)	19.87 x 13.93 x 4.68" (50.4 x 35.4 x 11.9 cm)
1500	16.75 x 11.18 x 6.12" (42.5 x 28.4 x 15.5 cm)	18.50 x 14.06 x 6.93" (47 x 35.7 x 17.6 cm)
1520	18.06 x 12.89 x 6.72" (45.9 x 32.7 x 17.1 cm)	19.78 x 15.77 x 7.41" (50.2 x 40 x 18.8 cm)
1550	18.43 x 14.00 x 7.62" (46.8 x 35.5 x 19.3 cm)	27.20 x 27.50 x 16.30 (52.4 x 42.8 x 20.6 cm)

PELICAN™ STORM CASE™ AVAILABLE PANEL FRAME CASES							
CAT. NO.	INTERIOR DIMENSIONS inches/cm LxWxH	EXTERIOR DIMENSIONS inches/cm LxWxH					
iM2050	9.5" x 7.5" x 4.25" (24.1 x 19 x 10.8 cm)	11.8" x 9.8" x 4.7" (30 x 24.9 x 11.9 cm)					
iM2075	9.5" x 7.5" x 7.25" (24.1 x 19 x 18.4 cm)	11.8" x 9.8" x 7.7" (30 x 24.9 x 19.6 cm)					
iM2100	13" x 9.2" x 6" (33 x 23.4 x 15.2 cm)	14.2" x 11.4" x 6.5" (36.1 x 28.9 x 16.5 cm)					
iM2200	15" x 10.5" x 6" (38.1 x 26.7 x 15.2 cm)	16.2" x 12.7" x 6.6" (41.1 x 32.2 x 16.8 cm)					
iM2300	17" x 11.7" x 6.2" (43.2 x 29.7 x 15.7 cm)	18.2" x 13.4" x 6.7" (46.2 x 34 x 17 cm)					
iM2306	17" x 6.3" x 6.2" (43.2 x 16 x 15.7 cm)	18.2" x 8.4" x 6.7" (46.2 x 21.3 x 17 cm)					
iM2370	18.2" x 12.1" x 5.2" (46.2 x 30.7 x 13.2 cm)	20" x 14.7" x 5.8" (50.8 x 37.3 x 14.7 cm)					
iM2400	18" x 13" x 6.7" (45.7 x 33 x 17 cm)	19.2" x 15.2" x 7.3" (48.7 x 38.6 x 18.5 cm)					
iM2450	18" x 13" x 8.4" (45.7 x 33 x 21.3 cm)	19.2" x 15.2" x 9" (48.7 x 38.6 x 22.9 cm)					
iM2500	20.5" x 11.5" x 7.2" (52 x 29.2 x 18.3 cm)	21.7" x 14.1" x 8.9" (55.1 x 35.8 x 22.6 cm)					
iM2600	20" x 14" x 7.7" (50.8 x 35.5 x 19.6 cm)	21.2" x 16" x 8.3" (53.8 x 40.6 x 21.1 cm)					
iM2620	20" x 14" x 10" (50.8 x 35.5 x 25.4 cm)	21.2" x 16" x 10.6" (53.8 x 40.6 x 26.9 cm)					
iM2700	22" x 17" x 8" (55.9 x 43.2 x 20.3 cm)	24.6" x 19.7" x 8.6" (62.5 x 50 x 21.8 cm)					
iM2720	22" x 17" x 10" (55.9 x 43.2 x 25.4 cm)	24.6" x 19.7" x 11.7" (62.5 x 50 x 29.7 cm)					
iM2750	22" x 17" x 12.7" (55.9 x 43.2 x 32.2 cm)	24.6" x 19.7" x 14.4" (62.5 x 50 x 36.6 cm)					
iM2875	22.5" x 21.1" x 11.4" (57.1 x 53.6 x 28.9 cm)	24.9" x 23.7" x 13.1" (63.2 x 60.2 x 33.3 cm)					
iM2950	29" x 18" x 10.5" (73.6 x 45.7 x 26.7 cm)	31.3" x 20.4" x 12.2" (79.5 x 51.8 x 31 cm)					
iM2975	29" x 18" x 13.8" (73.6 x 45.7 x 35 cm)	31.3" x 20.4" x 15.5" (79.5 x 51.8 x 39.4 cm)					







+ PELI™ QUICK MOUNTS

An alternative to panel frames, Peli[™] Quick Mounts attach to the inside case wall using special adhesives. The interface panel can then be mounted on top of the Peli[™] Quick Mounts and secured with screws (for Pelican Protector[™] Case only).

+ ELECTRONIC INSTALLATIONS

Both the Pelican[™] Case and Pelican[™] Storm Case[™] allows customization for electronics. Injection molding provides a reliable, durable, ready-to-ship enclosure with consistent dimensions. The copolymer material can be machined, drilled and sanded smooth.

These properties make the Pelican[™] Case and Pelican[™] Storm Case[™] suitable for use with bulkhead connectors. Attaching equipment to the interior is equally simple using common hardware such as bolts and rivets. The hardware can be made watertight by use of o-rings, rubber gaskets or silicone.

Mounting the entire case to a wall or post is a simple way to create a waterproof control box for field use.

+ CUSTOM LOGO SERVICES

Personalize the outside of the case with your company logo or have your name engraved on the nameplate (Pelican™ Case). Logos can be applied in multiple colors as a Mylar® decal (250 piece minimum) or as a vibrant fade-resistant, scratch-resistant hot-stamped ink.

For prices and further information, please call Pelican Customer Service at 310.326.4700 or toll free at 800.473.5422.

CASE CONTENTS NOT INCLUDED



ADVANCED CASE SOLUTIONS

www.pelican.com/custom

While every Pelican™ case is built tough on the outside, we provide custom services to protect delicate items on the inside. Custom foam and extreme solutions such as deck mount suspension systems and certified laboratory testing will keep your equipment organized, intact and protected through the most volatile conditions.

LOW COMPLEXITY

Custom Foam Solutions



- Custom Labels
- Humidity Indicators
- Customizable Cushions such as Polyethylene and Polyurethane in Multiple Densities, as well as other specialty foams

MEDIUM COMPLEXITY

Interior/Exterior Solutions



EXAMPLES

- Shock Mount Metal Decks
- Custom Metal Work
- Cut and Weld
- Custom Bezel Solutions
- Forklift Risers

EXTREME COMPLEXITY

Interior/Exterior Solutions with Testing Requirements




EXAMPLES

- Shock Testing
- Vibration Testing
- Drop Testing
- Salt/Fog Testing
- Pressure Testing

+ CUSTOM FOAM MADE SPECIFICALLY FOR YOUR EQUIPMENT

Pelican Products provides expert packaging for both of our case lines, and we work with partners who have been in the packaging industry for over 50 years. Save time and cost by purchasing a fast and complete turnkey solution from Pelican!



Our Pelican Case Centers
have the most advanced foam
cutting tools, and our engineers have
the latest software applications so they
are able to create a design that is precise
and determines the most cost effective
method of manufacture.



Water Jet Technology



Die Cut Technology



CNC Router Technology

PELICAN ENGINEERS TAKE EVERYTHING INTO CONSIDERATION WHEN DESIGNING YOUR CUSTOM CUSHION:

- Unit Dimensions
- Accessories and other items
- Fragility
- Military Specifications

- UV Resistance
- Commercial Spec
- Anti Static Grounding
- Weight (and weight distribution)
- Size Restrictions

- Ship method and how often (ground, air or "around the town")
- Option requirements
- ...and more!

All of this information allows us to choose the right Pelican case and foam type for your application!

CASE CONTENTS NOT INCLUDED

that you will be proud to display. From simple to very complex cushion designs, we know how to provide protection that will get your gear or mission critical items safely to their destination.



POLYURETHANE:

Commonly used, polyurethane is a softer, open cell foam. Best for lighter weight sensitive equipment such as cameras, smartphones and laptops. Available in a variety of densities.

CUSTOM FOAM APPLICATION EXAMPLES:

- Consumer Products
- Firearms
- Computers

- Calibrated Optics
- Tools
- Video Equipment

- Bottles
- Paintings
- Music Instruments

- Collectibles
- Any Item That You Value and **Need To Protect**

ANTI-STATIC POLYURETHANE:

This special foam inhibits the build up of static electricity and helps dissipate any stray static charge. It is an open cell foam that is used for lightweight items such as sensitive electronic equipment, e.g. circuit boards, computer chips, etc.

POLYETHYLENE:

Polyethylene foam is a strong, non-abrasive, water-resistant and resilient closed cell foam. Due to its excellent vibration dampening and insulation properties, it is often used for packaging fragile goods such as communications equipment, power supplies, etc. Available in a variety of densities.

ANTI-STATIC POLYETHYLENE:

Commonly used for shipping electronic parts, circuit boards and computer chips, anti-static polyethylene foam is a strong, non-abrasive, water-resistant and resilient closed cell foam. The properties of the foam slowly dissipate electrostatic charges given off by other components. Used for shock absorption, it is often used for packaging fragile goods due to its excellent vibration dampening and insulation properties.

CASE CONTENTS NOT INCLUDED

CROSS-LINK:


Is a non-porous, nonparticulate closed cell foam that is often used in a clean room environment (reduces foreign object debris -FOD). It is aesthetically pleasing and resistant to grease, dirt and water. Available in a variety of densities.

OTHER FOAM TYPES AVAILABLE: FLAME-RETARDANT, CONDUCTIVE, **EXPANDED FOAMS...**





EYOND FOAM



BEYOND FOAM

When foam is not appropriate, Pelican' specializes in custom metal work to help keep your equipment secure and stable, to arrive without a scratch.

+ LAB TESTING

Military and OEM customers may need to certify the case will perform to specific requirements. Under precise control conditions we subject our cases to a battery of rigorous lab tests including drop, vibration, leak, heat and dust tests.







VIBRATION TEST

- L.A.B. servo hydraulic vibration system; 0 – 300 Hz.
- Sinusoidal with pre programmed profiles for:
- ISTA Integrity test procedures 11800, 14200, 1A, 1B, 1E, 1C, 1D, 2A AND 2B.
- FED-STD-101C; 5019-1
- 3 50 Hz sweep with 1G constant input
- 1-inch dwell for loose cargo bounce
- Mil-Std-648C; 5.3.2
- Random Vibration with pre-programmed profiles for:
- ASTM D 4169 Air levels 1, 2, and 3
- ASTM D 4169 Truck levels 1, 2, and 3
- ASTM D 4169 Rail levels 1, 2, and 3
- ISTA Integrity Test Procedures 1E, 1H, 1C, 1D, 1F, 3C, 3D, and 3E.

DROP TESTING

 Six foot cube reaction mass of reinforced concrete. A hoist capable of lifting 1 ton, and a quick release mechanism with a load capacity of ½ ton.

IMPACT TEST

- Falling dart 84" drop height with darts weighing between 5 and 15 lbs.
- Penetration test for category 1 containers - ATA 300 paragraph B-2-5

THERMAL TEST

 Walk in environmental chamber 6-foot wide by 8 foot high and 8 feet deep with a thermal range of -100°F to 200°F.

IMMERSION TEST

- Internal dimension of the chamber is 54" x 30 x 36"H. Able to simulate immersions up to 2 meters.
- Small immersion tank capable of immersions up to 1 meter on small IM cases.
- 80-inch deep large immersion tank

RAIN TEST

• Small rain chamber capable of up to 4 inches per hour.

PNEUMATIC PRESSURE TESTING

- 100" and 80" water manometers
- 100" mercury manometer.
- Digital manometer 10 psi max.

MITUTOYO HARDNESS TESTER

• Metal evaluation of product used in cases.

COMPRESSION AND TENSILE TESTING

- Instron compression tester, model 3367.
- Load range of 6600 lbs on small items.

LEAK TEST

- Immersion: 54" x 30" x 36" high chamber.
 Able to simulate immersions up to 2 meters.
- Rain: Small rain chamber capable of up to 4 in. per hour.
- Pneumatic Pressure: 100" and 80" water manometers. 100"mercury manometer.
- Digital manometer 10 psi max.

+ VIBRATION CONTROL

Small but constant vibration during transport is very destructive to the equipment inside a case. Pelican uses elastomer shock mounts, cable shock isolators, hard mounts, and foam that isolate the payload from case walls. Specialized foams can also mitigate vibration; our engineers understand the properties of foam to specify the type that is right for your requirements.



While foam is generally the first choice for protection, heavy or extremely fragile

equipment can only be supported in precise locations. Pelican's machine shop

equipment sometimes requires fabrication of custom deck mount suspension

systems to secure equipment. Cradle mounts are also the choice when the

is world-class, with plasma cutters, certified welders and finishing services

DECK MOUNT SUSPENSION SYSTEM

demanded by the aerospace, defense and medical industries.



CASE CONTENTS NOT INCLUDED

