


## 209CO

Taper Shank Drill



Heavy Duty



$d_1$ R Inch	$d_1$ decimal Inch	$l_2$ Inch	$l_1$ Inch	MTS	e-code	USD
1/4	0.2500	2.7/8	6.1/8	1	209CO1/4	47.75
9/32	0.2813	3"	6.1/4	1	209CO9/32	53.90
5/16	0.3125	3.1/8	6.3/8	1	209CO5/16	53.90
11/32	0.3438	3.1/4	6.1/2	1	209CO11/32	63.10
3/8	0.3750	3.1/2	7.3/8	2	209CO3/8	73.00
13/32	0.4063	3.5/8	7.1/2	2	209CO13/32	77.60
27/64	0.4219	3.7/8	7.3/4	2	209CO27/64	89.10
7/16	0.4375	3.7/8	7.3/4	2	209CO7/16	83.50
29/64	0.4531	4.1/8	8"	2	209CO29/64	95.60
15/32	0.4688	4.1/8	8"	2	209CO15/32	89.50
31/64	0.4844	4.3/8	8.1/4	2	209CO31/64	98.80
1/2	0.5000	4.3/8	8.1/4	2	209CO1/2	92.50
33/64	0.5156	4.5/8	8.1/2	2	209CO33/64	114.00
17/32	0.5313	4.5/8	8.1/2	2	209CO17/32	107.00
35/64	0.5469	4.7/8	8.3/4	2	209CO35/64	118.00
9/16	0.5625	4.7/8	8.3/4	2	209CO9/16	113.00
37/64	0.5781	4.7/8	8.3/4	2	209CO37/64	126.00
19/32	0.5938	4.7/8	8.3/4	2	209CO19/32	119.00
39/64	0.6094	4.7/8	8.3/4	2	209CO39/64	140.00
5/8	0.6250	4.7/8	8.3/4	2	209CO5/8	127.00
41/64	0.6406	5.1/8	9"	2	209CO41/64	159.00
21/32	0.6563	5.1/8	9.3/4	3	209CO21/32	146.00
43/64	0.6719	5.3/8	10"	3	209CO43/64	168.00
11/16	0.6875	5.3/8	10"	3	209CO11/16	156.00
45/64	0.7031	5.5/8	10.1/4	3	209CO45/64	187.00

d <sub>1</sub> R Inch	d <sub>1</sub> decimal Inch	l <sub>2</sub> Inch	l <sub>1</sub> Inch	MTS	e-code	USD
23/32	0.7188	5.5/8	10.1/4	3	209CO23/32	168.00
47/64	0.7344	5.7/8	10.1/2	3	209CO47/64	190.00
3/4	0.7500	5.7/8	10.1/2	3	209CO3/4	181.00
49/64	0.7656	6"	10.5/8	3	209CO49/64	201.00
25/32	0.7813	6"	10.5/8	3	209CO25/32	192.00
51/64	0.7969	6.1/8	10.3/4	3	209CO51/64	212.00
13/16	0.8125	6.1/8	10.3/4	3	209CO13/16	197.00
53/64	0.8281	6.1/8	10.3/4	3	209CO53/64	248.00
27/32	0.8438	6.1/8	10.3/4	3	209CO27/32	229.00
55/64	0.8594	6.1/8	10.3/4	3	209CO55/64	248.00
7/8	0.8750	6.1/8	10.3/4	3	209CO7/8	229.00
57/64	0.8906	6.1/8	10.3/4	3	209CO57/64	294.00
29/32	0.9063	6.1/8	10.3/4	3	209CO29/32	270.00
59/64	0.9219	6.1/8	10.3/4	3	209CO59/64	294.00
15/16	0.9375	6.1/8	10.3/4	3	209CO15/16	269.00
61/64	0.9531	6.3/8	11"	3	209CO61/64	330.00
31/32	0.9688	6.3/8	11"	3	209CO31/32	312.00
63/64	0.9844	6.3/8	11"	3	209CO63/64	319.00
1"	1.0000	6.3/8	11"	3	209CO1	304.00
1.1/64	1.0156	6.1/2	12.1/8	4	209CO1.1/64	434.00
1.1/32	1.0313	6.1/2	12.1/8	4	209CO1.1/32	401.00
1.1/16	1.0625	6.5/8	12.1/4	4	209CO1.1/16	387.00
1.3/32	1.0938	6.7/8	12.1/2	4	209CO1.3/32	438.00
1.7/64	1.1094	7.1/8	12.3/4	4	209CO1.7/64	461.00
1.1/8	1.1250	7.1/8	12.3/4	4	209CO1.1/8	425.00
1.11/64	1.1719	7.3/8	13"	4	209CO1.11/64	538.00
1.3/16	1.1875	7.3/8	13"	4	209CO1.3/16	483.00
1.7/32	1.2188	7.1/2	13.1/8	4	209CO1.7/32	567.00
1.1/4	1.2500	7.7/8	13.1/2	4	209CO1.1/4	550.00
1.9/32	1.2813	8.1/2	14.1/8	4	209CO1.9/32	645.00
1.19/64	1.2969	8.5/8	14.1/4	4	209CO1.19/64	698.00
1.5/16	1.3125	8.5/8	14.1/4	4	209CO1.5/16	626.00
1.11/32	1.3438	8.3/4	14.3/8	4	209CO1.11/32	712.00
1.3/8	1.3750	8.7/8	14.1/2	4	209CO1.3/8	691.00
1.7/16	1.4375	9.1/8	14.3/4	4	209CO1.7/16	799.00
1.15/32	1.4687	9.1/4	14.7/8	4	209CO1.15/32	872.00
1.1/2	1.5000	9.3/8	15"	4	209CO1.1/2	802.00