# **TECHNICAL DATA**

# **HRUST-OLEUM**

# FOOD GRADE WHITE GREASE

# **DESCRIPTION AND USES**

Rust-Oleum<sup>®</sup> Food Grade White Grease is a pure 100% white grease. This product can be used as a lubricant, release agent or anti-rust film on equipment and machine parts in locations where there is edible product. This formula can meet the needs of high performance food processing equipment to protect key components. This product is suitable for use on gears, rollers and cables.

This lubricant is certified by NSF to be category H1 compliant. This lubricant can be used with incidental food contact. It may be used as a lubricant or anti-rust film on equipment and machine parts in locations to edible products. It may also be used as a release agent on gaskets or seals of tank closures. The amount used should be the minimum required to accomplish the desired effect on the equipment. If used as an ant-rust film, the compound must be removed from the equipment surface by washing or wiping as required so not to contaminate food being processed.

#### For Professional Use Only.

## FEATURES

- Designed for heavy duty applications
- Can be used as a lubricant or protective coating

### PRODUCTS

SKU	Description
273924	11 oz. fill weight aerosol
274834	11 oz. fill weight aerosol (Canada only)

# SURFACE PREPARATION

Surfaces must be dry and free of grease, oil, dirt, rust, wax or other forms of surface contamination.

## PRODUCT APPLICATION

#### APPLICATION

Use in a well ventilated area when temperatures are between 50-90°F (10-32°C). Avoid spraying in very windy and dusty conditions.

Shake well before and during use. Hold can 10-16" from the surface and spray in a steady back-and-forth motion and apply an even, uniform film on all metal surfaces requiring lubrication. Repeat as necessary.

#### PRECAUTION

Vapors may ignite explosively. Keep away from heat, sparks and flame. Extinguish all flames and pilot lights, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Prevent buildup of vapors by opening all windows and doors to achieve cross ventilation. Avoid contact with eyes and skin.

#### **CLEAN UP**

Properly dispose of container and unused contents in accordance with local, state and federal regulations.

#### STORAGE

Store in cool dry areas and protect from excessive heat.

# PHYSICAL PROPERTIES Physical Properties

Physical Properties	FOOD GRADE WHITE GREASE
Solvent	Hydro-treated Light Hydrocarbon, Naphtha
Fill Weight	11 ounces
Shelf Life	5 years
Flash Point	-141°F (-96°C)
Safety Information	For additional information, see SDS

The technical data and suggestions for use contained herein are correct to the best of our knowledge, and offered in good faith. The statements of this literature do not constitute a warranty, express, or implied, as to the performance of these products. As conditions and use of our materials are beyond our control, we can guarantee these products only to conform to our standards of quality, and our liability, if any, will be limited to replacement of defective materials. All technical information is subject to change without notice.



Rust-Oleum Corporation 11 Hawthorn Parkway Vernon Hills, Illinois 60061 An RPM Company

Phone: 877•385•8155 www.rustoleum.com/industrial