



HAND TOOLS CATALOG



HAND TOOLS

TRADITION. PRODUCTIVITY. INNOVATION.

These words are everything you know Stanley Tools represents. They encompass all that we strive to incorporate into each product. That is why every year Stanley engineers go above and beyond to collect consumer feedback, conduct quality testing and use their own vast knowledge of hand tools to improve our broad line of products. With that information put to work in the lab, we bring you our professional Stanley and Stanley® FatMax® product lines with industry-leading innovations. We work to continually design products with superior features that will see you through to the end of your job and beyond.

STANLEY. TOOLS THAT GET THE JOB DONE FASTER, EASIER, BETTER.

Com Fatillar

TABLE OF CONTENTS



LAYOUT TOOLS12-25ELECTRONIC TOOLS26-29KNIVES & BLADES30-47SAWS48-63HAMMERS64-75DEMOLITION76-85CHISELS & NAIL SETS86-93FASTENING TOOLS94-111SCREWDRIVERS112-124CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205INDEX206-209	MEASURING TOOLS	2-11
KNIVES & BLADES30-47SAWS48-63HAMMERS64-75DEMOLITION76-85CHISELS & NAIL SETS86-93FASTENING TOOLS94-111SCREWDRIVERS112-124CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	LAYOUT TOOLS	12-25
SAWS48-63HAMMERS64-75DEMOLITION76-85CHISELS & NAIL SETS86-93FASTENING TOOLS94-111SCREWDRIVERS112-124CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	ELECTRONIC TOOLS	26-29
HAMMERS64-75DEMOLITION76-85CHISELS & NAIL SETS86-93FASTENING TOOLS94-111SCREWDRIVERS112-124CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	KNIVES & BLADES	30-47
DEMOLITION76-85CHISELS & NAIL SETS86-93FASTENING TOOLS94-111SCREWDRIVERS112-124CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	SAWS	48-63
CHISELS & NAIL SETS86-93FASTENING TOOLS94-111SCREWDRIVERS112-124CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	HAMMERS	64-75
FASTENING TOOLS94-111SCREWDRIVERS112-124CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	DEMOLITION	76-85
SCREWDRIVERS112-124CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	CHISELS & NAIL SETS	86-93
CLAMPS125-127FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	FASTENING TOOLS	94-111
FINISHING TOOLS128-141PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	SCREWDRIVERS	112-124
PAINT SUNDRIES142-149ILLUMINATION150-155ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	CLAMPS	125-127
ILLUMINATION 150-155 ADJUSTABLE WRENCHES, PLIERS & SNIPS 156-171 MECHANICS' TOOLS 172-189 TOOL STORAGE 190-205	FINISHING TOOLS	128-141
ADJUSTABLE WRENCHES, PLIERS & SNIPS156-171MECHANICS' TOOLS172-189TOOL STORAGE190-205	PAINT SUNDRIES	142-149
PLIERS & SNIPS 156-171 MECHANICS' TOOLS 172-189 TOOL STORAGE 190-205	ILLUMINATION	150-155
TOOL STORAGE 190-205		156-171
	MECHANICS' TOOLS	172-189
INDEX 206-209	TOOL STORAGE	190-205
	INDEX	206-209

MEASURING TOOLS

Stanley has been manufacturing high-quality measuring tools since 1854, well before Henry Ford's Model T and Orville and Wilbur's fun-fly at Kitty Hawk. That same year, A. Stanley & Company was founded and began producing folding wooden rules for carpenters and other tradesmen. From those humble beginnings, Stanley Tools grew to become today's gold standard by which other hand tools are measured.

Throughout its long history of manufacturing some of the world's best measuring tools – a span of over 165 years – Stanley has been driven by an unwavering commitment to quality, innovation and precision – principles that guide the company to this very day. Along the way, Stanley has achieved several noteworthy milestones, which included making the first steel tape rules in 1930 and in 1963 introducing the iconic PowerLock[®] "coilable" steel rule, which has become the world's most popular measuring tape. And in 1969, the PowerLock[®] tape measure was selected by NASA to be part of the lunar landing gear on *Apollo 11*.

Not satisfied to rest on its laurels, Stanley redefined the measuring-tool market in 1999 with the launch of the Stanley FatMax[®] line of tape measures. These high-performance, professional-duty tools combine rugged construction with innovative features, such as a 1-1/4-inch-wide blade equipped with the world's first 11-foot blade standout, Mylar[®] polyester film for blade protection against rust and wear, and BladeArmor[™] coating that extends blade life up to 10 times longer than a basic Stanley tape rule. The FatMax[®] line also includes a 40-foot tape, which is one of the longest self-retracting short measuring tapes on the market today.

In 2006, Stanley shook up the market once again with the introduction of Stanley[®] FatMax Xtreme[®] Tools, which include chrome-cased tape measures that boast the world's longest blade standout available on the market today: 13 feet, allowing one person to do the work of two. They also have cushion grips and an oversized end hook that can easily grab construction material from any angle.

So regardless of whether you're a professional contractor, a do-it-yourselfer or an astronaut – you can always trust the quality and accuracy of Stanley measuring tools, as people have for nearly 8 generations.

SHORT TAPES	4-8
FATMAX XTREME®	4
FATMAX®	4
MAX®	5
POWERLOCK®	5-7
LEVERLOCK®	7
STANLEY®	8
LONG TAPES	9-11



MEASURING TOOLS



*Compared to Stanley 1" tapes

FatMax Xtreme® Tape Rules

- 13' blade standout
- 1-1/4" wide blade for easy readability
- 150% larger hook* designed to grab on side, top or bottom for versatility
- BladeArmor[™] coating on the first 6" maximizes durability of the blade
- High-visibility Mylar[®] polyester film extends life of entire blade and provides visibility in low lighting
- · Chrome case with durable rubber-holds up to heavy use
- AirLock[™] rubber slide lock is resistant to impact and makes locking and unlocking easy
- 16" and 19.2" stud center markings simplify framing jobs
- · Cushion grip provides comfortable, slip-resistant hold
- Three-rivet, corrosion-resistant Tru-zero end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
33-885	Chrome/Black	16'	1-1/4"	13'	4	24	076174338850
33-890	Chrome/Black	25'	1-1/4"	13'	4	24	076174338904
33-891	Chrome/Black	8m/26' cm graduation	1-1/4"	13'	4	24	076174338911
33-895	Chrome/Black	30'	1-1/4"	13'	4	24	076174338959
33-900	Chrome/Black	35'	1-1/4"	13'	4	24	076174339000



STANLEY

FatMax[®] Tape Rules

- 11' blade standout
- 1-1/4" wide blade for easy readability
- BladeArmor[™] coating on the first 4-1/2["] maximizes durability of the blade
- Mylar® polyester film extends life of entire blade
- · High-impact ABS case with durable rubber-holds up to heavy use
- Top-forward blade lock makes locking and unlocking easy
- 16" and 19.2" stud center markings simplify framing jobs
- Cushion grip provides comfortable, slip-resistant hold
- · Specially designed multi-catch hook grabs on top or bottom for versatility
- · Three-rivet, corrosion-resistant Tru-zero end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
33-716	Yellow/Black	16'	1-1/4"	11'	4	24	076174337167
33-725	Yellow/Black	25'	1-1/4"	11'	4	24	076174337259
33-726	Yellow/Black	8m/26' cm graduation	1-1/4"	11'	4	24	076174337266
33-730	Yellow/Black	30'	1-1/4"	11'	4	24	076174337303
33-805	Yellow/Black	10m/33' cm graduation	1-1/4"	11'	4	24	076174338058
33-735	Yellow/Black	35'	1-1/4"	11'	4	24	076174337358
33-740	Yellow/Black	40'	1-1/4"	11'	4	24	076174337402

Mylar[®] is a registered trademark of DuPont Teijin Films

Toll Free Customer Service Number: 1-800-262-2161 Customer Service FAX Number: 1-800-643-3756

Max[™] Tape Rules

- 10' blade standout (on specified models)
- 1-1/8" wide blade for easy readability (on specified models)
- High-impact ABS case with durable rubber-holds up to heavy use
- AirLock[™] rubber slide lock is resistant to impact and makes locking and unlocking easy
- 16" and 19.2" stud center markings simplify framing jobs
- Cushion grip provides comfortable, slip-resistant hold
- Three-rivet, corrosion-resistant Tru-zero end hook for accurate measurements
- Specially designed multi-catch hook grabs on top or bottom for versatility

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE Standout	BOX QTY	CARTON QTY	UPC
33-691	Yellow	12'	3/4"	—	4	24	076174336917
33-692	Yellow	16'	3/4"		6	30	076174336924
33-278	Yellow	16'	1-1/8"	10'	6	36	076174332780
33-279	Yellow	25'	1-1/8"	10'	6	36	076174332797
33-262	High-Vis Orange	25'	1-1/8"	10'	2	8	076174332629
33-298	Yellow	25' Engineer's Scale	1-1/8"	10'	6	36	076174332988

PowerLock® Tape Rules

- 8' blade standout
- BladeArmor[™] coating on the first 3" maximizes durability of the blade
- Mylar[®] polyester film extends life of entire blade
- Compact case design for grip and feel
- Chrome high-impact ABS case is job site tough
- · Secure blade lock won't creep during measurements
- 16" and 19.2" stud center markings simplify framing jobs
- Three-rivet, corrosion-resistant Tru-zero end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
33-516	Chrome	16'	1"	8'	4	24	076174335163
33-525	Chrome	25'	1"	8'	4	24	076174335255
33-530	Chrome	30'	1"	8'	4	24	076174335309





SHORT TAPES

STANLEY

5

MEASURING TOOLS



PowerLock[®] Classic Tape Rules

- 7' blade standout (on specified models)
- Mylar® polyester film extends life of entire blade
- Chrome high-impact ABS case is job site tough
- Secure blade lock won't creep during measurements
- 16" and 19.2" stud center markings simplify framing jobs
- Corrosion-resistant Tru-zero end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
33-116	Chrome	16'	3/4"	—	4	24	076174331165
33-158	Chrome	5m/16' cm graduation	3/4"	—	6	36	076174331585
33-425	Chrome	25'	1"	7'	4	24	076174334258
33-428	Chrome	8m/26' cm graduation	1"	7'	4	24	076174334289
33-430	Chrome	30'	1"	7'	4	24	076174334302
33-835	Chrome	35'	1"	7'	4	24	076174338355



PowerLock® Metal Case Tape Rules

- · Cast-metal case is durable and suitable for heavy-duty use
- Mylar® polyester film extends life of entire blade
- Secure blade lock won't creep during measurements
- 16" and 19.2" stud center markings simplify framing jobs
- Corrosion-resistant Tru-zero end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
33-212	Chrome	12'	1/2"	_	6	36	076174332124
33-215	Chrome	3.5m/12' mm Graduation	1/2"	_	6	36	076174332155
33-231	Chrome	3m	1/2"	_	6	36	076174332315
33-312	Chrome	12'	3/4"	_	6	36	076174333121



STANLEY

PowerLock® Pocket Tape Rule

- Back of blade provides scale that measures up to 3' diameters
- Polymer-coated blade withstands abrasion for long life
- Chrome high-impact ABS case is job site tough
- Slim case fits easily in pocket
- Secure blade lock won't creep during measurements
- Corrosion-resistant Tru-zero end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
33-115	Chrome	10'	1/4"	—	6	36	07617433158

Mylar® is a registered trademark of DuPont Teijin Films

SHORT TAPES

PowerLock[®] Key Chain Tape Rule

- Polymer-coated blade withstands abrasion
- Durable key ring makes it easy to take anywhere
- Convenient and lightweight



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
39-130	Chrome	3'	1/4"	—	6	72	076174391305

LeverLock® Tape Rules

- Push-release self-locking mechanism controls blade retraction
- Polymer-coated blade withstands abrasion
- Magnetic end hook holds securely to metal surfaces (on specified models)
- · High-impact ABS case with durable rubber holds up to heavy use
- 16" and 19.2" stud center markings simplify framing jobs
- Corrosion-resistant Tru-zero end hook for accurate measurements
- Fractional read blade graphics for quick and easy measurements (on specified models)

SKU #	CASE COLOR	END HOOK	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
30-810	Yellow	—	12'	1/2"	—	6	36	076174308105
30-812	Yellow	_	16'	3/4"	_	6	36	076174308129
30-824	Yellow	_	8m/26' cm Graduation	1"	_	4	24	076174308242
30-825	Yellow	—	25'	1"	_	4	24	076174308259
33-281	Yellow	Magnetic	25 ' Fractional Read	1"	_	4	24	076174332810
33-270	Hi-Vis Orange	Magnetic	25 ' Fractional Read	1"	_	2	8	076174332704
30-830	Yellow	_	30'	1"	_	4	24	076174308303



MEASURING TOOLS



Stanley[®] Hi-Vis Tape Rules

- Polymer-coated blade withstands abrasion
- High-visibility case makes it easy to find in tool box or on the job
- High-impact ABS case with durable rubber holds up to heavy use
- Cushion grip provides comfortable, slip-resistant hold
- 16" and 19.2" stud center markings simplify framing jobs
- Corrosion-resistant Tru-zero end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
30-301	Hi-Vis Green	12'	1/2"	—	6	36	076174303018
30-304	Hi-Vis Green	16'	3/4"	—	6	36	076174303049
30-418	Hi-Vis Orange	16'	3/4"		6	36	076174304183
30-305	Hi-Vis Green	25'	1"	_	4	24	076174303056
30-419	Hi-Vis Orange	25'	1"		4	24	076174304190



Stanley® Tape Rules

- Polymer-coated blade withstands abrasion
- High-impact ABS case for durability
- 16" and 19.2" stud center markings simplify framing jobs
- Corrosion-resistant Tru-zero end hook for accurate measurements
- Fractional read blade graphics for quick and easy measurements (only on 30-454)

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
30-485	Yellow	12'	1/2"	—	6	36	076174304855
30-495	Yellow	16'	3/4"	_	6	36	076174304954
30-496	Yellow	5m/16' cm Graduation	3/4"	_	6	36	076174304961
30-455	Yellow	25'	1"	_	6	24	076174304558
30-454	Yellow	25' Fractional Read	1"	_	6	24	076174304541
30-456	Yellow	8m/26' cm Graduation	1"		6	24	076174304565
30-464	Yellow	30'	1"		6	24	076174304640

Stanley[®] Pocket Tape Rule

- Polymer-coated blade withstands abrasion
- High-impact ABS case for durability
- · Corrosion-resistant Tru-zero end hook for accurate measurements
- Small and lightweight

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BLADE STANDOUT	BOX QTY	CARTON QTY	UPC
30-506	Yellow	6'	1/2"	—	10	100	076174305067





Toll Free Customer Service Number: 1-800-262-2161 Customer Service FAX Number: 1-800-643-3756

FatMax[®] Long Tape Rules

- 3:1 gear drive for fast rewind
- 3/8" wide steel blade for durability
- Polymer-coated blade withstands abrasion
- High-impact ABS case with durable rubber-holds up to heavy use
- Steel roller cage protects case during retraction for long life
- 16" stud center markings simplify framing jobs
- Cushion grip provides comfortable, slip-resistant hold
- Corrosion-resistant Tru-zero folding end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CARTON QTY	UPC
34-130	Yellow/Black	100'	3/8"	6	24	076174341300

Stanley[®] Long Tape Rules

- 3/8" wide steel blade for durability
- Polymer-coated blade withstands abrasion for a long life
- High-impact ABS case for durability
- 16" stud center markings simplify framing jobs
- Easy-wind drum for easy retraction
- End hook recoils neatly into contoured case
- Belt clip for hands-free use and convenient transportation
- Corrosion-resistant Tru-zero folding end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CARTON QTY	UPC
34-103	Yellow	50'	3/8"	6	24	076174341034
34-106	Yellow	100'	3/8"	6	24	076174341065

Stanley[®] Straight Edge Ruler

• 36" long durable aluminum construction rule

SKU #	DESCRIPTION	BLADE LENGTH	BLADE WIDTH	BOX QTY	CARTON QTY	UPC
35-338	Straight Edge	36"	1-1/4"	2	5	076174353389



LONG TAPES





MEASURING TOOLS



FatMax[®] Fiberglass Long Tape Rules

- Rewinds 3X faster* with 3:1 gear drive
- 64 fiberglass strands provide 2X blade strength*
- 3/4" wide, 2-color blade for easy readability in most lighting conditions
- · 2-sided blade graphics with fractional inch/decimal foot scales for versatility
- Polymer-coated blade withstands abrasion
- Reinforced blade end for long life
- End loop for easy pulling and anchoring
- High-impact ABS case with durable rubber grip holds up to heavy use
- Corrosion-resistant Tru-zero folding end hook for accurate measurements

SKU #	CASE COLOR	BLADE LENGTH	BLADE BOX WIDTH QTY		CARTON QTY	UPC
34-812	Yellow	100'	3/4"	2	8	076174348125



PowerWinder[®] Fiberglass Long Tape Rules

- Rewinds 3X faster* with 3:1 gear drive
- 40 fiberglass strands for strength and durability
- 1/2" wide blade for easy readability
- · 2-sided blade graphics with fractional inch/decimal foot scales for versatility
- Polymer-coated blade withstands abrasion
- · Reinforced blade end for long life
- End loop for easy pulling and anchoring
- High-impact ABS case with durable rubber grip holds up to heavy use
- · Corrosion-resistant Tru-zero folding end hook for accurate measurements
- · Blade bumper to help prevent blade damage

SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CARTON QTY	UPC
34-760	Yellow	100'	1/2"	2	8	076174347609
34-762	Yellow	300'	1/2"	2	8	076174347623



LONG TAPES

Open Reel Fiberglass Long Tape Rules

- 1/2" wide blade with easy-to-read markings
- 2-sided blade graphics with fractional inch/decimal foot scales
- Polymer-coated blade withstands abrasion
- High-impact ABS case with durable rubber grip holds up to heavy use
- Corrosion-resistant Tru-zero folding end hook for accurate measurements



SKU #	CASE COLOR	BLADE LENGTH	BLADE WIDTH	BOX QTY	CARTON QTY	UPC
34-790	Yellow	100'	1/2"	2	8	076174347906
34-793	Yellow	200'	1/2"	2	6	076174347937



11

Stanley's commitment to producing precision-engineered, extremely accurate tools is most evident in its extensive line of layout tools, a category that includes nearly 60 different levels and two dozen types of squares. But to truly appreciate its commitment, consider this: Stanley has been making layout tools for over 150 years.

In 1857, The Stanley Rule and Level Company joined forces with the Stanley Works, which up until that point was primarily a hardware manufacturer. After the Civil War, the company continued to diversify and grow its tool business, and is now widely recognized as one of the world's leading manufacturers of quality hand tools.

Today, Stanley designs and builds a wide variety of levels, including box-beam, I-beam, torpedo, magnetic and adjustable-vial models that permit you to read and mark any angle between 0 and 90 degrees. There's even a post level that folds flat for easy storage.

The levels range in size from a 3-inch-long line level to a 96-inch-long I-beam level. And unlike some manufacturers, Stanley isn't satisfied with using a single material to make all its levels. Instead, it chooses the optimum materials for building each tool. As a result, Stanley makes levels out of extruded aluminum, die-cast aluminum and shock-resistant ABS plastic.

The company also makes nearly two dozen different sizes and styles of squares, including combination squares, carpenter's framing squares, folding squares and quick squares. Again, to ensure accuracy, each tool is precision-machined and/or cast under the highest quality standards.

This extremely popular line of reliable layout tools includes chalk lines, straight edges and plumb bobs. So regardless of whether you're a do-it-yourself homeowner or a professional contractor, Stanley has the tools you need to accurately measure, layout and mark virtually any piece. And the company designs and builds each layout tool with three criteria in mind: accuracy, ease of use and durability – a philosophy born a century and a half ago and still practiced today.



	1
LEVELS	14-15
TORPEDO LEVELS	16-17
POST LEVEL	17
LINE LEVEL	17
CHALK REELS & CHALK	18-19
FLAGGING TAPE	20
MASON'S LINE	20
CARPENTER PENCILS	20
STAIR GAUGES	21
T-BEVEL	21
PLUMB BOBS	21
SQUARES	22-25
QUICK SQUARE®	23-24

Server.





Magnified Center Vial

FatMax Xtreme[®] Heavy-Duty Box Beam Levels

- Durable box beam construction is up to 5X stronger than other Stanley[®] levels
- Block vials provide accuracy of 0.0005 in./in. (0.5mm/m)
- · Magnified center vial for visibility
- Machined leveling surfaces for accuracy
- Rare-earth magnets for ultimate holding power

SKU #	ТҮРЕ	VIALS	HAND GRIPS	LEN IN.	GTH MM	BOX QTY	CARTON QTY	UPC
43-624	—	3	1	24	610	—	8	076174436242
43-625	Magnetic	3	1	24	610	—	3	076174436259
43-648	—	3	2	48	1219	—	8	076174436488
43-649	Magnetic	3	2	48	1219	—	3	076174436495
43-672	_	3	2	72	1829	_	3	076174436723
43-679	Magnetic	3	2	78	1981		3	076174436792







Shock-Absorbing End Caps MaxEdge[™] Center Vial

STANLEY

Stanley® FatMax® Box Beam Levels

- Block vials provide maximum accuracy of 0.0005 in./in. (0.5mm/m)
- MaxEdge[™] bridged center vial for continuous marking surface
- Single-piece, aluminum box-beam structure for durability and accuracy
- Rubber-gripped hand hole designed with comfort in mind
- · Shock-absorbing end caps hold up to heavy use
- Non-marring side bumpers helps prevent damage to finished surfaces

HAND LENGTH BOX CARTON SKU # TYPE VIALS UPC GRIPS QTY QTY IN. MM 2 43-524 3 24 610 6 076174435245 ____ 3 2 3 43-525 Magnetic 24 610 076174435252 2 43-548 3 48 6 1219 ____ 076174435481 3 43-549 2 48 1219 3 076174435498 Magnetic 3 2 72 1829 3 43-572 076174435726





LEVELS

Stanley[®] I-Beam 180[™] Levels

- 180-degree rotating vial for a range of situations
- Measuring scale printed directly on the level eases layout work
- Heavy-duty aluminum I-beam construction provides rigidity and accuracy
- Level accuracy of 0.0015 in./in. (0.15mm/m)
- 360° vials set directly into frame never need adjustment



STREET,

SKU #	COLOR	VIALS	HAND GRIPS	LEN IN.	GTH MM	BOX QTY	CARTON QTY	UPC
42-324	Yellow	3	0	24	610	—	6	076174423242
42-328	Yellow	3	2	48	1219	—	6	076174423280

Aluminum I-Beam Levels

- Heavy-duty aluminum I-beam construction provides rigidity and accuracy
- Level accuracy of 0.0015 in./in. (0.15mm/m)
- 360° vials set directly into frame never need adjustment
- Pipe groove enables use on rounded surfaces
- Shock-absorbing end caps hold up to heavy use

SKU #	COLOR	VIALS	HAND	LEN	GTH	BOX	CARTON	UPC
310 # 0	COLON	VIALS	GRIPS	IN.	MM	QTY	QTY	010
42-240	Yellow	3	0	24	610	—	6	076174422405
42-480	Yellow	3	2	48	1219	—	3	076174424805

High-Impact ABS Levels

- Durable, shock-resistant ABS construction
- Top-read center vial designed for instant readability
- Measuring scale adds utility
- Non-marring material helps prevent damage to finished surfaces
- High-visibility yellow is easy to spot on the job site



Measuring Scale for Versatility

SKU #	COLOR	VIALS	HAND	LEN	GTH	BOX	CARTON	UPC	
310 #	GOLON	VIALO	GRIPS	IN.	MM	QTY	QTY	OF C	
42-466	Yellow	3	0	12	305		10	076174424669	
42-468	Yellow	3	2	24	610		6	076174424683	
42-470	Yellow	3	6	48	1219	_	6	076174424706	





FatMax Xtreme[®] Magnetic Torpedo Level

- Die-cast aluminum body
- Solid block vial provides accuracy of 0.0005in./in. (0.5mm/m)
- 180° rotating vial to duplicate angles
- Magnified center vial for visibility
- Pipe groove for use on rounded surfaces
- · Rare-earth magnets for ultimate holding power

SKU #	COLOR	VIALS	HANG HOLES	LEN IN.	GTH MM	BOX QTY	CARTON QTY	UPC
43-609	Silver	3	2	9	229	1	6	076174436099

FatMax[®] Torpedo Levels

- Die-cast aluminum body
- Solid block vials provide accuracy of .0005in./in. (0.5mm/m)
- Magnified center vial for visibility
- Pipe groove for use on rounded surfaces
- Rare-earth magnets for ultimate holding power

SKU #	COLOR	VIALS	HANG HOLES	LEN IN.	GTH MM	BOX QTY	CARTON QTY	UPC
43-603	Yellow	3	2	9	229	1	6	076174436037
43-605	Yellow	2	2	9	229	1	6	076174436051



Magnetic Shock-Resistant Torpedo Levels

- Heavy-duty aluminum frame for accuracy and durability
- Open, top-read vial provides maximum readability
- Bi-material body with rubber ends for shock absorption
- · Non-marring feet can be used on finished surfaces to help prevent damage
- Pipe groove makes it a good choice for use on rounded surfaces

SKU #	TYPE	COLOR	VIALS	HANG HOLES	LENGTH IN. MM		BOX QTY	CARTON QTY	UPC
43-511	Magnetic	Yellow / Black	3	2	9	229	6	36	076174435115
43-512	Magnetic / Lighted	Yellow / Black	3	2	9	229	6	36	076174435122

Magnetic Cast-Aluminum Torpedo Level

- Durable, heavy-duty, cast-aluminum frame
- Features large, top-read vial window
- Tinted 360° vials make reading easy on the eyes
- Pipe groove enables use on rounded surfaces
- · Magnetic strip allows hands-free operation on metal surfaces

SKU #	ТҮРЕ	COLOR	VIALS	HANG HOLES	LEN IN.	GTH MM	BOX QTY	CARTON QTY	UPC
42-465	Magnetic	Silver / Yellow	3	1	9	229	6	36	076174424652



TORPEDO LEVELS

Torpedo Levels

- High-impact plastic
- Top-reading feature allows visibility from above
- Tinted 360° vials make reading easy on the eyes



1	SKU #	ТҮРЕ	COLOR	VIALS	HANG HOLES	LEN		BOX QTY	CARTON QTY	UPC
					HOLLS	IN.	MM			
	42-191	_	Black / Yellow	3	1	9	229	6	36	076174421910
	42-264	Magnetic	Black / Yellow	3	1	9	229	6	36	076174422641

Torpedo Levels

- High-impact plastic
- Top-reading feature allows visibility from above
- Tinted 360° vials make reading easy on the eyes

SKU #	ТҮРЕ	COLOR	VIALS	HANG HOLES	LEN IN.	LENGTH IN. MM		CARTON QTY	UPC
42-291	Magnetic	Black	3	1	8	203	6	36	076174422917
42-294	—	Orange	3	1	8	203	6	36	076174422948

Post Level

- Folds for easy storage in tool bins and pockets
- Vials enclosed when closed to reduce risk of breakage
- On-board storage of line level
- When closed, there is an area for storing small bits, blades, etc.
- Magnetic to adhere to metal surfaces



Line Levels

- · Special hooks allow level to slide freely
- Flat bottom for surface leveling

	SKU #	ТҮРЕ	COLOR VIAI			LENGTH IN. MM		CARTON QTY	UPC
ł	42-193	High-Visibility Plastic	Yellow	1	3	76	6	72	076174421934
	42-287	Aluminum	Silver	1	3	76	6	72	076174422870





FatMax Xtreme® Chalk Line Reel

- Die-cast aluminum housing for durability
- 2X stronger* line 3X* line abrasion resistance
- Rewinds 5X faster* has a 5:1 gear ratio
- Quick gear release crank will not spin when pulling out line
- Stainless-steel hook and crank handle
- On-board hook storage
- \bullet ChalkView ${}^{\scriptscriptstyle M}$ case see amount of chalk inside case
- Premium polymer string resists breakage and fraying

SKU #	CONTAINS	STRING FT.	LENGTH M	BOX QTY	CTN Qty	UPC
47-480	FatMax Xtreme [®] Chalk Line Reel	100	30		6	076174474800
47-482	FatMax Xtreme® Chalk Line Reel, Blue Chalk - 4 oz.	100	30	—	6	076174474824
47-483	FatMax Xtreme [®] Chalk Line Reel, Red Chalk - 4 oz.	100	30	_	6	076174474831



100' FatMax[®] Chalk Line Reels

- Rewinds 3X faster* has a 3:1 gear ratio
- Holds up to a 4 oz. bottle of Stanley® Chalk
- Stainless-steel interlocking hook for joining lines
- Chalk line has 2X the tensile strength of traditional lines and lasts twice as long
- Water-resistant, high-impact ABS case with rubber grips is durable and easy to hold
- Screw cap and sliding door for simplified refilling

SKU #	CONTAINS	STRING	TH BOX		UPC	
3KU #	CUNIAINS	FT.	Μ	QTY	QTY	UPC
47-140L	FatMax® Chalk Line Reel	100	30	_	6	076174471403
47-681	FatMax® Chalk Line Reel, Blue Chalk - 4 oz., & Fine Tip Marker	100	30	_	6	076174476811



STANLEY

100' PowerWinder[®] Chalk Line Reels

- ChalkView[™] case see amount of chalk inside the case
- Rewinds 3-1/2X faster* has a 3.5:1 gear ratio
- Crank clutch crank handle will not spin when pulling out string
- Stainless-steel interlocking hook for joining lines
- On-board hook storage

SKU #	CONTAINS	STRING LENGTH FT. M		BOX QTY	CTN QTY	UPC
		<u> </u>				
47-460	PowerWinder [®] Chalk Line Reel	100	30	6	24	076174474602
47-464L	PowerWinder® Chalk Line Reel, Blue Chalk - 4 oz., Line Level	100	30	—	5	076174474640
47-465L	PowerWinder® Chalk Line Reel, Red Chalk - 4 oz., Line Level	100	30	_	5	076174474657

* Than base Stanley model



CHALK REELS

100' Die-Cast Aluminum Chalk Line Reels

- Durable, heavy-duty die-cast aluminum body for long life
- Long-wearing felt gasket hugs line and distributes uniform chalk coating
- Universal hook has been designed for the rigors of everyday use
- Can be used as plumb bob



SKU #	CVII #	CONTAINS	STRING	LENGTH	BOX	CARTON	UPC
	310#	CONTAINS	FT.	Μ	QTY	ΟΤΥ	UFG
	47-099	Chalk Line Reel	100	30	2	24	076174470994
	47-117L	Chalk Line Reel, Blue Chalk - 4 oz.		30	2	24	076174470994

100' Plastic Chalk Line Reels

- High-impact ABS case
- On-board hook storage
- Stainless-steel hook
- Sliding door for easy filling
- Folding crank handle stores neatly into case

	SKU #	CONTAINS	STRING FT.	G LENGTH M	BOX QTY	CARTON QTY	UPC
4	47-440	Chalk Line Reel	100	30		24	076174474404
4	47-442	Chalk Line Reel, Blue Chalk - 4 oz.	100	30		5	076174474428
4	47-443	Chalk Line Reel, Blue Chalk - 4 oz. & Plastic Line Level	100	30	_	5	076174474435

Chalk Refills

- High-grade chalk to be used with chalk line reels
- Square bottle will not roll off of work surfaces
- Easy-pouring, twist-to-open spouts



с и ц #	SKU # COLOR	WE	IGHT	PERMANENCE	APPLICATION	BOX	CTN	UPC
3NU #	CULUR	0Z.	LBS.	PERIVIANENCE	APPLICATION	QTY	QTY	UPG
47-803	Blue	8	0.5	Temporary	Roofing, Siding, Paneling & Interior Layouts		12	076174478037
47-804	Red	8	0.5	Permanent	Exterior Layout, Concrete, Roofing, Steel or Metal		12	076174478044
47-806	White	8	0.5	Temporary	Roofing, Siding, Paneling & Interior Layouts	_	12	076174478068
47-808	Black	8	0.5	Maximum	Long-Term Applications		12	076174478082
47-502	Blue	80	5.0	Temporary	Roofing, Siding, Paneling & Interior Layouts		4	076174475029
47-505	Red	Red 80 5.0 Permanent		Permanent	Exterior Layout, Concrete, Roofing, Steel or Metal		4	076174475050



Flagging Tape

- Vinyl PVC construction
- Strong elasticity for easy tears, ties and stretching by hand
- Non-adhesive, non-conductive, weather- and fade-resistant material

SKU #	COLOR	OVERALL LENGTH		WIDTH	BOX QTY	CARTON QTY	UPC
45-105	Red	150	45.7	1-1/8"	4	16	076174451054



Mason's Line

- · High-quality black and white twisted polyester line
- 250-foot length, 18-pound test

SKU #	SKU # STRING LENGTH		BOX QTY	CARTON QTY	UPC
47-119	250	76.2	6	24	076174471199



Carpenter Pencils

- Rectangular graphite core for clear marking
- Strong linden wood
- Durable #2 graphite

SKU #	ТҮРЕ	PENCIL TIP	LEAD COLOR	BOX QTY	ΩΤΥ ΩΤΥ	
47-350	Multi-Pack	Fine	Black	30	180	076174473506

20



Stair Gauges (Brass)

- Solid-brass body attaches easily to most carpenter squares for fast layout of stair treads
- Fits most carpenter squares
- Set of 2



SKU #	ТҮРЕ	LENGTH	WIDTH	HEIGHT	BOX QTY	CARTON QTY	UPC
45-711	2 Pack	5/8"	5/8"	1-1/8"	3	36	076174457117



- Durable stainless-steel blade
- Built-in blade lock for transferring angles
- Tough plastic handle provides handy, comfortable grip

SKU #	BLADE	LENGTH	HANDLE	HANDLE LENGTH		CARTON	UPC	
3KU #	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UFG	
46-825	8"	203	5-1/2"	140	6	36	076174468250	

Brass Plumb Bobs

- Polished-lacquer, solid-brass construction is durable and rust resistant
- Replaceable, hardened steel tip is long-lasting
- Screw top simplifies attaching string to center of plumb (8-oz. size comes with an extra tip)
- Through hole for easy tightening







STANLEY



Premium Aluminum Rafter Square (English)

- Extra-thick aircraft-grade aluminum maximizes durability and maintains accurate square
- Individually inspected for accuracy
- Embossed graduations are painted yellow for readability in most light conditions
- Markings include brace measures, octagon scale, board measures and rafter table
- Surface treated to resist corrosion

SKU #	TVDE	EINICH	LE	NGTH	GRA	DUATION	BOX	CTN	
3 NU #	ТҮРЕ	FINISH	BODY	TONGUE	FACE	BACK	QTY	QTY	UPC
45-011	English	Black	24" x 2"	16" x 1-1/2"	1/16", 1/8"	1/16", 1/10", 1/12"		3	076174450118



12" Steel Rafter Square (English)

- · High-quality hardened steel provides durability and long life
- Markings include Essex board measure, octagon scale, brace scale and rafter table
- Durable, embossed graduations and figures for easy reading
- Buffed finish with a clear lacquer that resists rust

SKU #	ТҮРЕ	FINISH	LE	NGTH	GRA	DUATION	BOX	CTN	UPC	
3KU #	ITFE	гіміэп	BODY	TONGUE	FACE	BACK	QTY	QTY	UPG	
45-910	English	Buffed	24" x 2"	16" x 1-1/2"	1/16", 1/8"	1/16", 1/10", 1/12"	_	6	076174459104	



Aluminum Carpenter's Square (English)

- High-quality aluminum for maximum durability
- Durable, embossed graduations and figures for easy reading
- Provides helpful reference conversion tables such as new lumber scale; decimal equivalent table; metric conversion table; formula for squaring a foundation, 45°, 60° and 30° angle markings; volume and area formulas; wood screw gauge table; nail sizes (common and finish); quantity per pound and depth scale
- Protective lacquered coating resists corrosion

SKU #	TVDE	EINICH	LE	NGTH	GRA	DUATION	BOX	CTN	UPC	
3KU #	ТҮРЕ	FINISH	BODY	TONGUE	FACE	BACK	QTY	QTY		
45-300	English	Buffed	24" x 2"	16" x 1-1/2"	1/8"	1/8"	-	6	076174453003	

Steel Carpenter's Squares (English)

- High-quality hardened steel for durability and long life
- Embossed graduations for easy reading on face and back
- Reverse reading scale allows for efficient measuring
- Treated with a clear, protective finish that resists rust

SKU #	ТҮРЕ	FINISH	LEN	GTH	GRAD	JATION	BOX CTN QTY QTY UPC		
3KU #	ITFE	гімізп	BODY	TONGUE	FACE	BACK			UFC
45-500	English	Buffed	24" x 2"	16" x 1-1/2"	1/8"	1/8"		6	076174455007
45-912	English	Buffed	12" x 1-1/2"	8" x 1"	1/16"	1/16"		6	076174459128



SQUARES

(B)

(A)

4' Folding Square

- Durable, lightweight aluminum construction folds for easy storage and transport
- 90-degree and 45-degree angles provides versatility for a range of job needs
- Unfolds to complete isosceles triangle to use in tiling floors and patios, cabinetry and general layout
- Hang hole makes storage a cinch

CKII #	SKU # FINISH	LENGTH		LENGTH		BOX	CARTON	UPC
3K0 #		FOLDED	Α	В	C	QTY	QTY	UFG
45-013	Buffed	4'	48"	48"	68"	—	6	076174450132

Premium Adjustable Quick Square[®] Layout Tool

- Heavy-duty aluminum construction for durability
- Black body with yellow graduations provides maximum readability in various light conditions
- Features Common, Jack and Hip, and Valley scales for various applications
- Multipurpose, adjustable design can be used as a saw guide, bevel or protractor
- Comes with an adjustable arm

SKU #	FINISH	BASE LE	NGTH	RULE I	ENGTH	RULER	BOX	CARTON	UPC
310 #		IN.	MM	IN.	ММ	GRADUATION	QTY	Ω ΤΥ	OF C
46-053	Black	10-3/4	273	6-3/4	171	1/8"	_	6	076174460537

Premium Quick Square® Layout Tool

- Durable aluminum construction
- Black body with yellow graduations provides maximum readability in various light conditions
- Multipurpose tool is ideal for use as a 0° to 90° protractor scale
- Works well as a saw guide

SKU # FINISH		BASE L	ENGTH	RULE LENGTH		RULER BO		CARTON	UPC
3KU #	гімізп	IN.	MM	IN.	ММ	GRADUATION	QTY	Ω ΤΥ	UFG
46-071	Black	10-1/4	260	6-7/8	175	1/8"	—	6	076174460711

Adjustable Quick Square® Layout Tools

- · Aluminum construction for durability
- Exclusive movable locking arm for fast, accurate and repeatable measurements
- Buffed finish with black graduations for easy readability
- Multipurpose design can be used as a power saw guide, protractor, rafter square or combination square

SKU #	FINISH	BASE	LENGTH	RULE L	ENGTH	RULER	BOX	CARTON	UDC
3KU #	гіміэп	IN.	ММ	IN.	ММ	GRADUATION	QTY	QTY	UPC
46-050	Buffed	10-3/4	273	6	152	1/8"	_	6	076174460506
46-052	Buffed	16-1/4	413	10	254	1/8"	—	4	076174460520







(C)



Quick Square® Layout Tool

- Aluminum construction for durability
- Multipurpose design can be used as a saw guide, for special angle measurements and cuts, or as a protractor

SKU #	FINISH	BASE LE	NGTH	RULE L	ENGTH	RULER	BOX	CARTON	UPC
		IN.	MM	IN.	ММ	GRADUATION	QTY	Ω ΤΥ	
46-067	Buffed	10-1/4	260	6-3/4	171	1/8"		3	076174460674



Quick Square® Pocket Square

- ABS plastic body holds up to heavy-duty use
- Versatile layout tool works as a rafter square, try square, protractor or power saw guide

SKU # FINISH		BASE LENGTH		RULE LENGTH		RULER	BOX	CARTON	UPC
3KU #	гімізп	IN.	ММ	IN.	ММ	GRADUATION	QTY	Ω ΤΥ	UFG
46-060	Yellow	10-1/4	260	6-7/8	175	1/8"	_	6	076174460605



8" Blade Plastic Try/Miter Square (English)

- Lightweight aluminum body with durable plastic handle
- Ideal for laying out 45° and 90° angles
- 8" blade with embossed 1/16" graduations

CVII #	BLADE				HANDLE LENGTH HANDLE WIDTH			BLADE	BOX	CTN	UPC	
SKU #	IN.	MM	IN.	MM	IN.	MM	IN.	MM	GRADUATION	QTY	QTY	UFG
46-502	8	203	1-1/2	38	5-1/8	130	1-5/8	41	1/16"	6	60	076174465020



Adjustable Combination Square

- Durably etched, stainless-steel blades are rust resistant and made to last
- 12" square has precision-machined working surfaces for accuracy
- Built-in scriber comes in handy for surface marking
- Easy-to-read vial
- · High-visibility yellow die-cast handle with brass hardware for durability

SKU #	ТҮРЕ	BLADE IN.	LENGTH MM	BLADE IN.	WIDTH MM	BLADE GRADUATION	BOX QTY	CARTON QTY	UPC
46-323	English	7	178	3/4	19	1/32", 1/16", 1/8"	—	6	076174463231
46-131	English	16	406	1	25	1/32", 1/16", 1/8"		3	076174461312

24



SQUARES

12" Combination Square

- Embossed hard-chrome blade is coated to resist rust
- Built-in scriber comes in handy for surface marking
- Easy-to-read vial
- Durable, black die-cast metal handle



SKU #		ТҮРЕ	BLADE LENGTH		BLADE WIDTH		BLADE	BOX	CARTON	UPC
	SKU #	ITFE	IN.	ММ	IN.	ММ	GRADUATION	QTY	QTY	UFC
4	6-222	English	12	305	1	25	1/32", 1/16", 1/8"		6	076174462227

12" Plastic Handle Combination Square

- Embossed hard-chrome blade is coated to resist rust
- Easy-to-read vial
- Lightweight, plastic handle



SKU # TYPE		BLADE	LENGTH	BLADE WIDTH		BLADE	BOX	CARTON	UPC
3K0 #	ITFE	IN.	ММ	IN.	ММ	GRADUATION	Ω ΤΥ	Ω ΤΥ	UFC
46-012	English	12	305	1	25	1/32", 1/16", 1/8"	_	6	076174460124

36" Straight Edge

- 36" long
- Strong yet lightweight aluminum construction



SKU # TYPE		BLADE LENGTH		BLADE WIDTH		BLADE	BOX CARTON		UPC
310 #	ITFE	IN.	ММ	IN.	MM	GRADUATION	Ω ΤΥ	QTY	UFG
35-338	English	36	914	1	25	1/16", 1/8"	_	10	076174353389

Magnetic Stud Finder

- Provides dependable detection of wall studs
- Magnet works by locating steel nails and screws used to hold drywall to studs
- Base of the stud finder is notched for convenient marking once studs are located



SKU #	LENGTH	WIDTH	HEIGHT	BOX QTY	CARTON QTY	UPC
47-400	1-3/8"	1-3/8"	1-1/4"	6	36	076174474008

ELECTRONIC TOOLS

Stanley's team of world-class engineers and industrial designers has developed a series of versatile electronic tools that deliver an unprecedented level of accuracy, reliability and long-term performance.

The lineup includes seven different stud sensors and an electronic measurer known as a distance estimator. These handheld, battery-powered devices feature state-of-the-art electronics and easy-read LCD screens.

Some of the stud sensors can detect wood studs through multiple wall thicknesses up to 1-1/2 inches. And most models can also locate live electrical wires buried behind walls and above ceilings. The top-of-the-line Pro Stud Sensor 500 even comes with a laser line built in and a separate laser line that can be mounted to the wall. Both lasers come with level vials to help project and level or plumb lines.

Stanley's IntelliMeasure[®] Distance Estimator allows one person to quickly and easily measure distances up to 40 feet at just the push of a button. The LCD screen displays the last 3 measurements for quick reference, and will automatically calculate square-foot area and cubic-foot volume.

Stanley's electronic tools are designed to withstand years of use in harsh and dusty environments.

STUD SENSORS

Pro Stud Sensor 500 and Laser Line Level

- Detects wood/metal studs through multiple wall thicknesses (1/2", 1", 1-1/2")
- · Continuous live wire detection
- LCD screen is backlit for visibility when detecting studs
- Versatile 2-laser set can be used separately or together to create horizontal and vertical laser cross lines
- Projects laser lines up to 20 feet onto a work surface
- Unique adhesive dots used to mount the laser module to most walls for hands-free operation (8 included)
- Required batteries 9 Volt and 2 AAA (not included)



SKU #	SCAN DEPTH	BATTERIES (NOT INCLUDED)	OVERALL LENGTH	BOX QTY	CARTON QTY	UPC
77-500	1/2", 1", 1-1/2"	1, 9 Volt & 2 AAA	12"	2	6	076174775006

FatMax[®] Stud Sensor 400

- OnePass[™] stud center detection
- Auto depth selection up to 1-1/2"
- Live wire track mode for precise location of live wire
- LCD screen with center-find OnePass[™] technology
- Audible indicators alert you when studs and wires are detected



SKU #	SCAN DEPTH	BATTERIES (NOT INCLUDED)	OVERALL LENGTH	BOX QTY	CARTON QTY	UPC
77-730	1/2", 1", 1-1/2"	1, 9 Volt	11.9"	2	6	076174777307

Stanley[®] Stud Sensor 200™

- OnePass[™] stud center detection
- Auto depth selection up to 3/4"
- Continuous live wire detection
- LCD screen with center-find OnePass[™] technology
- · Audible indicators alert you when studs and wires are detected



SKU #	SCAN DEPTH	BATTERIES (NOT INCLUDED)	OVERALL LENGTH	BOX QTY	CTN Qty	UPC
77-720	3/4"	1, 9 Volt	10"	2	6	076174770186

ELECTRONIC TOOLS



IntelliSensor® Pro Stud Sensor

- Reads multiple depths of both wood and metal (1/2", 1", 1-1/2") for outstanding versatility
- Multimode LED panel for accurate depth indication
- Continuous live wire detection
- New, quick-response ASIC technology for reliability
- Large LCD screen with graphics offers accurate visual detection
- Audible sound feature when locating studs
- High-impact ABS case built for strength and durability
- Soft-touch felt strips protect surfaces

SKU #	SCAN DEPTH	BATTERIES (NOT INCLUDED)	OVERALL LENGTH	BOX QTY	CARTON QTY	UPC
77-255	1/2", 1", 1-1/2"	1, 9 Volt	9.8"	2	8	076174772555



Stanley[®] Stud Sensor 150™

- Reads multiple depths (1/2", 1", 1-1/2") for versatility
- Provides audible sound when locating studs
- · High-visibility LED indicates precisely when stud edge is located
- Multimode panel for accurate depth indication
- Styling affords comfort during extended usage

SKU #	SCAN DEPTH	BATTERIES (NOT INCLUDED)	OVERALL LENGTH	BOX QTY	CARTON QTY	UPC
77-115	1/2", 1", 1-1/2"	1, 9 Volt	9.8"	4	16	076174771152



Stanley[®] Stud Sensor 100[™]

- Detects and locates studs and joists up to a 3/4" depth
- LED display and buzzer indicates stud edge
- Pencil notch for pinpoint marking
- AC detection
- · LED includes low battery warning
- High-impact, ergonomically designed ABS case includes pencil notch for pinpoint marking

SKU #	SCAN DEPTH	BATTERIES (NOT INCLUDED)	OVERALL LENGTH	BOX QTY	CARTON QTY	UPC
77-110	3/4"	1, 9 Volt	8.9"	6	36	076174771107



STUD SENSORS

Stanley[®] Stud Sensor 50[™]

- Detects wood/metal studs up to a 3/4" depth
- Visual indicators on face of stud sensor for easy readability
- LED display indicates stud edge



SKU #	SCAN DEPTH	BATTERIES (NOT INCLUDED)	OVERALL LENGTH	BOX QTY	CTN Qty	UPC
77-050	3/4"	1, 9 Volt	9"	6	36	076174770506

IntelliMeasure® Distance Estimator

- Allows one person to measure up to 40' without assistance
- Intuitively designed toggle button features three measuring modes: length, area and volume
- LCD displays last three measurements for quick reference
- Choose between English or Metric modes
- Accurate measurements (+/-0.5%) you can rely on
- Automatically calculates area and volume





SKU #	MEASURING DISTANCE	BATTERIES (NOT INCLUDED)	OVERALL LENGTH	BOX QTY	CARTON QTY	UPC
77-018	40'	1, 9 Volt	10"	2	8	076174770186

	STUD SCAN DEPTH	AUDIO INDICATOR	AC WARNING	LCD Screen	AC SCAN	METAL MODE	LIVE WIRE TRACKING MODE
Pro Stud Sensor 500 and Laser Line Level	1/2", 1", 1-1/2"	Y	Y	Y Backlit	Y	Ν	Ν
FatMax [®] Stud Sensor 400	1/2", 1", 1-1/2"	Y	Y	Y	Y	Ν	Y
Stanley [®] Stud Sensor 200™	3/4"	Y	Y	Y	Y	Ν	Ν
IntelliSensor® Pro Stud Sensor	1/2", 1", 1-1/2"	Y	Y	Y	Y	Ν	Ν
Stanley [®] Stud Sensor 150™	1/2", 1", 1-1/2"	Y	Y	Ν	Y	Ν	Ν
Stanley [®] Stud Sensor 100 [™]	3/4"	Y	Y	N	Y	Ν	Ν
Stanley [®] Stud Sensor 50 [™]	3/4"	Ν	Ν	Ν	Y	Ν	Ν
IntelliMeasure® Distance	MEASURING DISTANCE	AUDIO INDICATOR	AC WARNING	LCD SCREEN	AC Scan	METAL MODE	LIVE WIRE TRACKING MODE
Estimator	Max 40' at ± 0.5% Accuracy	Y	Ν	Y	Ν	Ν	Ν

KNIVES & BLADES

Stanley manufactured its first utility knife back in 1935, and it didn't take long for the world to take notice. Compact, rugged, comfortable to hold and armed with a razor-sharp blade, it quickly became an indispensable tool for a wide variety of tradesmen, fabricators and installers.

Look into virtually any toolbox, shop cabinet, workbench, tool belt or kitchen junk drawer and you'll likely find a Stanley utility knife. In fact, the tool's widespread acceptance has even received iconic status; in the United Kingdom, Australia and New Zealand, any utility knife is simply known as a Stanley knife.

It's worth noting as well that Stanley hasn't maintained its dominant market position for over 75 years by being complacent. The company has made a serious commitment to continuously redesign, refine and enhance its utility knives and blades. It now makes nearly 60 different sizes and styles of utility knives, including ones with retractable blades, fixed blades and snap-off blades. Stanley also offers several specialty knives and blades manufactured for specific tasks, such as cutting carpeting, roofing materials, acrylic sheets, plastic laminates, linoleum and even sod.

Some of the many features Stanley developed and first brought to market include its interlocking nose, which securely locks together the two knife halves for precise cutting, and an InstantChange[™] design that allows you to quickly change blades without using a screwdriver to open the knife. Other features found on Stanley knives include a non-slip, sure-grip thumb rest and an integrated string cutter.

Stanley's commitment to excellence and innovation extends to its offering of induction heat-treated blades that stay sharper up to 75 percent longer than standard single-material blades. In fact, Stanley blades have become so popular, its state-of-the-art manufacturing facilities must pump out 20,000 miles of blades each and every year to keep up with demand. And with the company's devotion to innovation, design and quality, the unprecedented success of the Stanley knife will undoubtedly continue for the next 75 years.

RETRACTABLE BLADE	32-34
FIXED BLADE	34-35
SPECIALTY	36
POCKET	36-37
SAFETY	38-39
НОВВҮ	39
SNAP-OFF	40-41
KNIFE & BLADE Selection guide	42
BLADES	43-47

STANLEY FatMax"



WARNING: KNIVES ARE INTENDED FOR CUTTING ONLY AND SHOULD BE HANDLED WITH CARE. BENDING BLADE CAN CAUSE IT TO BREAK, POSSIBLY RESULTING IN BODILY INJURY.

KNIVES



FatMax Xtreme® Twin Blade Knife

- 2 knives in 1 new twin blade design allows the user to alternate between 2 blades without carrying more than 1 knife
- InstantChange[™] feature allows the user to replace dull blades in seconds
- · Easy access blade storage holds up to 9 blades for fast and easy blade change
- · Interlocking blade sliders so that only 1 blade is extended at a time
- Rubber comfort grip minimizes fatigue and reduces slippage
- Knife includes 2 straight and 2 hook blades
- Total blade storage capacity 11 (9 storage + 2 in use)

LEN SKU #		GTH	BOX	CARTON	UPC
3KU #	IN.	ММ	QTY	QTY	UFC
10-789	6-7/8	175	6	24	076174107890

GEED Fart/Max

FatMax[®] Retractable Utility Knife

- · Blade wiper removes excess dirt and protects knife
- Blade clamp eliminates blade wobble, gives control
- Ergonomic design for ease of use
- Soft-touch panels/grips allow control, fewer slips
- Pop-up blade dispenser for easy access and fast changeover
- Supplied with FatMax[®] blades
- · Push-button blade change no tools needed

SKU #	LEN	GTH	BOX	CARTON	UPC
SKU #	IN.	ММ	QTY	QTY	
10-778	6-5/8	168	6	36	076174107784

InstantChange[™] Retractable Knife

- Strong, durable construction combines a cast-metal core with bi-material soft panels for a sure grip
- Blade changes with the push of a button no tools required
- Curved handle design for comfort, control and balance
- Swing-out blade storage for easy blade access
- Integrated string cutter and retractable slide
- · Large hang hole for pegboard storage
- Padded thumb rest

SKU #		GTH	BOX	CARTON	UPC
5KU #	IN.	ММ	QTY	QTY	UFC
10-788	6-5/8	168	6	36	076174107883



Dynagrip[®] Retractable Utility Knife

- Cushion grip surface for comfort, even in extreme temperatures
- Slip-resistant grip helps prevent slipping, even on angled surfaces
- Interlocking nose secures blade

SKU #	LENGTH		BOX	CARTON	UPC
310 #	IN.	ММ	QTY	QTY	
10-779	5-3/8	137	6	36	076174107791

RETRACTABLE

Quick Change Retractable Utility Knife

- Change blades quickly no screwdriver required
- Three-position retractable blade slide
- Swing-out blade storage magazine
- Integrated string cutter, even when blade is retracted

SKU #	LENGTH		BOX	CARTON	UPC
3KU #	IN.	ММ	QTY	QTY	
10-499	6-3/8	162	6	36	076174104998

Swivel-Lock[®] Retractable Utility Knife

- Large 7" (178mm) handle design is comfortable for extended use
- Swivels open for "no-tools" cleaning and blade changes
- Interlocking nose secures knife halves together
- Lightweight aluminum body



SKU #	LENGTH		BOX	CARTON	UPC
	IN.	ММ	QTY	QTY	ULC.
10-989	7	178	6	72	076174109894

Ergonomic All-Metal Retractable Utility Knife

- No tools required thumb screw stays attached to knife and allows for easy blade change
- Durable, simple and comfortable shape
- Narrow nose ideal for accurate cutting applications
- Blade storage in handle

SKU #	LENGTH		BOX	CARTON	UPC
3KU #	IN.	ММ	QTY	QTY	UFC
10-707	7.25	184	6	36	076174107074

All-Metal Retractable Utility Knives

- Interlocking nose to hold blade securely
- Three-position retractable blade
- · Contoured handle with diagonal ribs for a slip-resistant grip
- Blade storage in handle

SKU #	DESCRIPTION	LENGTH		BOX	CARTON	UPC
310 #		IN.	ММ	QTY	Ω ΤΥ	UP C
10-079	Standard	5-7/8	150	6	36	076174100792
10-179	High-Visibility	5-7/8	150	6	36	076174101799





4

KNIVES



Classic 99® Retractable Utility Knife

- Interlocking nose to hold blade securely
- Three-position retractable blade
- Blade storage in handle

SKU #	LENGTH		BOX	CARTON	UPC
	IN.	ММ	QTY	QTY	ULC.
10-099	6	152	6	36	076174100990



Homeowner's Retractable Utility Knife

- Lightweight, economical utility knife
- Three-position retractable blade
- Interlocking overlap nose secures blade between knife halves

SKU #	LENGTH		BOX	CARTON	UPC
3KU #	IN.	ММ	QTY	QTY	UFC
10-175	6-1/8	156	6	36	076174101751



Junior Classic Utility Knife

- All-metal, durable construction
- Blade storage
- Compact size

SKU #	LENGTH		BOX	CARTON	UPC
310 #	IN.	ММ	QTY	QTY	
10-016	5	127	8	48	076174100167

FatMax[®] Fixed Blade Utility Knife

- Ergonomic design for ease of use
- Soft-touch panels/grips allow control, fewer slips
- Blade clamp eliminates blade wobble, gives control
- · Pop-up blade dispenser for easy access and fast changeover
- Cartridge holds up to 5 blades
- Supplied with FatMax[®] blades
- Dual blade position in nose for versatility

SKU #	LENGTH		BOX	CARTON	UPC
	IN.	ММ	Ω ΤΥ	QTY	UFC
10-780	6-1/4	160	6	36	076174107807

CEED FatMax



STANLEY
FIXED BLADE

Swivel-Lock® Fixed Blade Knife

- 6" (152mm) handle length
- Handle swivels open for quick, easy blade change
- Interlocking nose design
- Comfortable, contoured handle
- Works with all Stanley[®] replacement utility blades

SKU #	LEN	GTH	BOX	CARTON	UPC
3 KU #	IN.	ММ	QTY	QTY	UP C
10-399	6	152	6	36	076174103991

Ergonomic All-Metal Fixed Blade Utility Knife

- No tools required thumb screw stays attached to knife and allows for easy blade change
- Durable, simple and comfortable shape
- Narrow nose ideal for accurate cutting applications
- Blade storage in handle

SKU #	LEN	GTH	BOX	CARTON	UPC
310 #	IN.	ММ	QTY	QTY	Urc
10-705	5.5	140	6	36	076174107050

Classic 199® Fixed Blade Utility Knife

- · Positive fixed blade retention for heavy-duty cutting
- Super-duty cast-metal textured handle designed for long, tough use
- Nose overlaps at top and bottom for strength
- Works with all Stanley® replacement utility blades
- The original utility knife

SKU #	LEN	GTH	BOX	CARTON	UPC
3KU #	IN.	ММ	QTY	QTY	UFC
10-209	5-3/8	137	6	36	076174102093

299® Fixed Blade Interlock® Utility Knife

- Interlocking nose
- · Contoured handle with slip-resistant grip
- Blade storage integrated into handle

SKU #	LEN	GTH	BOX	CARTON	UPC
SKO #	IN.	ММ	QTY	QTY	OF C
10-299	5-3/8	137	6	36	076174102994



STANLEY



KNIVES



Retractable Carpet Knife

- 6-1/2" handle length
- · Retractable blade for controlling depth of cut
- Angled handle design provides easy access to hard-to-reach places
- Blade storage capacity: 10 regular-duty .015" blades
- Works with regular- (10-525) and heavy-duty (11-530) carpet blades

1	SKU #	LEN	GTH	BOX	CARTON	UPC
	310 #	IN.	ММ	QTY	QTY	UFC
	10-525	6-1/2	158	6	36	076174105254

FatMax[®] Hook Knife · Cuts and trims floor covering, roofing material, sod and turf grass • Taper-ground cutlery steel blade

- Ergonomically designed slip-resistant grip
- · Handle structure designed for strength and durability

SKU #	LEN	GTH	BOX	CARTON	UPC
310 #	IN.	ММ	QTY	QTY	orc
10-510	5-1/2	140	6	36	076174105100



Linoleum Flooring Knife

- For cutting and trimming vinyl or linoleum floor covering, roofing and similar material
- Taper-ground cutlery steel blade permanently fastened to comfortable, hardwood handle

SKU #	LEN	GTH	BOX	CARTON	UPC
310 #	IN.	ММ	QTY	QTY	OF C
10-509	4-1/2	127	6	72	076174105094



SportUtility[™] Outdoorsman Knife

Alternate between two blades without carrying more than one knife

SKU #	LEN	GTH	BOX	CARTON	UPC
310 #	IN.	ММ	QTY	QTY	UFC
10-804	6-3/8	162	2	6	076174108040

Folding Fixed Blade Utility Knife

- One-handed open/close
 - Quick no-tools blade changing
 - Aluminum design is durable and lightweight
 - · Stainless-steel belt clip
 - Accepts standard utility and hook blades

SKU #	POINTS ON	LEN	GTH	BOX	CARTON	UPC
310 #	BLADE	IN.	ММ	QTY	QTY	UFC
10-855	5-3/4	146	5.75	4	16	076174108552



SPECIALTY & POCKET KNIVES

QuickSlide[™] Pocket Knife

- Durable all-metal, die-cast zinc construction
- Compatible with most standard utility and hook blades
- Quick no-tools blade changing
- Belt clip



SKU #	LEN	GTH	BOX	CARTON	UPC
310 #	IN.	ММ	QTY	QTY	UFG
10-810	5-3/4	146	6	36	076174108101

QuickSlide2 Knife

- Durable all-metal, die-cast zinc construction
- Compatible with most standard utility and hook blades
- Quick no-tools blade changing
- Belt clip

SKU #	LEN	GTH	BOX	CARTON	UPC
3K0 #	IN.	ММ	QTY	QTY	
10-812	4-1/4	108	4	24	076174108125

QuickSlide[™] Sport Utility Knife

- Great for multipurpose cutting, camping and outdoor activities
- 3"/75mm serrated sport blade
- Holds standard utility blades
- Quick no-tools blade changing

SKU #	LEN	GTH	BOX	CARTON	UPC
3K0 #	IN.	ММ	QTY	QTY	OF C
10-813	4-5/8	118	2	6	076174108132

Folding Pocket Knife

- Powder-coated, epoxy handle
- Blade lock
- Replaceable stainless-steel blade
- Blade folds into handle for storage

SKU #	LEN	GTH	BOX CARTON		UPC	
3KU #	IN.	ММ	QTY	QTY	UFC	
10-049	4-1/4	105	6	72	076174100495	

Metal Mitey-Knife® Pocket Knife

- Rugged metal body
- Same silhouette as Stanley[®] Interlock[®] knives
- Retractable blade with two cutting positions
- Two blades and handy keychain included

l	SKU #	LEN	IGTH	BOX	UPC		
	3K0 #	IN.	ММ	QTY	QTY	OF C	
	10-239	2-7/8	73	12	144	076174102390	





KNIVES

•

Self-Retracting Safety Utility Knife

- Spring-loaded blade retracts automatically when pressure on slide button is released
- Designed to be used for opening cartons
- Blade is only exposed when the knife is in use
- · Interlocking nose secures blade between knife halves
- Orange color for high visibility

SKU #	LEN	GTH	BOX	CARTON	UPC
3KU #	IN.	ММ	QTY	QTY	010
10-189C	5-7/8	150	6	36	076174101898



Metal Safety Knife

- Auto-retracting blade helps reduce the chance of lacerations and puncture wounds
- 3-sided slider button comfortable and easy to use from top, left or right side
- Easy blade change no tools needed
- Ergonomically designed for comfortable use
- Supplied with 3 safety blades

SKU #	LEN	GTH	BOX	CARTON	UPC
3K0 #	IN.	ММ	QTY	QTY	UP C
10-781 5-5/8		143	6	36	076174107814



Retractable Hood Safety Knife

- Auto-retracting blade helps reduce the chance of lacerations and puncture wounds
- 3-sided slider button comfortable and easy to use from top, left or right side
- Box tape splitter for convenience
- Ergonomically designed for comfortable use
- · Supplied with 1 safety blade

SKU #	LENGTH		BOX CARTON		UPC	
5KU #	IN.	ММ	QTY	QTY	OF C	
10-783	5-1/2	140	6	36	076174107838	



Folding Safety Knife

- · 2-sided slider button easy to use from left or right side
- Spring-loaded unfolds easily
- Compact size for portability
- Box tape splitter for convenience
- · Supplied with 1 safety blade

SKII #	LEN	GTH	BOX CARTON		UPC
SKU #	IN.	ММ	QTY	QTY	UFC
10-784	4	102	6	36	076174107845



SAFETY & HOBBY KNIVES

Utility Blade Safety Knife

- Spring-loaded auto-retracting blade helps reduce the chance of lacerations and puncture wounds
- Reversible for left- or right-handed use
- Easy blade change no tools needed
- Supplied with 1 blade



SKII #	LEN	LENGTH		CARTON	UPC	
SKU #	IN.	ММ	QTY	QTY	orc	
10-785	5	127	6	36	076174107852	

Hobby Knife

- Precision hobby knife available with a strong, yet lightweight aluminum body
- Great for home, office, studio or workshop
- Positive metal barrel blade locks
- Works with standard hobby and craft blades

SKU #	LEN	GTH	BOX	UPC	
3K0 #	IN.	ММ	QTY	QTY	UPC
10-401	5	127	5	50	076174104011

12 in 1 Multi-Tool

- Stainless-steel construction
- High-quality nylon holster



	SKU #	TOOLS INCLUDED	LENGTH		BOX	CARTON	UPC
			IN.	MM	ΟΤΥ	Ω ΤΥ	UFC
	84-519K	Long nose pliers Curve jaw pliers Wire cutter Saw Phillips® screwdriver Standard screwdrivers (1/4", 5/16", 1/8") Small knife Large knife Bottle opener File	6-1/2	165	3	12	076174845198

Phillips is a registered trademark of Phillips Screw Co.



KNIVES

-

FatMax Xtreme® Snap-Off Knife

- Die-cast all-metal construction stands up to the most extreme job site conditions
- Blade knob to lock blade in place for heavy-duty applications
- Diamond-shaped texturing provides a sure grip
- Textured die-cast finish for positive slip-resistant grip
- Stainless-steel 4-blade cartridge

SKU # SIZE		POINTS ON	LEN	LENGTH		CARTON	UPC
3K0 #	SIZE	BLADE	IN.	ММ	QTY	QTY	010
10-817	25mm	7	8-1/4	210	6	36	076174108170

FatMax[®] Snap-Off Knife

- Stainless-steel barrel is durable and rust resistant
- Comfortable bi-material slider with soft grip
- Removable blade snapper for removal of a worn segment
- · Thumb dial clamps down on blade to minimize blade movement for control
- Instant blade release functionality for quick blade changes

SKU #	SIZE	POINTS ON Blade	BLADE STORAGE CAPACITY	LEN IN.	GTH MM	BOX QTY	CARTON QTY	UPC
10-475	9mm	13	6	5-3/8	135	6	36	076174104752
10-481	18mm	8	6	7	179	6	36	076174104813
10-486	2 5mm	7	4	8-3/8	213	6	36	076174104868

FatMax[®] 18mm Snap-Off Knife

- Cast-aluminum body and stainless-steel blade channel for durability
- Slim-line design for ease of control, precision cutting and convenient storage
- Auto-locking blade slider
- Built-in blade snapper makes snapping off used segments convenient and easy
- · Pocket clip portable and easy to store

SKU #	SIZE	POINTS ON BLADE	LEN IN.	GTH MM	BOX QTY	CARTON QTY	UPC
10-421	18mm	8	6-1/4	160	6	36	076174104219





SNAP-OFF

DynaGrip[®] Snap-Off Knife

- 25mm/1" snap-off blades are durable and resist accidental snapping
- Thumb-dial blade release makes blade change easy
- Rubber DynaGrip[®] panels for secure, comfortable grip

SKU #	SI7F	SIZE POINTS ON		GTH	BOX	CARTON	UPC	
3KU #	312E	BLADE	IN.	ММ	QTY	QTY	ore	
10-425	25mm	7	7	180	6	72	076174104257	

Quick-Point[™] Knives

- Light-duty, retractable knife with Quick-Point[™] snap-off blades
- Blade sections snap off, providing fresh, sharp cutting points
- Removable blade snapper included in cap of knife
- Pocket clip included on 10-150, 9mm Quick-Point[™] Snap-Off Knife

	CI7E	POINTS ON	LEN	GTH	BOX	CARTON UPC	
SKU #	SIZE	BLADE	IN.	ММ	Ω ΤΥ	ΩΤΥ	UFG
10-150	9mm	13	5-1/8	130	6	72	076174101508
10-151	18mm	8	6-1/8	160	6	72	076174101515

Standard Snap-Off Knife

- Made with stainless-steel and high-impact polymer components
- Smooth slider mechanism features an audible "click" and is self-locking
- Blade sections snap off to provide fresh, sharp cutting points
- Removable blade snapper included in cap of knife
- Hang hole for storage or lanyard
- High-visibility spare blade holder

SKU #	SIZE	POINTS ON BLADE	LEN IN.	GTH MM	BOX QTY	CARTON QTY	UPC
10-280	18mm	8	6-3/4	179	6	36	076174102802

Retractable Pocket Cutter

- Light-duty, retractable cutter with Quick-Point[™] Snap-Off Blades
- Blade sections snap off, providing a fresh, sharp cutting point



STANLEY

SKU #	SIZE	POINTS ON	LEN	GTH	BOX	CARTON	UPC	
SKU #	UILL	BLADE	IN.	ММ	QTY	QTY		
10-143P	18mm	8	6	152	30	180	076174101430	





		FE/	ATUR	ES							BLA	DES						
KN	IFE AND BLADE SELECTION GUIDE					37		39	7									
						II 11-9	11-938	g 11-9	11-98		11-530	11-911	1-921	I-931				1-983
		ange	rage		11-700	Jrywa	aper	Soofin	nd Pnt	-525	y Dty '	g Dty 1	y Dty 1	Dty 11	-917	914	11-961	Hook 1
	KNIVES	Ouick Change	Blade Storage	Clamping	FatMax® 11-700	No. 1992 Drywall 11-937	No. 1991 Paper 11-938	No. 1996 Roofing 11-939	Carton, Rnd Pnt 11-987	Carpet 11-525	Carpet Hvy Dty 11-530	1991®, Reg Dty 11-911	1992®, Hvy Dty 11-921	Extra Hvy Dty 11-931	Safety 11-917	Safety 11-914	Sm Hook 11-961	1996™ Lg Hook 11-983
		Qu	Bla	Cla	Fat	No.	No.	No.	Car	Car	Car	199	199	Ext	Saf	Saf	Sm	199
	FatMax Xtreme® 10-789	х	х		х	х	х	х	х			х	х	х			х	х
	FatMax® Retractable 10-778	х	х	х	х	х	х	х	х			х	х	х			х	х
	InstantChange™ 10-788 Dynagrip® 10-779	x	X		x	X	X	x	x			X	X	x			X	x
	Quick Change 10-499		X			X	X		X			X	X				X	x
RETRACTABLE	Swivel-Lock® 10-989	x x	x x			x x	x x		x x			x x	x x				x x	x x
ACT	Ergonomic All-Metal Retractable Utility Knife 10-707	x	x			x	x		x			x	x				x	^ X
RETI	Retractable Utility 10-079	~	x			x	x		x			x	x				x	x
-	High Visibility 10-179		x			x	x		x			x	x				x	x
	Classic 99 [®] 10-099		x			x	x		x			x	x				x	x
	Homeowner's 10-175		х			х	х		x			х	x				х	x
	Junior Classic Utility Knife 10-016		х			х	х		х			х	х				х	x
	FatMax [®] Fixed Blade Utility Knife 10-780	х	х	х	х	х	х	х	х			х	х	х			х	х
ADE	Swivel-Lock® 10-399	х	х			х	х	х	х			х	х	х			х	х
FIXED BLADE	Ergonomic All-Metal Fixed Blade Utility Knife 10-705	х	х			х	х	х	х			х	х	х			х	х
FIXE	Classic 199® 10-209		х			х	х	х	х			х	х	х			х	х
	299® Fixed Blade Interlock 10-299		х			х	х	х	х			х	х	х			х	х
~	Retractable Carpet Knife 10-525	х	х	х						х	х							
SPECIALTY	FatMax® Hook 10-510																	
SPEC	Linoleum Flooring Knife 10-509																	
: :	Sport Utility™ Outdoorsman™ 10-804	х				х	х		х			х	х				х	х
FETY	Self-Retracting Safety 10-189C		х			х	х		х			х	х	х		х	х	х
SA	Folding Safety Knife 10-784														х			
Ъ.	Folding Fixed Blade Utility Knife 10-855	х				х	х		х			х	х				х	х
CRAF	QuickSlide™ 10-810	х				x	х		х			х	х				х	х
BBV/	QuickSlide2 Knife 10-812	X										X	X					
Г/НО	QuickSlide™ Sport Utility Knife 10-813 Folding Pocket Knife 10-049	x		_		Х	х			11	040.9	X	X				Х	x
POCKET/HOBBY/CRAFT	Metal Mitey-Knife® 10-239		х	11-040 & 11-041 11-031														
Ğ,	No. 1 Hobby Knife Light Duty 10-401		^															
: :	FatMax Xtreme [®] Snap-Off Knife 10-817		x	11-411 x 11-325, 11-725, 11-625, H Series							—							
-	FatMax® Snap-Off Knife 9mm 10-475		x	x							-300, /							-
	FatMax® Snap-Off Knife 18mm 10-481		х	х					11-3		-718,			eries				
-	FatMax® Snap-Off Knife 25mm 10-486		х	х							725, 1							
-OFF	FatMax [®] 18mm Snap-Off Knife 10-421		11-301, 11-718, 11-618, L Series															
SNAP-OFF	25mm Dynagrip® 10-425		11-325, 11-725, 11-625, H Series															
S -	18mm Quick-Point [™] 10-151		11-301, 11-718, 11-618, L Series															
	9mm Quick-Point™ 10-150									11-	-300, /	A Ser	ies					
	18mm Standard Snap-Off 10-280								11-3	01, 11	-718,	11-61	B, L Se	eries				
	18mm Quick-Point™ Cutter 10-143P								11-3	01, 11	-718,	11-61	8, L S	eries				

FatMax[®] Blades

- Induction-hardened edge offers 75% longer-lasting* blade life
- 20% stronger* blade is heat treated for flexibility
- Blade edge remains 35% sharper*

*Based on average values compared with Stanley® 1992® blades

FatMax	
and the second second second	

	SKU #	NUMBER OF	LEN	GTH	THICKNESS	BOX	CARTON	UPC
		BLADES	IN.	ММ		QTY	QTY	UFG
	11-700	3	2-7/16	62	.024	10	100	076174117004
•	11-700A	100	2-7/16	62	.024	6	36	076174760590
	11-700L	50	2-7/16	62	.024	6	36	076174760583
	11-700T	10	2-7/16	62	.024	10	100	76174760576

Drywall Utility Blades

- Edge is engineered to easily cut abrasive drywall material
- S3 technology double hardens the blade edge for increased* cutting life
- 100% longer life on average compared to Stanley® 11-921 Heavy-Duty Blade, resulting in far fewer blade changes
- Cuts and scores drywall, ceiling tile, wallboard and similar materials
- "DRYWALL" call-out is laser etched on blade to help prevent mixing with standard blades



*Based on average values compared with Stanley® 1992® blades

	CVII #	NUMBER OF	LEN	GTH	THICKNESS	BOX	CARTON	UPC
1	SKU #	BLADES	IN.	ММ	THICKNESS	ΩΤΥ	ΩΤΥ	UFG
	11-937	3	2-7/16	62	.024	10	100	076174119374
	11-937L	50	2-7/16	62	.024	6	24	076174783513

Paper Blade

- Edge is engineered for precision cuts on wall coverings, borders, paperboard and other light sheet materials
- 50% sharper compared to Stanley's 11-911 Regular-Duty Blade
- "PAPER" call-out is laser etched on blade to help prevent mixing with standard blades



SKU #	NUMBER OF BLADES	LEN IN.	GTH MM	THICKNESS	THICKNESS BOX CARTON QTY QTY		UPC
11-938W	3	2-7/16	62	.024	5	25	076174119381

1991[®] Extra Heavy-Duty Utility Blades

- Cuts thick, dense sheet materials
- Designed for use in fixed blade knives only

	SKU #	NUMBER OF	LEN	GTH	THICKNESS	BOX	CARTON	UPC
		BLADES	IN.	ММ	I HICKNESS	ΩΤΥ	QTY	UPC
	11-931	5	2-7/16	62	.035	10	200	076174004939
	11-931A	100	2-7/16	62	.035	1	10	076174119312



1992[®] Heavy-Duty Utility Blades

- Engineered for general-purpose cutting
- Precision-honed edge for consistent and long cutting life
- Fits most standard utility knives

SKU #	NUMBER OF	LEN	GTH	THICKNESS	BOX	CARTON	UPC
3KU #	BLADES	IN.	ММ	THICKNESS	Ω ΤΥ	Ω ΤΥ	UFG
11-921	5	2-7/16	62	.024	10	200	076174119213
11-921A	100	2-7/16	62	.024	4	24	076174119923
11-921B	400	2-7/16	62	.024	1	10	076174114928
11-921G		2-7/16	62	.024	10	60	076174119213
11-921L	50	2-7/16	62	.024	6	24	076174729078
11-921T	10 w/ disp	2-7/16	62	.024	10	100	076174005783
11-921W	10	2-7/16	62	.024	7	42	076174795905



Round-Point Utility Blade

- Rounded edge helps reduce risk of accidental cuts
- Helps prevent damage to carton contents when opening boxes
- Fits most standard utility knives

SKU #	NUMBER OF BLADES	LEN IN.	GTH MM	THICKNESS	BOX QTY	CARTON QTY	UPC
11-987	5	1-7/8	48	.024	10	200	076174119879



1991[®] Regular-Duty Utility Blade

- · Regular-duty utility blade for light sheet materials, paper and cardboard
- Fits most standard utility knives

SKU #	NUMBER OF		LENGTH		BOX	CARTON	UPC
	BLADES	IN.	MM		QTY	QTY	
11-911	5	2	51	.017	10	200	076174119114



Safety Blades

• Edge helps reduce risk of accidental cuts

SKU #	DESCRIPTION	NUMBER OF BLADES	BOX QTY	CARTON QTY	UPC
11-917	For use in 10-784 safety knives	3	20	100	076174119176
11-914	For use in 10-781 and 10-782 safety knives	5	20	100	076174119145





Roofing Utility Blades

- Edge is engineered to withstand the rigors of cutting today's heavy and thick roofing materials
- 75% stronger than Stanley's 11-983 Hook Blade, resulting in fewer blade changes
- Cuts roofing shingles, felt paper, Tyvek®, foam board, insulation, shingles and other building materials
- Designed for use in fixed blade knives only
- "ROOF" call-out is laser etched on blade to help prevent accidental mixing with standard blades



SKU #	NUMBER OF BLADES	LEN IN.	GTH MM	THICKNESS	BOX QTY	CARTON QTY	UPC
11-939	5	1-7/8	48	.031	10	100	076174119398

Regular Hook Blades

- Edge protection blade for cutting and trimming roofing materials, linoleum, carpet, fabric, cartons and sheet materials
- Blade shape helps prevent damage to whatever is beneath material being cut
- Fits most standard utility knives



син #	NUMBER OF	LENGTH		THICKNEES	BOX	CARTON	LIDO	
SKU #	BLADES	IN.	ММ	THICKNESS	Ω ΤΥ	ΩΤΥ	UPC	
11-961	5	2-1/16	53	.024	10	200	076174119619	
11-961A	100	2-1/16	53	.024	6	24	076174119961	

1996[™] Large Hook Blades

- Similar to 11-961, but with deeper hook for cutting thicker materials
- Fits most standard utility knives



SKU #	NUMBER OF	LENGTH		THICKNESS	BOX	CARTON	UPC	
3KU #	BLADES	IN.	ММ	THICKNESS	QTY	ΩΤΥ	UPG	
11-983	5	1-7/8	48	.024	10	200	076174119831	
11-983L	50	1-7/8	48	.024	4	24	076174783506	

Tyvek is a registered trademark of E. I. du Pont de Nemours and Company or its affiliates.



FatMax[®] Snap-Off Blades

- 75% longer life*
- 35% sharper*
- 20% stronger*

*Than traditional Stanley Snap-Off Blades

	SKU #	SIZE	NUMBER	POINTS ON	LEN	GTH	THICKNESS	BOX	CARTON	UPC
1	3KU #	312E	OF BLADES	BLADE	IN.	ММ	THICKINESS	QTY	QTY	UFG
	11-718	18mm	5	8	4-1/4	108	.020	10	50	076174117189
	11-718L	18mm	50	8	4-1/4	108	.020	4	24	076174760606
	11-718T	18mm	10	8	4-1/4	108	.020	10	50	076174760545
	11-725	25mm	5	7	5-1/2	140	.027	6	36	076174117257
	11-725L	25mm	50	7	5-1/2	140	.027	2	24	076174760613
	11-725T	25mm	10	7	5-1/2	140	.027	4	48	076174760552

Super Heavy-Duty Quick-Point[™] Blades

- Replacement blade for the Stanley® 1" Snap-Off Knife (10-425)
- Fits most 25mm snap-off blade knives

SKU #	SIZE	NUMBER	POINTS	LEN	GTH	THICKNESS	BOX	CARTON		
310#	SIZE	OF BLADES	ON BLADE	IN.	ММ	THICKNESS	QTY	QTY	UPC	
11-325	25mm	5	7	5-1/2	140	.027	6	36	076174760385	
11-325T	25mm	10	7	5-1/2	140	.027	4	48	076174113259	

Quick-Point[™] Blades

- Replacement blade with 8 cutting points
- Fits Stanley[®] 10-218, 10-480, 10-380, 10-280, 10-220, 10-481 and 10-151 Snap-Off Blade Knives and most other 18mm snap-off blade knives

SKU #	SIZE	NUMBER	UMBER POINTS		GTH	THICKNESS	BOX	CARTON	UPC
3KU #		OF BLADES	ON BLADE	IN.	ММ	THICKNESS	QTY	QTY	UFG
11-301	18mm	3	8	4-1/4	108	.020	10	50	076174113013
11-301K	18mm		8	4-1/4	108	.020	12	48	076174113013
11-301L	18mm	50	8	4-1/4	108	.020	4	24	076174799231
11-301T	18mm	10	8	4-1/4	108	.020	10	100	076174799248

Snap-Off Hook Blades

- 4 cutting points per blade
- Each snap-off hook blade is equivalent to 2 regular hook blades
- Ideal for cutting asphalt shingles, roofing felt, tar paper

SKU #	SIZE	NUMBER	POINTS	LEN	GTH	THICKNESS	BOX	CARTON	UPC
3KU #	SIZE	OF BLADES	ON BLADE	IN.	ММ	THICKNESS	QTY	QTY	UFC
11-618	18 mm	5	4	4-1/8	105	.065	10	50	076174116182
11-618L	18mm	20	4	4-1/8	105	.065	5	25	076174760620
11-618T	18mm	10	4	4-1/8	105	.065	10	50	076174760521
11-625	25mm	5	4	5-1/4	132	.065	6	36	076174116250
11-625L	2 5mm	20	4	5-1/4	132	.065	2	24	076174760637
11-625T	25mm	10	4	5-1/4	132	.065	4	48	076174760538



Mitey-Knife® Blade

- High carbon steel blade
- Fits Stanley® 10-039, 10-139 and 10-239 Mitey-Knife® products

	SKU #	NUMBER OF	LEN	GTH	THICKNESS	BOX	CARTON	UPC	
1	310 #	BLADES	IN.	ММ	THICKNESS	Ω ΤΥ	ΩΤΥ	UFG	
	11-031	3	1-1/8	29	.017	10	60	076174110319	

Sheepfoot Replacement Blade

- · Sheepfoot-style blade made of cutlery stainless-steel
- · For heavy cutting and carving

SKU #	FITS	NUMBER OF	LEN	GTH	THICKNESS	BOX	CARTON	UPC	
		BLADES	IN.	ММ		QTY	QTY		
11-040	10-049 Utility Knife	1	2-9/16	65	.040	10	60	076174110401	

Utility Replacement Blade

- Utility blade made from cutlery stainless-steel
- Designed to perform most any cutting job well

SKU #	FITS	NUMBER LENGTH		THICKNESS	BOX	CARTON	UPC	
310 #	FIIS	OF BLADES	IN.	ММ	THICKNESS	QTY	Ω ΤΥ	UFC
11-041	10-049 Utility Knife	1	2-9/16	65	.040	10	100	076174110418

Carpet Knife Blades

- High carbon steel blade with double cutting edge
- Fits Stanley[®] and most other carpet knives
- Five blades per card

SKU #	DESCRIPTION	NUMBER	LEN	GTH	THICKNESS	BOX	CARTON	UPC
3KU #	DESGNIFTION	OF BLADES	IN.	MM	THICKNESS	QTY	QTY	UFG
11-525	Standard Carpet Blade	5	2-1/4	55	.015	10	100	076174115253
11-530	Heavy-Duty Carpet Blade	100	2-1/4	55	.017	100	1000	076174115307

Single-Edge Razor Blades

- Steel-backed high carbon steel blade fits most standard razor blade tools
- Replacement blades for Stanley[®] 28-100 and 28-500 scrapers

1	
	6

SKU #	NUMBER OF BLADES	LEN IN.	GTH MM	THICKNESS	BOX QTY	CARTON QTY	UPC
28-510	10	1-1/2	38	.009	10	100	076174285109







Stanley has been at the forefront of promoting the use of portable hand saws. Today, the company offers nearly 60 different types and sizes of hand saws for cutting almost everything from woods studs, gypsum wallboard and metal rods to plastic pipe, hardwood flooring and tree limbs.

While some of today's tool manufacturers have greatly reduced the number of hand saws they make-some even eliminating them altogether - Stanley continues to push forward, constantly developing new and long-lasting saws. This determination has created a large and incredibly loyal customer base and made Stanley one of the largest hand saw manufacturers in the world.

The Stanley hand saw line includes carpenter's hand saws and panel saws, backsaws and compass saws, and Japanese-style pull saws. If you've got something to cut, chances are there's a Stanley handsaw that can cut it.

Some of the many noteworthy enhancements available on a Stanley handsaw include: precision-ground, razor-sharp teeth; thick, rigid blades that cut straighter with less binding; induction-hardened teeth that stay sharper 5 times longer than standard teeth; over-molded rubber hand grips; and BladeArmor[™], a durable composite blade coating that provides 2 times more rust resistance, six times more abrasion protection and 50 percent less friction than standard lacquered blades.

Stanley also developed the revolutionary InstantChange[™] feature, which allows you to quickly and easily remove the saw blade from the handle and replace it with any one of 7 different blades. With this versatile saw, you can go from trimming roof rafters one minute to removing tree limbs the next.

The engineers at Stanley have even found a way to improve the performance of even the most modest of hand saws. With more than a dozen models available, Stanley is the go-to source when you need to cut metal. It makes standard, flat-frame hacksaws, as well as high-tension tubular frame saws and low-profile hacksaws for cutting in cramped guarters. Stanley also makes the famous and very popular Mini-Hack[™] Utility Saw, which is indispensable for cutting in tight spaces and narrow crevices.

Finally, to complement its diverse line of handsaws, Stanley offers a collection of portable miter boxes, which provide a guick, accurate way to make square cross cuts and angled miter cuts.

PANEL SAWS	50-52
UTILITY SAWS	52
SPECIALTY SAWS	53-54
COPING SAWS & BLADES	54
JAB/DRYWALL SAWS	55
HACKSAWS & BLADES	56-60
BOW SAWS & BLADES	60-61
SAW SETS	61-62
BACK SAWS	62
MITER BOXES	63

Max XINEM

STANLEY

unununununun





FatMax Xtreme® Hand Saw System

- InstantChange[™] feature makes for easy blade changes in a matter of seconds
- Interchangeable saw/blade system allows the user to alternate use between 7 different blades, depending on the application
- Double-locking mechanism provides a secure blade before, during and after use
- Tri-material handle features aluminum construction for durability and soft grip for user comfort

SKU #	DESCRIPTION						UPC		
20-235	System includes: Handle, 20-239 and 20-240 blades						076174202359		
20-104	Saw Handle						076174201048		
BLADES									
SKU #	DESCRIPTION	BLADE LENGTH	POINTS PER IN.	TEETH PER IN.	BOX QTY	CARTON QTY	UPC		
20-237	Aggressive cut blade with BladeArmor™ coating	15	9	8	4	16	076174202373		
20-238	Aggressive cut blade with BladeArmor™ coating	20	9	8	4	16	076174202380		
20-239	Fine finish blade with lacquer coating	15	12	11	4	16	076174202397		
20-240	Aggressive cut blade with lacquer coating	15	9	8	4	16	076174202403		
20-241	Fine finish blade with lacquer coating	20	12	11	4	16	076174202410		
20-242	Fine finish backsaw blade with lacquer coating	14	12	11	4	16	076174202427		
20-243	Aggressive pruning saw blade with lacquer coating	15	8	7	4	16	076174202434		

FatMax[®] Saws with BladeArmor[™] Coating



- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] hand saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- Thick, ergonomically designed tri-material handle resists slipping and adds comfort

SKU #	BLADE LENGTH		POINTS	TEETH	BOX	CARTON	UPC
	IN.	ММ	PER IN.	PER IN.	ΩΤΥ	QTY	UPG
20-046	15	381	9	8	—	4	076174200461
20-047	20	508	9	8	_	4	076174200478

FatMax[®] Saw

- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] Hand Saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- Thick, ergonomically designed grip resists slipping and adds comfort
- Back of saw can be used to mark 45° and 90° angles







PANEL SAWS

Finish Cut SharpTooth[™] Saws

- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] Hand Saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- Ergonomically designed one-piece handle



SKU #	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
3KU #	IN.	ММ	PER IN.	PER IN.	ΩΤΥ	QTY	UFG
20-526	15	381	12	11		4	076174205268
20-527	20	508	12	11	_	4	076174205275

Heavy-Duty SharpTooth[™] Saw

- Aggressive multipurpose saw for fast cutting
- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] Hand Saws
- Induction-hardened teeth stay sharp up to 5 times longer than standard teeth
- Hardwood handle provides comfort and control

SKU #	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UDC
3KU #	IN.	ММ	PER IN.	PER IN.	ΟΤΥ	ΟΤΥ	UPC
15-085	15	381	9	8	_	4	076174150858
15-087	20	508	9	8	—	2	076174150872

Finish Cut SharpTooth[™] Saw

- Multipurpose saw for a high-quality finish
- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] Hand Saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- · Hardwood handle provides comfort and control

SKU #	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
SK0 #	IN.	MM	PER IN.	PER IN.	ΩΤΥ	QTY	OFC
20-065	26	660	12	11	—	2	076174200652

SharpTooth[™] Saws

- Aggressive three-sided tooth design cuts 50% faster than conventional hand saws
- Teeth can be resharpened
- · Select hardwood handle provides comfort and control
- Back of saw can be used to mark 45° and 90° angles

CVII #	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
SKU #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFG
15-334	15	381	9	8	—	4	076174153347
15-335	20	508	9	8		4	076174153354



terre i

STANLEY



SharpTooth[™] Tool Box Saw

- · Fast cuts on push and pull strokes
- Precision-ground, razor-sharp teeth
- Molded plastic handle provides comfortable grip
- Back of saw can be used to mark 45° and 90° angles

2	SKU #	BLADE	BLADE LENGTH		TEETH	BOX	CARTON	UPC
1	380 #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFC
	15-579	15	381	9	8		4	076174155792

General Purpose SharpTooth[™] Saws

- · Aggressive multipurpose saw with induction-hardened teeth
- Fast cuts on push and pull strokes
- · Contoured sturdy handle designed for comfort and control
- Handle offers a square/miter feature with 45° and 90° angles

SKU #	BLADE	BLADE LENGTH		TEETH	BOX	CARTON	UPC
3KU #	IN.	ММ	PER IN.	PER IN.	QTY	ΩΤΥ	UFG
20-028L	15	381	9	8	—	4	076174200287
20-029L	20	508	9	8		4	076174200294
15-775	20	508	9	8		6	076174157758
15-726	26	660	8	7		6	076174157260



Loss I

Tool Box Saw

- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley® hand saws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- Sturdy handle designed for comfort and control

	BLADE	BLADE LENGTH		TEETH	BOX	CARTON	UPC
SKU #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFG
20-222	15	381	9	8	_	4	076174202229

Fine Finish SharpTooth[™] Utility Saw

- Multipurpose saw for a high-quality finish
- 10" blade is ideal for access in tight spaces
- Aggressive 3-sided tooth design cuts wood 50% faster than conventional handsaws
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth
- · Hardwood handle is contoured to fit the hand comfortably

SKII #	BLADE	BLADE LENGTH		TEETH	BOX	CARTON	UPC
SKU #	IN.	ММ	PER IN.	PER IN.	ΩΤΥ	QTY	UFC
20-221	10	254	12	11	_	6	076174202212



SPECIALTY saws

FatMax[®] Compass Saw

- Heat-treated, triple-ground teeth for excellent cutting performance
- · Heavy-duty screws for secure blade-to-handle assembly
- Solid, one-piece bi-material handle delivers durability and comfort

SKU #	BLADE LENGTH		POINTS	TEETH	BOX	CARTON	UPC
	IN.	ММ	PER IN.	PER IN.	QTY	QTY	
17-205	12	305	12	11	4	24	076174172058

FatMax® Pull Saws

- Flexible blade for flush and finish cuts
- Quick-change blade to handle assembly
- Thin blade for cutting accuracy and clean finish
- Ergonomically designed cushion grip handle for comfort



FatMax[®] Mini Flush Cut Pull Saw

- Flexible blade for flush cutting plugs and dowels
- · 23-point tooth geometry cuts quickly and cleanly on the pull stroke
- Designed for trimming through tenon or lap joints
- Double-sided blade for convenient cutting from the left or the right
- Ergonomically designed cushion grip handle for comfort

SKU #	BLADE LENGTH		BLADE LENGTH POINTS TEETH		BOX	CARTON	UPC	
310 #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	OFC	
20-331	4-3/4	121	23	22	6	36	076174203318	

FatMax[®] Reversible Flush Cut Saw

- Designed for precise cutting including dovetails, small joints and cutoff
- Spring-loaded pin allows blade to reverse quickly for left or right cutting
- Reversible handle provides access in close quarters
- Extra-wide blade (3") for fine woodworking
- Steel back prevents bowing for true straight cuts
- Ergonomically designed cushion grip handle for comfort

SKI	J #	BLADE LENGTH IN. MM		POINTS PER IN.	TEETH PER IN.	BOX QTY	CARTON QTY	UPC
15-2	52K	10	254	15	14	—	8	076174152524











FatMax[®] Finish Cut Flooring Saw

- Used specifically for laminated flooring, floorboards and tongue-andgroove products
- Premium S2 steel blade provides great strength for a long life
- · Heavy-duty screws for secure blade-to-handle assembly
- Solid, one-piece bi-material handle delivers durability and comfort

SKU #	BLADE	BLADE LENGTH		TEETH	BOX	CARTON	UPC
310 #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFC
17-204	12	305	14	13	4	24	076174172041



FatMax[®] PVC Saw

- Unique tooth form reduces burring for excellent cutting performance
- Premium S2 steel blade provides great strength for a long life
- Heavy-duty screws for secure blade-to-handle assembly
- Solid, one-piece bi-material handle delivers durability and comfort

CVII #	BLADE	BLADE LENGTH		TEETH	BOX	CARTON	UPC
SKU #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFG
17-206	12	305	14	13	4	24	076174172065



FatMax[®] Coping Saws

- Hardened, tempered blade provides clean, controlled cutting action
- Ergonomically designed cushion grip handle for comfort

син и	BLADE	BLADE LENGTH		POINTS	TEETH	BOX	CARTON	UPC
SKU #	IN.	ММ	DEPTH	PER IN.	PER IN.	QTY	QTY	UFG
15-104	6-3/8	162	4-3/4	16	15	6	6	076174151046
15-106	6-3/8	162	6-3/4	16	15	6	6	076174151060
15-106A (Carded with 3 blades)	6-3/8	162	6-3/4	16	15	6	6	076174151061

Coping Saw Blades

• Strong, flexible and long lasting

SKU #	NUMBER OF	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
3KU #	BLADES	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFG
15-058	4	6-1/2	165	11	10	10	50	076174150582
15-059	4	6-1/2	165	21	20	10	50	076174150599
15-061	4	6-1/2	165	16	15	10	50	076174150612



JAB & DRYWALL saws

FatMax[®] Jab Saw

- SharpTooth[™] Saw Technology cuts on push and pull strokes and is up to 50% faster than traditional tooth designs
- Sharpened tip punches through drywall with ease
- Hardened, tempered blade for cutting life
- Excellent for wood, plastic and drywall
- Slip-resistant handle is designed for strength and durability

SKU #	BLADE	BLADE LENGTH		TEETH	BOX	CARTON	UPC
3KU #	IN.	ММ	PER IN.	PER IN.	ΩΤΥ	ΩΤΥ	UFG
20-556	6	152	9	8	6	36	076174205565

Cushion Grip Jab Saw

- Fully hardened, tempered blade is designed for long cutting life
- Sharp tip makes plunge cuts easy
- Teeth are engineered to cut fast and prevent clogging
- Ergonomically designed curved handle is cushioned for comfort

SKU #	BLADE LENGTH		POINTS	TEETH	BOX	CARTON	UPC
	IN.	ММ	PER IN.	PER IN.	QTY	Ω ΤΥ	010
15-556	6	152	9	8	6	36	076174155563

Wood Handle Jab Saw

- Designed especially for making cuts in plasterboard
- Self-starting point sharpened for plunge cuts
- Blade is epoxy-bonded and ferruled to the handle for a connection that is three times as durable as non epoxy bonded blades

SKU #	BLADE	BLADE LENGTH		TEETH	BOX	CARTON	UPC
3KU #	IN.	ММ	PER IN.	PER IN.	Ω ΤΥ	Ω ΤΥ	UFG
15-206	6	152	9	8		6	076174152067

SharpTooth[™] Drywall Saw

- SharpTooth[™] Saw Technology uses three cutting surfaces to cut 50% faster than conventional Stanley[®] Hand Saws
- Induction-hardened teeth hold up against abrasive drywall materials
- Hardwood handle for durability and comfort



STANLEY

e	ZII #	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
3	SKU #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFG
15	-025	15	381	9	8	—	2	076174150254









FatMax[®] High-Tension Hacksaw

- Durable, one-piece body is designed for ultra-high tension of 32,000 psi
- Pre-tensioning mechanism holds blade in place for quick and easy blade changes
- Thumb-dial adjustable tension mechanism allows for tension memory
- Large cutting capacity up to 4-3/4" throat depth for extra-deep cutting
- Power load sliding tension delivers leverage when increasing tension and control when releasing blade
- · Contoured handle and front thumb grip are ergonomically designed for control
- Blade can be positioned at 45° or 90° cutting angle

SKU #	DEPTH OI	DEPTH OF THROAT		BLADE LENGTH		CARTON	UDC
	IN.	ММ	IN.	ММ	ΩΤΥ	ΟΤΥ	UPC
20-531	4-3/4	121	12	305	2	4	076174205312



High-Tension Hacksaw

- Single-action blade tensioning device is easy to use, retains tension memory and can be adjusted to apply varying tension to the blade
- Quick-release lever allows for fast blade changes
- Rigid metal internal beam construction for stability and strength
- Molded bi-material, impact-resistant composite frame absorbs shock
- Ergonomically designed contoured handle and front thumb grip to give precise control
- 45° and 90° cutting angles for flexibility of cutting needs

SKU #	DEPTH O	DEPTH OF THROAT		BLADE LENGTH		CARTON	UPC
	IN.	ММ	IN.	ММ	ΩΤΥ	QTY	UFG
20-115	5	114	12	305		2	076174201154

High-Tension Hacksaw

- Rugged design for heavy-duty use
- Fully adjustable tension holds blade up to 32,000 psi delivers fast, accurate cuts and long blade life
- Blade storage is integrated into frame
- Quick-release, blade-changing mechanism in handle maintains tension setting
- Blade can be positioned at 45° or 90° cutting angle

SKU #	DEPTH OF THROAT		BLADE LENGTH		BOX	CARTON	UPC
	IN.	ММ	IN.	ММ	ΟΤΥ	ΟΤΥ	UFG
15-113	3-7/8	98	12	305	2	12	076174151138

High-Tension Hacksaw and Metal Mini-Hack[™] Utility Saw

- Pack includes 2 hacksaws that are ideal for cutting metal and plastic
- Rugged design for heavy-duty use
- Quick-release, blade-changing mechanism in handle maintains tension setting
- Metal Mini-Hack[™] is lightweight, comfortable and durable
- Metal Mini-Hack[™] handle covers blade to help protect user's hands

SKU #	DESCRIPTION	DEPTH OF THROAT B		BLADE L	BLADE LENGTH		CARTON	UPC	
	DESCRIPTION	IN.	ММ	IN.	ММ	QTY	QTY	UFG	
20,026	High-Tension Hacksaw	4	102	12	305		0	076174000060	
20-036	Metal Mini-Hack™ Utility Saw	—	—	10	254	4	o	076174200362	





HACKSAWS

High-Tension Low-Profile Hacksaw

- Arc-shaped frame enables cutting in hard-to-reach areas
- 4" throat depth cuts large PVC pipes
- Heavy-duty, lightweight, die-cast aluminum I-beam frame provides strength and durability
- Ergonomically designed handle for comfortable use
- Tension knob makes blade tension adjustment easy
- 45° and 90° cutting angles add flexibility



	DEPTH O	DEPTH OF THROAT		BLADE LENGTH		CARTON	UDC
SKU #	IN.	ММ	IN.	ММ	ΩΤΥ	ΩΤΥ	UPC
20-001	4	102	12	305	—	4	076174200010

Composite Hacksaw

- Steel I-beam frame construction
- Frame made from high-impact polymer with steel core
- Easy-open lever for quick and easy blade change
- Sloped nose for access into tight, hard-to-reach places
- Ergonomically designed non-slip grip
- High-tension blade for straight accurate cuts
- 4" depth of cut

SKU #	DEPTH O	DEPTH OF THROAT		BLADE LENGTH		CARTON	UPC
	IN.	ММ	IN.	ММ	QTY	QTY	UFC
15-892K	4	102	12	305	_	6	076174158922

Tubular Frame Hacksaw

- Heavy-gauge tubular nickel-plated steel frame provides handy holding compartment for extra blades
- Rugged cast handle with guard designed to help protect knuckles



	SKU #	DEPTH O	DEPTH OF THROAT		BLADE LENGTH		CARTON	UPC
		IN.	ММ	IN.	ММ	Ω ΤΥ	ΩΤΥ	UFC
	15-408	3-7/8	98	10	254	2	12	076174154085

Rubber Grip Hacksaw

- Easy adjustment of frame for 10" and 12" blades
- Rigid steel frame with molded cushion grip
- D-shape guard helps protect hands and knuckles

CVII #	DEPTH OF THROAT		BLADE LENGTH		BOX	CARTON	UPC
SKU #	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UPC
15.205	2 7/0	00	10	254	—	c	076174152654
15-265	3-7/8	98	12	305		6	





		N	• Sturdy • Easy b	Fixed Frame H v all-metal frame plade loading ip helps protect l			
SKU #	DEPTH OF	THROAT	BLADE	LENGTH	BOX	CARTON	UPC
3K0 #	IN.	ММ	IN.	ММ	QTY	QTY	010
15-285	4	102	10	254	—	6	16174152852
			• Rugge • Fits 10	able Blade Ha d plated steel fra " and 12" blades ort pistol-grip han	ame		
SKU #	DEPTH OF IN.	THROAT MM	BLADE IN.	LENGTH MM	BOX QTY	CARTON QTY	UPC
	2.2/4	70	10	254		6	070174155055

SKU #	DEPTH OF THROAT		BLADE LENGTH		BOX	CARTON	
	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UPC
15-565 2-3,	2.2/4	70	10	254		6	076174155655
	Z-3/4	70	12	305		0	



Metal Mini-Hack[™] Utility Saw

- Cast-aluminum handle is lightweight, comfortable and durable
- · Handle covers blade to help protect user's hands

SKU #	BLADE	LENGTH	BOX	CARTON	UPC
310 #	IN.	ММ	QTY	QTY	UFG
15-809	10	254	6	36	076174158090



Mini-Hack[™] Saw

- Ergonomically designed grip with thumb rest for maximum comfort
- Handle covers blade to help protect user's hands

SKU #	BLADE	LENGTH	BOX	CARTON UPC		
	IN.	ММ	QTY	QTY	UFG	
20-807	10	254	6	36	076174208078	

FatMax[®] Multi Saw with Reciprocal and Hack Blades

- Includes both wood cutting and metal cutting blades
- Works with any standard reciprocal or hacksaw blades
- Durable tension nut quickly and easily allows blade changes
- Designed for sawing in confined spaces
- Ergonomically designed cushion grip handle for comfort

SKU #	NUMBER OF BLADES		BLADE IN.	LENGTH MM	POINTS PER IN.	TEETH PER IN.			UPC
20.220	2	1 Reciprocal	5	127	11	1 10		20	070174000005
20-220 2	2	1 Hack	10	254	25	24	0	36	076174202205





HACKSAWS

Bi-Metal Hacksaw Blades

- Combines the flexibility of carbon steel backs with the cutting performance of a high-speed steel cutting edge
- Cuts most metals including unhardened tool steel and stainless-steel

SKU #	NUMBER	R OF	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC	
3KU #	BLADE	S	IN.	ММ	PER IN.	PER IN.	QTY	Ω ΤΥ	010	
15-612	10		12	305	19	18	5	50	076174156126	
15-613	10		12	305	25	24	5	50	076174156133	
15-614	10		12	305	33	32	5	50	076174156140	
15-628	1		10	254	25	24	10	100	076174156287	
15-630	1		12	305	33	32	10	100	076174156300	
15-631	1		12	305	25	24	10	100	076174156317	
15-632	1		12	305	19	18	10	100	076174156324	
		1	10	254	19	18				
20-067	Assorted 4 pack	2	10	254	25	24	5	30	076174200676	
	4 puok	1	10	254	33	32				
		1	12	305	19	18				
20-069	Assorted 4 pack	2	12	305	25	24	4	24	076174200690	
	- pack	1	12	305	33	32				

High-Speed Steel Hacksaw Blades

- Ground tooth design for improved cutting performance versus traditional hacksaw blades
- Can be used on most metals including unhardened tool steel and stainless-steel

SKU #	NUMBER OF	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
3KU #	BLADES	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFC
15-802A	1	10	254	33	32	10	100	076174000078
15-804A	1	10	254	25	24	10	100	076174000085
15-808A	1	10	254	19	18	10	100	076174000092
15-822A	1	12	305	33	32	10	100	076174000108
15-824A	1	12	305	25	24	10	100	076174000115
15-828A	1	12	305	19	18	10	100	076174000122



Carbon Steel Hacksaw Blades

- High carbon steel blades cut mild steel, cast-iron, aluminum, copper
- Good value for general use

SKU #	NUMBER OF	BLADE I	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
3KU #	BLADES	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UPG
15-902A	2	10	254	33	32	10	100	076174159905
15-908A	2	10	254	19	18	10	100	076174159929
15-922A	2	12	305	33	32	10	100	076174159936
15-904A	2	10	254	25	24	10	100	076174159912
15-924A	2	12	305	25	24	10	100	076174159943
15-928A	2	12	305	19	18	10	100	076174159950

Carbide Grit Hacksaw Blades

- Tungsten carbide particles enable blade to cut on both forward and reverse strokes
- Makes thin straight cuts in ceramic, hardened steel, cast-iron and masonry
- Fits standard hacksaw frame

SKU #	DESCRIPTION	BLADE	LENGTH	BOX	CARTON	UPC
	DESCRIPTION	IN.	ММ	QTY	QTY	UFC
15-410	Rod Saw Blade	10	254	10	100	076174154108
15-412	Hacksaw Blade	12	305	10	100	076174154122



Bow Saw/Hacksaw

- When used with a hacksaw blade, this saw is designed to cut wide diameter material
- When used with a bow saw blade, this saw allows you to cut large diameter plastic pipe, wood and tree branches

SKU #	BLADE	LENGTH	BOX	CARTON	
	IN.	ММ	QTY	QTY	UPC
20-447	12	305	—	6	076174204476



Bow Saws

- Tension lever provides clearance to help protect fingers when changing blade
- Blade fastened with rivets that remain attached during blade changes
- · Frame manufactured from welded tubing for strength and durability

SKU #	BLADE	LENGTH	BOX	CARTON	UPC	
310 #	IN.	ММ	QTY	QTY	UFG	
15-449	21	533	—	4	076174154498	
15-451	24	610	—	12	076174154511	
15-453	30	762	—	12	076174154535	





BOW saws & saw SETS

Bow Saw Blades

- Saw blades made from high-quality, cold-rolled steel
- Teeth are hardened for long life and durability

SKU #	FITS SAW	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
3KU #	FITS SAW	IN.	MM	PER IN.	PER IN.	QTY	QTY	UFG
20-437	20-447	12	305	5	4	_	200	076174204377
15-439	15-449	21	533	5	4	_	200	076174154399
15-446	15-451	24	610	5	4	—	200	076174154467
15-448	15-453	30	762	5	4	—	200	076174154481

3-in-1 Saw Set

- Ergonomically designed handle made with glass-filled, high-strength nylon to support six different blade positions
- No tools required for blade change
- Integrated blade storage; the turn knob allows the user to conveniently store all three blades on the handle when not in use
- Multiple-position handle allows access to tight corners
- Universal blade cuts on the pull stroke and is less likely to jam or bend

CVII #	NUMBER OF BLADES		шег	BLADE LENGTH IN. MM		POINTS	TEETH	BOX	CARTON	UPC
SKU #			USE			PER IN.	PER IN.	QTY	QTY	
		1	Universal - tree limbs, 2x4's, plastic pipes	10	254	12	11			
20-092	3	1	Compass - wood patterns & shapes	8	203	10	9	2	8	076174200928
		1	Metal pipes & rods	6	152	25	24			

Nest-of-Saws

- Three interchangeable blades fit in a comfortable molded handle
- Perfect for curves, circles and trim work





STANLEY

Folding Pocket Saw

- Folds like a jackknife for easy storage
- · Accepts standard saber and reciprocating blades
- Blade storage in handle

	SKU #	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC
1	310 #	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFG
	15-333	8	203	10	9		6	076174153330



4-WAY[™] Keyhole Saw

- 4-WAY[™] blade positioning cuts curves, circles and frets into places where ordinary hacksaws cannot reach
- Cuts wood, nails, composition board, BX cable, conduit and more
- Lightweight, pistol grip handle
- Comes with one wood-cutting blade and one metal-cutting blade

SKU #	NUMI OF BLA		USE	BLADE I IN.	LENGTH MM	POINTS PER IN.	TEETH PER IN.	BOX QTY	CARTON QTY	UPC	
45.075	2	2	1	Wood	7	178	10	9		G	076174152752
15-275	2	1	Metal	7	178	25	24		0	076174152753	



FatMax[®] Back Saw

- Designed for precise cutting including dovetails, miters and tenons
- Used specifically for fine finish, plywood and hardwoods
- Heavy-duty screws for secure blade-to-handle assembly
- Solid, one-piece bi-material handle delivers durability and comfort

SKU #	BLADE	LENGTH	POINTS	TEETH	BOX	CARTON	UPC	
3KU#	IN.	ММ	PER IN.	PER IN.	QTY	QTY	UFC	
17-202	14	356	14	13	4	24	076174172027	



STANLEY

HardTooth[™] Back Saw

- High-quality steel, hardened and tempered for strength and durability
- Solid plastic contoured handle with textured finger grips for added control
- Induction-hardened teeth preserve sharp cutting edge

SKU #	BLADE IN.	LENGTH MM	POINTS PER IN.			BOX CARTON QTY QTY	
15-352	14	356	13	12	6	6	076174153521



Clamping Miter Box

- Holds material securely for accurate cuts
- Material secures to the base with a twist of the cam pins
- Cuts miters on 45° and 90° angles, face angle 45° and 22-1/2° angles
- Molded-in storage compartments hold cam pins and pencil
- Molded lip on base edge for easy use without mounting
- Built-in saw stop prevents cutting into miter box
- Holes in base for fastening to workbench

SKU #	DESCRIPTION	BLADE	LENGTH	BOX	CARTON	UPC	
3NU #	DESCRIPTION	IN.	ММ	ΩΤΥ	ΩΤΥ	UFG	
20-112	Miter Box	—	_	—	6	076174201123	
20-600	Miter Box with Saw	14	356	—	6	076174206005	

Saw Storage Miter Box

- Storage system holds all 12" x 14" Stanley® back saws
- · Finger button allows easy release of saw from storage cavity
- 90°, 45° and 22-1/2° miter slots
- Holes in base for fastening to a workbench
- Open interior allows cuttings to fall through
- Can be used with either back or panel saws
- Integrated pencil pocket



Adjustable Angle Clamping Miter Box

- Simple angle adjustment for most applications
- Quick cam clamp holds work for accuracy
- Precision design for smooth, accurate cuts in wood
- Ergonomically designed, slip-resistant grip for maximum comfort and control
- Induction-hardened teeth stay sharp up to 5X longer than standard teeth

SKU #	DESCRIPTION	BLADE	LENGTH	BOX	CARTON	UPC
	DESCRIPTION	IN.	ММ	QTY	QTY	UFG
20-800	Miter Box with Saw	22	560	—	2	076174208009



MITER BOXES







Stanley has a long, rich history of manufacturing some of the world's best-performing and best-selling hammers, a product tradition that continues to this very day. However, the inspiration for the original Stanley hammer – and all other striking tools for that matter -- dates back a bit further in time.

The tool that we now know as the hammer was first developed around 7000 B.C. during the Neolithic period. It was during the New Stone Age that man first lashed a tree branch to a chunk of stone. And with this act, known as hafting – fitting a handle to a tool previously held in the hand – the hammer was born.

That simple act took place slightly before Stanley Tools was founded, but the company has made great strides in the past 150 years or so to become one of the world's premier makers of high-quality hammers. In 1863 Stanley made 20 different types of wooden mallets, and just 9 years later the company added 14 iron hammers to its growing line of striking tools. Many of these new hammers were designed for specific tradesmen, such as cobblers, farriers, blacksmiths and railroad workers.

Today, Stanley Tools manufactures nearly 100 different types of hammers in virtually every imaginable size and shape. They include nail hammers, framing hammers, sledgehammers, soft-faced hammers, ballpein hammers and a dizzying array of specialty hammers for such jobs as tacking upholstery, nailing shingles, laying bricks and hanging drywall.

Stanley's world-renown and world-class research and development teams design hammers that not only exceed customers' expectations, but also live up to the proud Stanley name. And in its state-of-the-art manufacturing facilities, Stanley produces hammers made from the finest materials available, including wood, fiberglass, steel and graphite.

One of Stanley's most innovative hammer advancements includes the revolutionary AntiVibe[®] technology that features a patented tuning fork and shock-reducing stabilizer bars built into the handle. The handle is forged from a single piece of hardened steel, and the tuning fork design minimizes vibration and shock at impact.

Any tool manufacturer can design a hammer to pound in nails. The engineers at Stanley looked beyond the nail and took into account the person behind the hammer. And that's the kind of thorough, thoughtful engineering you'll find in every Stanley tool.

FRAMING	67-68
NAILING	68-70
SPECIALTY	70-73
BALL PEIN	73-74
SOFT FACE / MALLETS	74
COMPO-CAST®	74-75

STANLEY



HAMMER SELECTION GUIDE

		Туре		Face	e		١	Neig	ht Oı	inces	6			
HAMMERS Handle Unique Featu		Unique Feature	Framing	Rip	Curve	Checkered	Smooth	7	13	16	20	22	24	28
FatMax Xtreme® AntiVibe® One-Piece Steel 75% Larger Strike Fac		75% Larger Strike Face	Х	Х	Х	х	Х			Х	х	Х		x
FatMax® Graphite	Jacketed Graphite	Increased Durabilty Versus Previous Model	х	Х		х						Х		
FatMax® Overstrike	Hickory	Overstrike	Х	Х		Х						Х		
FatMax [®] Hickory Hickory		Magnetic Nail Starter	Х	Х		Х						Х		
FatMax® AntiVibe® Hammer	One-Piece Steel	Tuning Fork	х	Х	Х	Х	Х			Х	Х	Х		
One-Piece Steel	One-Piece Steel	_		Х	Х		Х			Х	Х			
Jacketed Graphite Jacketed — —			Х	Х		Х			Х	х				
Jacketed Fiberglass Jacketed Fiberglass Absorbs Vibrations			Х	Х		х	х		х	х				
Wood	Wood			Х	Х		Х	Х	Х	Х				

Туре	Description
Framing Hammers	Used for Framing and Heavy-Duty Construction
Rip Claw Hammers	Used for Heavy-Duty Carpentry
Curve Claw Hammers	Used for Light-Duty Carpentry

					1.1.1	
				Handle		
SPECIALTY HAMMERS	Description	AntiVibe®	Jacketed Graphite	Jacketed Fiberglass	Hickory	CompoCast®
Ball Pein	Striking chisels and punches, riveting and shaping or bending metal		Х		Х	Х
Engineer	Striking wood, metal or stone	Х		Х	Х	Х
Blacksmith	Striking unhardened metals	Х		Х	Х	Х
Drilling	Striking chisels and punches, star drills and unhardened nails in confined spaces	Х		Х	Х	Х
Drywall	Installing drywall or gypsum board	Х				
Brick	Cutting/setting brick, stone and masonry	Х			Х	Х
Carpenter's	Cutting/splitting wood, driving stakes and unhardened nails	Х				
Shingler's	Installing shingles and other roofing material	Х				
Tack	Holding and driving tacks and brads				Х	Х
Soft Face	Soft face helps minimize marring and surface damage				Х	Х
Rubber Mallet	Rubber head face helps minimize marring and surface damage				Х	Х
Compo-Cast®	Dead blow function eliminates bounceback when striking hardened surface and helps prevent marring					Х

16

FatMax Xtreme® Steel AntiVibe® Hammers - Oversized Strike Face

- 75% larger* strike face for improved striking accuracy
- AntiVibe® technology minimizes vibration and shock at impact
- Torsion control stabilizers reduce arm-twisting fatigue
- Magnetic Nail Start feature for extended reach for one-handed nailing
- Exclusive rim temper reduces incidences of chipping or spalling
- Forged, one-piece steel construction for strength and durability
- Slip-resistant handle for a secure grip and comfort
- Precision balanced



SKU #	CLAW	FACE	0/A LE	NGTH	HEAD V	VEIGHT	BOX	CARTON	UPC
3KU #	GLAVV	FAUE	IN.	ММ	0Z.	G	Ω ΤΥ	Ω ΤΥ	UFC
NAILING H	IAMMERS								
51-162	Curve	Smooth	13-1/2	343	16	454	_	4	076174511628
51-163	Rip	Smooth	13-1/2	343	16	454	—	4	076174511635
51-165	Rip	Smooth	13-1/2	343	20	567	_	4	076174511659
FRAMING	HAMMERS								
51-177	Rip	Smooth	16	406	22	624	_	2	076174511772
51-167	Rip	Checkered	16	406	22	624	_	2	076174511673
51-169	Rip	Checkered	16	406	28	794		2	076174511697

FatMax® Graphite Checkered Face Framing Hammers

- Jacketed graphite core adds strength and durability in the handle while providing the "feel of wood"
- Forged and heat-treated head for durability
- Rim temper reduces incidence of chipping or spalling
- Flared head design provides a large strike surface for optimal nail-driving performance
- · Magnetic Nail Start feature for extended reach for one-handed nailing
- Checkered face design increases control and accuracy when driving nails

SKU #	CLAW	HANDLE	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
3KU #	GLAW	HANDLE	IN.	ММ	0Z .	G	QTY	QTY	UFC
51-000	Rip	Straight	17-3/4	451	22	624	_	4	076174510003
51-021	Rip	Axe	18	457	22	624	2	12	076174510218

FatMax® Checkered Face Overstrike Framing Hammers

- Traditional, high-quality hickory handle framing hammer
- · Forged and heat-treated head for durability
- · Rim temper reduces incidences of chipping or spalling
- Magnetic Nail Start feature for extended reach for one-handed nailing
- · Flared head design provides a large striking face for optimal nail-driving performance
- Long handle for extended reach
- Checkered face design increases control and accuracy when driving nails
- Double wedge head-to-handle assembly for extremely secure fit
- Overstrike steel protection plate helps prevent handle damage

CVII #	CLAW	HANDLE	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
SKU #		NANULE	IN.	ММ	0Z.	G	QTY	QTY	Urc
51-403	Rip	Axe	18	457	22	624	2	12	076174514032
									N

*Than traditional hammers

Toll Free Customer Service Number: 1-800-262-2161 Customer Service FAX Number: 1-800-643-3756



FatMax[®] Hickory Checkered Face Framing Hammers

- Traditional, high-quality hickory handle framing hammer
- · Forged and heat-treated head for durability
- Rim temper reduces incidences of chipping or spalling
- · Magnetic Nail Start feature for extended reach for one-handed nailing
- Flared head design provides a large striking face for optimal nail-driving performance
- Long handle for extended reach
- Checkered face design increases control and accuracy when driving nails
- Double wedge head-to-handle assembly for extremely secure fit

SKU #	CLAW	LAW HANDLE		0/A LENGTH		HEAD WEIGHT		CARTON	UPC	
3KU #	GLAVV	NANULE	IN.	ММ	0Z.	G	QTY	Ω ΤΥ	UFC	
51-402	Rip	Axe	18	457	22	624	2	12	076174514025	



FatMax[®] AntiVibe[®] Hammers

- Tuning fork design reduces vibration and improves comfort
- · Forged, one-piece steel construction for strength and durability
- Rim temper reduces incidences of chipping or spalling
- Ergonomically designed grip reduces fatigue and allows for multiple grip positions
- Texture is molded into each grip for comfort and performance even when wet
- Complete range of nailing and framing hammers available

SKU #	CLAW	FACE	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC				
3NU #	GLAVV		IN.	ММ	0Z.	G	QTY	QTY	UFG				
NAILING H	NAILING HAMMERS												
51-941	Curve	Smooth	13-1/2	343	16	454	4	24	076174519419				
51-942	Rip	Smooth	13-1/2	343	16	454	4	24	076174 519426				
51-944	Rip	Smooth	13-1/2	343	20	567	4	24	076174 519440				
FRAMING	FRAMING HAMMERS												
51-947	Rip	Checker	16	406	22	624		2	076174519471				



STANLEY

One-Piece Steel Nailing Hammers

- Forged, one-piece steel construction for strength and durability
- · Exclusive rim temper reduces incidences of chipping or spalling
- · Slip-resistant handle for a secure grip and comfort
- Precision balanced

SKU #	CLAW	FACE	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
			IN.	ММ	0Z.	G	QTY	QTY	OF C
51-126	Curve	Smooth	13	330	16	454	_	4	076174511260
51-127	Rip	Smooth	13	330	16	454	_	2	076174511277
51-129	Rip	Smooth	14	356	20	567	—	4	076174511291



FatMax[®] Graphite Nailing Hammers

- 70% larger strike face* for improved striking accuracy
- Jacketed graphite core adds strength and durability in the handle, reduces vibrations and provides the "feel of wood"
- Overstrike protection helps prevent damage to the handle
- Exclusive rim temper reduces incidences of chipping or spalling
- Ergonomic comfort grip features a ribbed surface and flared end to provide a firm grip and help reduce slippage

SKU #	CLAW	FACE	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
3KU #			IN.	ММ	0Z .	G	QTY	QTY	UFC
51-505	Curve	Smooth	13	330	16	454	2	8	076174515053
51-508	Rip	Smooth	13	330	20	567	_	4	076174515084

Gray Fiberglass Curve Claw Hammers

- Fiberglass core adds strength and durability in the handle, reduces vibrations and provides the "feel of wood"
- Exclusive rim temper reduces incidences of chipping or spalling
- Ergonomic comfort grip features a ribbed surface and flared end to provide a firm grip and help reduce slippage



	SKU #	CLAW	FACE	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
				IN.	ММ	0Z.	G	QTY	QTY	UPC
	51-625	Curve	Smooth	13	330	16	454	4	24	076174516258
	51-627	Rip	Smooth	13	330	20	567	4	24	076174516272

Yellow Fiberglass Nailing Hammers

- Fiberglass core adds strength and durability in the handle, reduces vibrations and provides the "feel of wood"
- Yellow-colored shaft for easy product visibility
- Exclusive rim temper reduces incidences of chipping or spalling



SKU #	CLAW	FACE	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
310 #			IN.	ММ	0Z .	G	QTY	QTY	
51-112	Curve	Smooth	12	305	7	198	_	4	076174511123
51-621	Curve	Smooth	13	330	16	454	_	4	076174516210
51-622	Rip	Smooth	13	330	16	454	_	4	076174516227
51-624	Rip	Smooth	13	330	20	567	4	24	076174516241

*Than traditional hammers





Wood Nailing Hammers

- Exclusive rim temper reduces incidences of chipping or spalling
- Forged high-carbon steel head
- Fully heat-treated and polished bell face

	CLAW	FACE	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
SKU #			IN.	ММ	0Z.	G	QTY	QTY	
51-613	Curve	Smooth	11-1/2	292	7	198		6	076174516135
51-106	Curve	Smooth	13-1/4	337	13	369	_	4	076174511062
51-616	Curve	Smooth	13-1/4	337	16	454	—	6	076174516166
51-716	Rip	Smooth	13-1/4	337	16	454	_	6	076174517163



- Ideal for striking wood, metal or stone
- AntiVibe® technology minimizes vibration and shock at impact
- Exclusive rim temper reduces incidences of chipping or spalling
- Forged, one-piece steel construction for strength and durability
- Slip-resistant handle for a secure grip and comfort
- Precision balanced

SKU #		0/A LE	0/A LENGTH		HEAD WEIGHT		CARTON	UPC
SKU #	IN.	ММ	LBS.	KG	QTY	QTY	UFG	
	56-004	15	381	3	1.36	_	4	076174560046



Engineer Hammers – Jacketed Fiberglass

- Ideal for striking wood, metal or stone
- Fiberglass core adds strength and durability in the handle, reduces vibrations and provides the "feel of wood"
- · Yellow-colored shaft for easy product visibility
- Exclusive rim temper reduces incidences of chipping or spalling

SKU #	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	LIDC
	IN.	ММ	LBS.	KG	QTY	QTY	UPC
56-202	13-3/4	349	2.5	1.13	—	4	076174562026
56-204	14	356	4.0	1.81	_	4	076174562040

FatMax[®] AntiVibe[®] Drilling Hammer

- · Ideal for striking chisels, punches, start drills and unhardened metals
- AntiVibe® technology minimizes vibration and shock at impact
- Exclusive rim temper reduces incidences of chipping or spalling
- · Forged, one-piece steel construction for strength and durability
- · Slip-resistant handle for a secure grip and comfort
- Precision balanced

SKU #	0/A LE	NGTH	HEAD V	VEIGHT	BOX	CARTON	UPC	
3NU #	IN.	ММ	LBS.	KG	QTY	QTY	orc	
56-001	11	280	3	1.36	_	4	076174560015	


SPECIALTY HAMMERS

Drilling Hammers – Jacketed Fiberglass

- · Ideal for striking chisels, punches, start drills and unhardened metals
- Fiberglass core adds strength and durability in the handle, reduces vibrations and provides the "feel of wood"
- Yellow-colored shaft for easy product visibility
- Exclusive rim temper reduces incidences of chipping or spalling



076174560039

	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	LIDC
SKU #	IN.	ММ	LBS.	KG	QTY	QTY	UPC
56-111	13-3/4	349	2	.9	2	6	076174561111
56-701	10	254	2	.9	_	4	076174567014
56-705	10-3/4	273	3	1.36	_	4	076174567052

FatMax[®] AntiVibe[®] Blacksmith Hammer - 2 lbs.

- · Ideal for striking unhardened metals
- AntiVibe® technology minimizes vibration and shock at impact
- Exclusive rim temper reduces incidences of chipping or spalling
- · Forged, one-piece steel construction for strength and durability
- · Slip-resistant handle for a secure grip and comfort
- Precision balanced

SKU #

56-003

nale for ed	a secure grip a	and comfort				•
0/A LE	NGTH	HEAD V	VEIGHT	BOX	CARTON	UPC
	ММ	LBS.	KG	QTY	QTY	UFG

Blacksmith Hammers – Jacketed Fiberglass

• Ideal for striking unhardened metals

IN.

14

• Fiberglass core adds strength and durability in the handle, reduces vibrations and provides the "feel of wood"

356

2

- · Yellow-colored shaft for easy product visibility
- · Exclusive rim temper reduces incidences of chipping or spalling

CV11 #	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	
SKU #	IN.	ММ	LBS.	KG	Ω ΤΥ	ΩΤΥ	UPC
56-218	13-3/4	349	2.5	1.13	4	4	076174562187
56-220	14	356	4.0	1.81	—	4	076174562200

.90

FatMax[®] AntiVibe[®] Drywall Hammer – 14 oz.

- Ideal for installing drywall or gypsum board
- AntiVibe® technology minimizes vibration and shock at impact
- · Exclusive rim temper reduces incidences of chipping or spalling
- · Forged, one-piece steel construction for strength and durability
- Slip-resistant handle for a secure grip and comfort
- Precision balanced



SKU #	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
3KU #	IN.	ММ	0Z.	G	QTY	QTY	UFC
54-015	13-1/2	343	14	397	4	24	076174540154



HAMMERS



FatMax[®] AntiVibe[®] Brick Hammer – 20 oz.

- Ideal for cutting and setting brick, stone or masonry
- AntiVibe® technology minimizes vibration and shock at impact
- Exclusive rim temper reduces incidences of chipping or spalling
- Forged, one-piece steel construction for strength and durability
- · Slip-resistant handle for a secure grip and comfort
- Precision balanced

	SKU #	0/A LE	0/A LENGTH		HEAD WEIGHT		CARTON	UPC
		IN.	ММ	0Z .	G	QTY	ΩΤΥ	UFG
	54-022	11	280	20	567	4	24	076174540222



FatMax[®] AntiVibe[®] Carpenter's Hatchet – 28 oz.

- · Ideal for cutting/splitting wood, driving stakes or striking unhardened nails
- AntiVibe® technology minimizes vibration and shock at impact
- Exclusive rim temper reduces incidences of chipping or spalling
- · Forged, one-piece steel construction for strength and durability
- · Slip-resistant handle for a secure grip and comfort
- Precision balanced

SKU #	0/A LI	O/A LENGTH		HEAD WEIGHT		CARTON	UPC
310 #	IN.	ММ	LBS.	KG	QTY	QTY	UFG
54-023	13	330	28	794	2	12	076174540239



STANLEY

FatMax[®] AntiVibe[®] Shingler's Hatchet – 13 oz.

- Ideal for installing shingles and other roofing material
- AntiVibe® technology minimizes vibration and shock at impact
- Exclusive rim temper reduces incidences of chipping or spalling
- · Forged, one-piece steel construction for strength and durability
- · Slip-resistant handle for a secure grip and comfort
- Precision balanced

SKU #	0/A LE	0/A LENGTH		HEAD WEIGHT		CARTON	UPC
310 #	IN.	ММ	LBS.	KG	QTY	QTY	OFC
54-027	12-3/4	324	13	369	2	12	076174540277



SPECIALTY & BALL PEIN HAMMERS

FatMax[®] AntiVibe[®] Shingler's Hammer with Blade – 15 oz.

- Ideal for installing shingles and other roofing material
- Blade ideal for cutting roofing materials
- AntiVibe® technology minimizes vibration and shock at impact
- Exclusive rim temper reduces incidences of chipping or spalling
- Forged, one-piece steel construction for strength and durability
- Slip-resistant handle for a secure grip and comfort
- Precision balanced



SKU #	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
3KU #	IN.	ММ	LBS.	KG	QTY	QTY	UFC
54-028	12-3/4	324	15	425	2	12	076174540284

Jacketed Graphite Ball Pein Hammers

- Ideal for striking chisels and punches or riveting, shaping and bending metal
- Jacketed graphite core adds strength and durability in the handle, reduces vibrations and provides the "feel of wood"
- Exclusive rim temper reduces incidences of chipping or spalling
- Polished face and pein
- Slip-resistant handle for a secure grip and comfort
- Ribbed grip ventilates hand and allows moisture to escape



SKU #	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC
380#	IN.	ММ	0Z .	G	QTY	QTY	UFC
54-716	12-3/4	324	16	454	—	4	076174547160

Wood Ball Pein Hammers

- Ideal for striking chisels and punches or riveting, shaping and bending metal
- Hickory handle for durability
- Exclusive rim temper reduces incidences of chipping or spalling
- Polished face and pein



SKU #	0/A LENGTH		HEAD V	HEAD WEIGHT		CARTON	UPC
3NU #	IN.	ММ	0Z.	G	QTY	QTY	UFC
54-004	11	280	4	113	6	24	076174540048
54-008	12-3/8	314	8	227	_	6	076174540086
54-012	13	330	12	340	—	6	076174540123
54-016	14	356	16	454	—	6	076174540161
54-024	15-1/4	387	24	680	_	6	076174540246
54-032	15-7/8	403	32	907	—	4	076174540321
54-040	16-3/8	416	40	1134		4	076174540406
54-048	16-3/8	416	48	1361	4	12	076174540482

HAMMERS



Magnetic Tack Hammer – 5 oz.

- · Ideal for holding and driving tacks and brads
- Polished face and magnetic tip
- Hickory handle for durability

CVII #	0/A LE	O/A LENGTH		HEAD WEIGHT		CARTON	
SKU #	IN.	ММ	0Z.	G	QTY	Ω ΤΥ	UPC
54-304	10-1/4	260	5	142	6	24	076174543049



Soft Face Hammers

- Soft face helps minimize marring and surface damage
- Faces are made of durable plastic that is ideal for fine finished surfaces
- Plastic faces are replaceable
- Hickory handle for durability

син <u>ж</u>	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	
SKU #	IN.	ММ	0Z .	G	QTY	Ω ΤΥ	UPC
57-594	12	305	8	227	6	24	076174575941
57-595	13-1/2	343	16	454	6	24	076174575958



Rubber Mallets

- Rubber head helps minimize marring and surface damage
- Tough rubber head molded to a wood handle

SKU #	0/A LENGTH		HEAD WEIGHT		BOX	CARTON	UPC	
3KU #	IN.	ММ	0Z .	G	QTY	QTY	UPG	
51-104	13-1/2	343	16	454	2	4	076174511048	
57-522	13-1/2	343	18	510	—	5	076174575224	



- Dead blow function eliminates bounceback when striking hardened surfaces
- Steel-face head is made of tempered alloy steel
- Crowned face helps provide accuracy
- Steel reinforced handle provides strength and resists breaking on overstrike

син <u>#</u>	0/A LE	0/A LENGTH		HEAD WEIGHT		CARTON		
SKU #	IN.	ММ	0Z .	G	QTY	QTY	UPC	
54-516	12-5/8	321	16	454	4	12	076174545166	
54-524	12-7/8	327	24	680	—	2	076174545241	
54-532	13-5/8	346	32	907	2	12	076174545326	



COMPO-CAST® HAMMERS

Compo-Cast® Standard Head Soft-Face Hammers

- Uni-Cast[™] construction of non-ferrous materials eliminates sparking and won't absorb liquids
- No exposed metal on face, head or shaft
- Dead blow function eliminates bounceback when striking hardened surfaces
- Soft face helps prevent marring
- Steel reinforced handle provides strength and resists breaking on overstrike

SKU #	0/A LE	NGTH	HEAD WEIGHT		BOX	CARTON	UPC
3KU #	IN.	ММ	0Z.	G	QTY	QTY	UFC
57-530	10-1/8	257	10	284	—	4	076174575309
57-531	11-1/4	286	18	510	—	4	076174575316
57-532	12-7/8	327	21	595	—	4	076174575323
57-533	14-1/4	362	42	1191		4	076174575330
57-534	15-1/4	387	52	1474	—	2	076174575347

Compo-Cast® Slimline Head Soft-Face Hammers

- Slimline model offers unique profile for assembly and repair applications in confined areas
- Uni-Cast[™] construction of non-ferrous materials eliminates sparking and won't absorb liquids
- No exposed metal on face, head or shaft
- Dead blow function eliminates bounceback when striking hardened surfaces
- Soft face helps prevent marring
- · Steel reinforced handle provides strength and resists breaking on overstrike

;		

SKU #	0/A LE	0/A LENGTH		HEAD WEIGHT		CARTON	UPC	
3KU #	IN.	ММ	0Z .	G	QTY	QTY		
57-540	9-3/8	238	5	142	—	4	076174575408	
57-541	10-9/16	268	14	397	—	4	076174575415	
57-542	12-1/8	308	18	510	_	2	076174575422	
57-543	12-7/8	327	21	595	—	2	076174575439	

Compo-Cast® Soft-Face Sledgehammers

- Non-sparking, soft-face sledgehammers
- Uni-Cast[™] construction of non-ferrous materials eliminates sparking and won't absorb liquids
- No exposed metal on face, head or shaft
- Dead blow function eliminates bounceback when striking hardened surfaces
- Soft face helps prevent marring
- · Steel reinforced handle provides strength and resists breaking on overstrike
- Urethane covering helps reduce noise
- Flat area on head allows upright storage

SKU #	0/A LE	0/A LENGTH		HEAD WEIGHT		CARTON	UPC	
3KU #	IN.	ММ	LBS.	G	QTY	ΩΤΥ	UFC	
57-550	19-5/8	498	5.0	2.26	2	2	076174575507	
57-551	29-7/8	759	8.0	3.62	_	2	076174575514	
57-552	29-7/8	759	10.5	4.76	—	2	076174575521	
57-554	36-1/8	918	11.5	5.21	2	2	076174575545	

DEMOLITION

Stanley has elevated demolition tools from crude implements to precision-engineered tools that are every bit as essential and indispensable as a hammer or screwdriver. And while some tool companies make the same basic flat pry bar and curved crowbar, Stanley stands out from the pack with more than two dozen types of demolition tools, including several models that feature original designs.

For general purpose demo work, such as tearing down walls and ceilings, prying off roofs and dismantling kitchen cabinets, Stanley makes two types of tools: demolition and ripping bars, which are intended for ultra-heavy-duty work and have forged hook and claw ends, and spring-steel wrecking bars, which provide great prying strength and resiliency, but at a much lighter weight than traditional ripping bars.

137111215

Stanley offers 4 different models of its world-famous WonderBar[®], one of the most popular flat bars on the market today. The WonderBar[®] is extremely useful for almost any prying, nail pulling, wood-splitting or levering job you're likely to encounter.

There are also 5 versions of Stanley's latest creation, the FuBar®, which is arguably one of the most versatile, innovative demo tools on the market today. The FuBar® Functional Utility Bar is a multipurpose tool that can be used for both lightweight and heavy-duty work, including prying, bending, striking, nail pulling, separating and lumber splitting. The one-piece forged steel bar has a unique two-tier jaw for securely locking onto 2-by dimensional lumber.

A specialty tool, called the Board Bender Deck Tool, is designed for straightening joists and decking boards. Stanley makes a line of shorter, thinner Precision Pry Bars that are specifically made for removing decorative wood trim, thin moldings, and window and door casings.

Rounding out Stanley's extensive line of demolition tools is a collection of cold chisels that are perfect for chopping through steel bolts, stone, sheet metal, brick, ceramic tiles, concrete and virtually any other hard, abrasive material.







FuBar[®] Forcible Entry Tools

- Forcible entry tool designed by responders for vehicle extrication and extreme demolition
- 8-in-1 tool for prying, splitting, board bending and striking jobs: demolition head, gas shut-off feature, spanner wrench, pry bar for ripping, hydrant wrench, second-tier board jaw (also fits square hydrant nuts), board jaw sized specifically for grabbing common dimensional lumber, beveled nail slot for pulling and prying nails
- One-piece forged steel bar for durability
- · Heat-treated and tempered striking face helps prevent chipping
- · Heat-resistant grips are durable and lightweight
- · Carabiner holes for easy attachment of shoulder strap
- High-visibility 3M[™] Scotchlite[™] enhances visibility

SKU #	OVERALL	LENGTH	WEI	GHT	BOX	CARTON	UPC
3NU #	IN.	ММ	LBS.	KG	ΩΤΥ	ΩΤΥ	UFG
55-121	18	457	6	2.7	—	4	076174551211
55-122	30	762	11	5	_	2	076174551228



STANLEY

FuBar[®] Functional Utility Bars

- Utility bar for heavy demolition work
- · 4-in-1 tool for prying, splitting, board bending and striking jobs
- One-piece forged steel bar for durability
- Board-grabbing jaw sized for 2X lumber
- Beveled nail slot for pulling and prying nails
- Textured grip for excellent comfort and control
- · Heat-treated and tempered striking face helps prevent chipping
- High-visibility powder-coated finish

SKU #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	LBS.	KG	QTY	Ω ΤΥ	UFC
55-119	15	381	1	25	2.5	1.1		2	076174551198
55-099	18	457	1-1/2	38	4	1.8		2	076174550993
55-120	30	762	2	51	9	4		1	076174551204

Wonder Bar® X21 Pry Bar

- Ideal for pulling nails, lifting or prying
- · Forged, high-carbon steel for strength and durability
- 21" long for reach and leverage
- High-visibility, powder-coated finish

SKU #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX	CARTON	
	IN.	ММ	IN.	ММ	LBS.	KG	QTY	QTY	UPC
55-526	21	533	1-3/4	44	2.3	1	4	—	076174555264

3M and Scotchlite are trademarks of 3M.

Super Wonder Bar®

- Foot-levered, hands-free panel lift
- Forged, high-carbon steel for strength and durability
- Polished and beveled cutting edges
- Arched center for swing during nail pulling no need for a wood block
- Tight radius on bend angle aids in positioning bar
- Extended tongue for grip and access in hard-to-reach places
- High-visibility, powder-coated finish



	SKU #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX	CARTON	UPC
		IN.	ММ	IN.	ММ	LBS.	KG	Ω ΤΥ	QTY	UPG
	55-525	15-1/2	394	1-3/4	44	1.75	0.80	_	4	076174555257

Wonder Bars®

- Contoured bar for pulling nails, prying and lifting
- Forged, high-carbon steel for strength and durability
- Polished and beveled cutting edges
- Beveled nail slot at both ends
- High-visibility, powder-coated finish



SKU #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	LBS.	KG	Ω ΤΥ	QTY	UFC
55-515	12-3/4	324	1-3/4	44	1.3	.59	4	24	076174555158
55-045	7-1/2	191	7/8	22	.24	.11	6	36	076174550450

FatMax Xtreme® Spring Steel Wrecking Bars

- Ideal for heavy demolition work
- Heat-treated 3/4" diameter spring steel for extreme strength and durability
- Lightweight design for ease of use
- Precision-ground edge for penetration
- 25% wider* prying edge for better leverage
- Flat striking face for demolition work
- High-visibility, powder-coated finish
- Slotted claw and beveled ends for functionality and performance

SKU #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	LBS.	KG	QTY	QTY	UPC
55-503	24	610	2-1/4	57	4	1.8	_	2	076174555035
55-504	36	914	2-1/4	57	6	2.7	_	2	076174555042

*Versus FatMax® Wrecking Bars





FatMax[®] Wrecking Bars

- Ideal for heavy demolition work
- High-carbon steel for strength and durability
- Tri-lobe design helps provide a secure grip for ease of use
- High-visibility, powder-coated finish
- Slotted claw and bevelled ends for functionality and performance

SKU #	OVERALL LENGTH		BLADE WIDTH		WEI	WEIGHT		CARTON	
	IN.	ММ	IN.	ММ	LBS.	KG	Ω ΤΥ	Ω ΤΥ	UPC
55-101	14	343	1	25	1.7	.77	_	4	076174551013
55-102	24	597	1-3/4	44	5.7	2.5	_	4	076174551020
55-104	36	889	1-3/4	44	8.4	3.8	_	4	076174551044



FatMax[®] Utility Bar

- Ideal for heavy demolition work
- Slotted claw and ground, beveled ends for functionality and performance
- Flat striking face for demolition work
- High-visibility, powder-coated finish

SKU #	OVERALL LENGTH		BLADE	BLADE WIDTH		WEIGHT		CARTON	UPC	
	IN.	ММ	IN.	ММ	LBS.	KG	QTY	Ω ΤΥ	UPG	
55-004	17-7/8	477	1-1/8	29	1.93	.875	2	16	076174550047	



Forged Hexagonal Steel Ripping Bars

- Ideal for basic demolition work
- 3/4" diameter high-carbon steel
- Slotted claw and beveled ends for functionality and performance

SKU #	OVERALL LENGTH		BLADE WIDTH		WEI	GHT	BOX	CARTON	UPC
	IN.	ММ	IN.	ММ	LBS.	KG	QTY	Ω ΤΥ	ULC.
55-118	18	457	1	25	2	907	6	6	076174551181
55-124	24	597	1-1/4	32	3.7	1.68	6	6	076174551242
55-130	30	762	1-1/4	32	4.5	2.04	6	6	076174551303
55-136	36	914	1-1/4	32	5.3	2.40	6	6	076174551365



Offset Pattern Ripping Chisel – 17"

- Ideal for basic demolition work
- Offset ripping bar allows for side pulling and ripping
- 3/4" diameter high-carbon steel
- · Slotted claw and beveled ends for functionality and performance

CVII #	OVERALL LENGTH		BLADE WIDTH		WEIGHT		BOX	CARTON	UPC
SKU #	IN.	ММ	IN.	ММ	LBS.	KG	QTY	Ω ΤΥ	UFG
55-818	17	432	1	25	1.9	.86	5	5	076174558180



Combination Nail Claw and Chisel – 15"

- Ideal for basic demolition work
- 90° offset claw for prying leverage
- Bevel-sharpened ripping chisel
- 5/8" diameter high-carbon steel

SKU #	OVERALI	OVERALL LENGTH		WIDTH	WEIGHT		BOX	CARTON	UPC	
3NU #	IN.	ММ	IN.	ММ	LBS.	KG	QTY	QTY	UPG	
55-040	15	381	1	25	1.5	.68	5	25	076174550405	

FatMax[®] Precision Claw Bars

- · Ideal for precision nail pulling and prying
- Polished, beveled claws for precise penetration
- · Flat striking face allows claw to be driven under deeply embedded nails
- · Forged, high-carbon alloy steel for long life
- Tempered to help reduce chipping
- High-visibility, powder-coated finish



	SKU #	OVERALL	. LENGTH	WEI	GHT	BOX	CARTON	UPC
		IN.	ММ	LBS.	KG	Ω ΤΥ	ΩΤΥ	UPC
	55-123	14	356	1.3	.59	2	6	076174551235
	55-126	10	254	.67	.3	2	6	076174551266

Precision Claw Bars

- Ideal for precision nail pulling and prying
- Polished, beveled claws for precise penetration
- · Flat striking face allows claw to be driven under deeply embedded nails
- · Forged, high-carbon alloy steel for long life
- · Tempered to help reduce chipping

SKU #	OVERALL LENGTH		WEIGHT		BOX	CARTON	UPC	
3 NU #	IN.	ММ	LBS.	KG	ΩΤΥ	Ω ΤΥ	UPG	
55-113	8	203	.5	.23	2	6	076174551136	
55-114	10	254	.7	.32	2	6	076174551143	
55-115	12	305	1	.45	2	6	076174551150	

Precision Molding Bars

- Ideal for reducing material damage when prying molding and trim
- Polished flat surface and beveled claws for precise penetration
- Forged, high-carbon spring steel for extreme strength and durability
- · Flat striking face allows claw to be driven under deeply embedded nails
- Tempered to help reduce chipping and heat-treated for durability



SKU #	OVERALL LENGTH		BLADE WIDTH		WEI	WEIGHT		CARTON	UPC	
3KU #	IN.	ММ	IN.	ММ	LBS.	KG	ΟΤΥ	ΟΤΥ	UPG	
55-116	8	203	1-3/4	44	.5	.23	2	6	076174551167	
55-117	10	254	1-3/4	44	.7	.32	2	6	076174551174	





Nail Claw

- · Ideal for general nail pulling and prying
- · Special cat's paw extracting claw with beveled nail slot
- Ergonomic comfort grip helps reduce slipping and helps protect from extreme temperature
- · Heat-treated for durability

SKU #	OVERALL	. LENGTH	WEI	GHT	BOX	CARTON	UPC
	IN.	ММ	LBS.	KG	ΩΤΥ	Ω ΤΥ	UPC
55-033	10-1/4	260	1.1	.50	6	36	076174550337



Nail Puller

- Ideal for general nail pulling and prying
- Double-end puller features 90° and 30° offset claws
- Fully sharpened claw tips
- · Heat-treated for durability

CVII #	OVERALI	LENGTH	WEI	GHT	BOX	CARTON	UPC	
SKU #	IN.	ММ	LBS.	KG	QTY	QTY	UFG	
55-035	11	279	1.2	.54	5	25	076174550351	





Board Bender Deck Tool

- Ideal for straightening decking and joists • Extra heavy-duty, 5/8" high-carbon steel bar
- Cushioned handle designed for kneeling to maintain pressure
- Frees both hands for nailing

2.27

• Saves time, money and materials

Straighten joists.

Sł

93-310



660

U		down. Boards squeeze t	ight.				
SKU #	OVERAL	L LENGTH	WEI	GHT	BOX	CARTON	
OKU #	IN.	ММ	LBS.	KG	Ω ΤΥ	ΩΤΥ	

5



STANLEY

26



Panel Carry

- · Ideal for grabbing and carrying lumber, drywall and gypsum board
- Ergonomic design helps move materials with ease

CVII #	SKU # COLOR		OVERALL LENGTH		PANEL WIDTH		WEIGHT		CARTON	UPC
5KU #	CULUK	IN.	ММ	IN.	ММ	LBS.	KG	Ω ΤΥ	Ω ΤΥ	UFC
93-301	Orange	14-1/2	368	6-1/2	165	.6	.27	6	6	076174933017



UPC

076174933109

FATMAX[®] COLD CHISELS

- Ergonomic, bi-material hand guard helps protect from overstrike, reduces slipping and absorbs vibrations
- One-piece construction forged for strength
- 1" heat-treated tip allows for additional sharpening
- Hardened, quenched and tempered for long life and durability
- Powder-coated finish for easy visibility

FatMax[®] Cold Chisel with Bi-Material Hand Guard

 Ideal for cutting/shaping wrought iron, cast-iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets

SKU #	APPLICATION	OVERALL	LENGTH	BLADE	WIDTH	BOX	CARTON	UPC
3KU #		IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UPC
16-332	Wrought Iron, Cast-Iron, Steel, Brass, Bronze, Copper, Aluminum, Bolts, Nuts and Rivets	12	305	1	25	3	18	076174163322

FatMax® Brick Sets with Bi-Material Handle Guard

• Ideal for cutting brick and masonry

SKU #			OVERALL LENGTH		BLADE WIDTH		CARTON	UPC
SKU #	AFFLICATION	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UFG
16-327	Driek and Massamu	8-1/2	216	3	76	3	18	076174163278
16-328	Brick and Masonry	8-1/2	216	4	102	3	18	076174163285

FatMax[®] Concrete Chisel with Bi-Material Hand Guard

- Ideal for cutting through and breaking up concrete
- Durable bull point that cuts fast and lasts long

SKU #	APPLICATION	OVERALL LENGTH		BLADE WIDTH		BOX	CARTON	UPC
		IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UPG
16-329	Concrete	12	305	3/4	19	3	18	076174163292

FatMax[®] Floor Chisel with Bi-Material Hand Guard

- Ideal for cutting, prying or ripping of hardwood flooring and nails
- Designed with offset blade and short bite for leverage

SKU #	APPLICATION	OVERALI	LENGTH	BLADE	WIDTH	BOX	CARTON	UPC
		IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UFG
16-331	Hardwood Flooring and Nails	11	279	3	76	3	18	076174163315

FatMax® Mason's Chisel with Bi-Material Hand Guard

• Ideal for cutting and splitting hard stone, brick and concrete

	SKU #	APPLICATION	OVERALL LENGTH		BLADE WIDTH		BOX	CARTON	UPC
		AFFLICATION	IN.	MM	IN.	MM	ΩΤΥ	QTY	UFC
	16-334	Hard Stone, Brick and Concrete	8-1/2	216	2-3/4	70	3	18	076174163346







STANLEY® COLD CHISELS

- One-piece construction forged for strength
- Hardened, quenched and tempered for long life and durability
- · Powder-coated finish for easy visibility

Cold Chisels

· Ideal for cutting/shaping wrought iron, cast-iron, steel, brass, bronze, copper, aluminum, bolts, nuts and rivets

SKU #	APPLICATION	OVERALL LENGTH		BLADE WIDTH		BOX	CARTON	UPC
3KU #	AFFLIGATION	IN.	ММ	IN.	ММ	QTY	QTY	
16-286		5-9/16	141	3/8	10	3	24	076174162868
16-287		6	152	1/2	13	3	24	076174162875
16-288	Wrought Iron, Cast-Iron,	6-3/4	171	5/8	16	3	24	076174162882
16-289	Steel, Brass, Bronze, Copper, Aluminum, Bolts,	6-7/8	175	3/4	19	3	24	076174162899
16-290	Nuts and Rivets	8	203	7/8	22	3	24	076174162905
16-291		12	305	1	25	3	24	076174162912
16-292 (Flat)	12	305	1-1/4	32	3	24	076174162929



Brick Sets

· Ideal for cutting and splitting brick and concrete

	APPLICATION	OVERALL LENGTH		BLADE WIDTH		BOX	CARTON	UPC
SKU #	APPLICATION	IN.	ММ	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UPG
16-296	Brick and Concrete	8-1/2	216	3	76	3	24	076174162967
16-297		8-1/2	216	4	102	3	24	076174162974



Mason's Chisels

· Ideal for cutting and splitting hard stone, brick and concrete

SKU #	APPLICATION	OVERALL LENGTH		BLADE WIDTH		BOX	CARTON	
5KU #	APPLICATION	IN.	ММ	IN.	ММ	ΩΤΥ	Ω ΤΥ	UPC
16-294	Hard Stone, Brick and Concrete	8-1/2	216	1-3/4	44	3	24	076174162943
16-295		8-1/2	216	2-3/4	70	3	24	076174162950



Floor Chisel

- · Ideal for cutting, prying or ripping hardwood flooring and nails
- · Designed with offset blade and short bite for leverage

SKU #	APPLICATION	OVERALL LENGTH		BLADE WIDTH		BOX	CARTON	UPC
310 #	APPLICATION	IN.	MM	IN.	ММ	QTY	QTY	UPG
16-293	Hardwood Flooring and Nails	11	280	3	76	3	24	076174162936



STANLEY® PUNCHES

- Ideal for marking metal or making indentations for starting drill holes
- One-piece construction forged for strength
- Hardened, quenched and tempered for long life and durability
- Powder-coated finish for easy visibility

Center Punch

• Ideal for marking metal or making indentations for starting drill holes

SKU #	APPLICATION	OVERALL	LENGTH	POINT	DIAM.	BOX	CARTON	UPC
380 #		IN.	MM	IN.	MM	QTY	QTY	UFG
16-227	Marking Metal	4	102	1/4	6	3	24	076174162271

Starter Punch

Ideal for starting drill holes

SKU #	APPLICATION	OVERALL	LENGTH	POINT	DIAM.	BOX	CARTON	UPC
		IN.	MM	IN.	ММ	QTY	QTY	UPG
16-229	Starting Drill Holes	5-1/2	140	3/32	2	3	24	076174162295

Pin Punches

• Ideal for starting drill holes

SKU #	APPLICATION	OVERALL LENGTH		POINT DIAM.		BOX	CARTON	UPC
3KU #	APPLICATION	IN.	ММ	IN.	ММ	QTY	QTY	OFC
16-230		6	152	1/16	2	3	24	076174162301
16-231	Chambing Duill Halas	6	152	1/8	3	3	24	076174162318
16-233	Starting Drill Holes	6	152	3/16	5	3	24	076174162332
16-234		6	152	1/4	6	3	24	076174162349

Prick Punch

Ideal for marking metal

SKU #	APPLICATION	OVERALL LENGTH		POINT DIAM.		BOX	CARTON	UPC
380 #	AFFLIGATION	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UFG
16-236	Marking Metal	5-1/2	140	3/8	10	3	24	076174162363

Cold Chisel and Punch Kits

- Multi-tool sets are ideal for starting drill holes, marking metal or cutting/splitting hard stone, brick and concrete
- · Sets include reusable packaging for storing products

SKU #	CONTAINS	BOX QTY	CARTON QTY	UPC
16-298 (pictured)	3-Piece Cold Chisel Kit	3	24	076174162981
16-226	6-Piece Punch Kit	3	24	076174162264
16-299	12-Piece Punch & Chisel Kit	3	12	076174162998







CHISELS & NAIL SETS

Stanley is proud of its long history of producing some of the world's best wood chisels, a tradition that continues to this very day. Stanley began making chisels in the mid-1800s, and is one of the few tool manufacturers that has continually expanded its line over the years by designing new wood chisels.

Today, Stanley makes nearly three dozen chisels in a wide range of sizes and styles. The tools are engineered to meet the no-excuse demands of both fine woodworkers and professional carpenters. With a respectful nod to its rich history, Stanley pays tribute to its past with its line of traditional wood-handled Sweetheart[™] chisels and Bailey[®] chisels. Sweetheart[™] tools are named after William H. Hart who was president of Stanley from 1884 to 1915. Bailey[®] chisels commemorate a line of tools that was originally designed by legendary Boston toolmaker Leonard Bailey.

The company recently expanded its chisel collection with a line of FatMax[®] chisels, arguably some of the toughest, most durable chisels on the market today. Each features a hardened, tempered carbon alloy steel blade that's beveled on three sides, then precision ground to a razor-sharp cutting edge. The blade is permanently fused onto a bi-metal, sure-grip handle that's extremely crack resistant. And unlike lesser-quality chisels, FatMax[®] chisels are equipped with steel striking caps, which allow you to strike the chisel with a steel-headed hammer without damaging the handle.

Stanley manufactures a full range of standard-length chisels for general woodworking and carpentry, but it also makes several short-blade chisels, which are ideal for working in tight spaces and cramped quarters; they also fit easily into tool-belt pouches.

Along with its extensive offering of high-quality chisels, this tool category also includes Stanley's popular line of nail sets. The nail sets are sold individually or in convenient 3-piece sets.

The nail set might be one of the simplest tools ever produced, but in true Stanley fashion the company went back to the drawing board in an attempt to enhance the tool's performance, quality and durability. The results: Cushion Grip Nail Sets, which are jacketed in thick rubber for outstanding comfort, and the revolutionary FatMax[®] Interchangeable Nail Set that's 2 nail sets in 1.





FatMax

SWEETHEART [™] CHISELS	88
FATMAX [®] CHISELS	89
BAILEY [®] CHISELS	90
STANLEY® CHISELS	90-91
FATMAX [®] NAIL SETS	92
STANLEY® NAIL SETS	93
PUNCHES	93

CHISELS

Sweetheart[™] 750 Series Socket Chisels

- Classic 750 Series design
- Hornbeam wood handle for durability
- Long blade is ideal for woodworkers
- Thin blade design
- High-carbon chrome steel with tapered bevel sides

SKU #	BLADE	WIDTH	OVERALL	LENGTH	BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	QTY	QTY	UFC
16-781	1/8	4	9	228	3	18	076174167818
16-782	1/4	6	9	228	3	18	076174167825
16-784	3/8	10	9	228	3	18	076174167849
16-785	1/2	12	9	228	3	18	076174167856
16-786	5/8	16	9	228	3	18	076174167863
16-787	3/4	18	9	228	3	18	076174167870
16-788	1	25	9	228	3	18	076174167887
16-789	1-1/4	32	9	228	3	18	076174167894
SWEETHE	THEART™ CHISEL SETS						
16-791	4 Pieces:	16-785 – Sw 16-787 – Sw	eetheart™ Chise eetheart™ Chise eetheart™ Chise eetheart™ Chise	el — 1/2" el — 3/4"	1	5	076174167913
16-793	8 Pieces:	16-782 – Sw 16-784 – Sw 16-785 – Sw 16-786 – Sw 16-787 – Sw 16-788 – Sw	eetheart [™] Chise eetheart [™] Chise	! - 1/4" ! - 3/8" ! - 1/2" ! - 5/8" ! - 3/4" ! - 1"	1	3	076174169731



WOOD CHISELS

FatMax[®] Thru-Tang[™] Wood Chisels

- Hardened, tempered high-chrome carbon alloy steel blade for edge retention
- 50% stronger^{*} with steel Thru-Tang[™] shaft and steel striking cap for use with steel-headed hammer
- Ergonomically designed, bi-material grip handle is shatter resistant
- Accessible "try me" packaging with blade guard
- Blade guard can be mounted to wall for home storage



*Than Stanley® wood chisels

CVII #	BLADE	WIDTH	OVERALL	LENGTH	BOX	CARTON	UPC
SKU #	IN.	ММ	IN.	ММ	QTY	QTY	UFC
16-973	1/4	6	9	228	2	24	076174169737
16-974	3/8	10	9	228	2	24	076174169744
16-975	1/2	12	9	228	2	24	076174169751
16-976	5/8	16	9	228	2	24	076174169768
16-977	3/4	18	9	228	2	24	076174169775
16-978	1	25	9	228	2	24	076174169782
16-979	1-1/4	32	9	228	2	24	076174169799
16-980	1-1/2	38	9	228	2	24	076174169805
16-981	2	50	9	228	2	24	076174169812
FATMAX®	CHISEL SETS	CONTAINS					
16-970	3 Pieces:	16-975 — C 16-977 — C 16-978 — C	Chisel 3/4"		1	6	076174169706
16-971	6 Pieces:		Chisel 1/2" Chisel 3/4"		1	6	076174169713



CHISELS



Bailey® 5-Piece Chisel Set

- Micro-Precision Grind for superior sharpness out of the box
- High-quality carbon-chrome steel for edge retention
- Blade lacquered for corrosion protection
- Hardwood handle for comfort and impact resistance
- Includes high-quality leather pouch for storage

SKU #	CONTA	INS	BOX QTY	CARTON QTY	UPC
16-401	5 Pieces:	16-975 – Bailey® Chisel 1/4" 16-977 – Bailey® Chisel 1/2" 16-978 – Bailey® Chisel 3/4" 16-979 – Bailey® Chisel 1/4" 16-980 – Bailey® Chisel 1-1/4"	2	2	076174164015



Stanley[®] Wood Chisels

- Hardened, tempered chrome carbon-steel blade for edge retention
- Short series blade for strength and control
- Lacquered for corrosion protection
- Ergonomically designed, bi-material handle is impact resistant
- Blade guard protects working edges of blade when not in use
- Blade guard can be mounted to wall for home storage

	BLADE	WIDTH	OVERALI	LENGTH	BOX	CARTON	LIDO
SKU #	IN.	ММ	IN.	ММ	ΩΤΥ	QTY	UPC
16-304	1/4	6	9	228	2	24	076174163049
16-308	1/2	12	9	228	2	24	076174163087
16-312	3/4	18	9	228	2	24	076174163124
16-316	1	25	9	228	2	24	076174163162
16-320	1-1/4	32	9	228	2	24	076174163209
16-324	1-1/2	38	9	228	2	24	076174163247
CHISEL SE	rs	CONTAINS					
16-300	3 Pieces:	16-312 – C	16-308 – Chisel 1/2" 16-312 – Chisel 3/4" 16-316 – Chisel 1"			12	076174163001
16-305	5 Pieces:	16-304 – Chisel 1/4" 16-308 – Chisel 1/2" 16-312 – Chisel 3/4" 16-316 – Chisel 1" 16-320 – Chisel 1-1/4"			3	3	076174163056

WOOD CHISELS

Stanley[®] Wood Chisels – 150 Series

- Forged steel blade for long life
- Fully precision-ground blade on all faces
- Blade coated with lacquer for rust resistance
- Durable and comfortable polypropylene handle
- Short series blade for strength and control



GKII #	SKU # CONTAINS		BLADE WIDTH		OVERALL LENGTH		BOX	CARTON	UPC
3KU#			IN.	ММ	IN.	ММ	QTY	QTY	UFG
		16-153 – Chisel 1/2"	1/2	12	7-3/4	199			
16-150	3 Pieces:	16-155 – Chisel 3/4" 16-157 – Chisel 1"	3/4	18	7-3/4	199	5	30	076174161502
			1	25	7-3/4	199			



NAIL SETS



FatMax® Cushion Grip Interchangeable Nail Set

- · Ideal for setting nails into materials
- Interchangeable bit includes both 1/32" and 2/32" sizes
- Bi-material grip is slip-resistant and ribbed to absorb shock
- Fully hardened, precision-milled steel for durability
- High-visibility yellow for quick identification
- Long length for setting nails in hard-to-reach areas
- Long, beveled tip for easy nail head alignment
- Square head prevents rolling when set down
- Accepts conventional bits to be used as a screwdriver

SKU #	OVERALL LENGTH		TIP SIZE		BOX	CARTON	UPC
380 #	IN.	ММ	IN.	ММ	Ω ΤΥ	ΩΤΥ	UPG
58-501	4-3/4	121	1/32, 2/32	.08, 1.6	4	36	076174585018



Cushion Grip Nail Sets

- Ideal for setting nails into materials
- Bi-material grip is slip-resistant and ribbed to absorb shock
- · Long length for setting nails in hard-to-reach areas
- Fully hardened, precision-milled steel for long life
- Long, beveled tip for easy nail head alignment
- Color coded by tip size for quick identification
- Square head prevents rolling when set down

SKU #	OVERALL LENGTH		TIP SIZE		BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	QTY	ΩΤΥ	UFC
58-911	5	127	1/32	0.80	6	36	076174589115
58-912	5	127	2/32	1.52	6	36	076174589122
58-913	5	127	3/32	2.29	6	36	076174589139
NAIL SET		CONT	AINS				
58-930	3 Pieces:	58-912 – Na	ail Setter 1/32" ail Setter 2/32" ail Setter 3/32"		6	36	076174589306



NAIL SETS

And in case of

Square Head Nail Set

- Ideal for setting nails into materials
- Long length for setting nails in hard-to-reach areas
- Fully hardened, precision-milled steel for long life
- Long, beveled tip for easy nail head alignment
- Square head prevents rolling when set down

SKU #	OVERALL LENGTH		TIP SIZE		BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	QTY	QTY	UFC
58-111	4	101	1/32	0.80	6	72	076174581119
58-112	4	101	2/32	1.52	6	72	076174581126
58-113	4	101	3/32	2.29	6	72	076174581133
58-114	4	101	4/32	3.17	6	72	076174581140
NAIL SET		CONT	TAINS				
58-230	3 Pieces:	58-111 – Nail Setter 1/32" 58-112 – Nail Setter 2/32" 58-113 – Nail Setter 3/32"			6	72	076174582307

Self-Centering Nail Sets

- Ideal for rapid setting of nails and brads
- Designed to reduce marring of wood surface
- Sets 4D and 6D finishing nails
- Nickel-plated for durability

SKU #	OVERALL	. LENGTH	FACE DIAM.		BOX	CARTON	UPC	
3KU #	IN.	ММ	IN.	ММ	QTY	QTY	UFG	
58-011	3-5/32	80	9/16	14	6	36	076174580112	

Self Centering Screw Hole Punch

- Ideal for self-centering of hinges and catches
- Nickel-plated

SKU #	OVERALL	. LENGTH	FACE	DIAM.	BOX	CARTON	UPC	
380 #	IN.	ММ	IN.	ММ	QTY	QTY		
58-013	3-1/16	78	3/8	9.5	6	36	076174580136	





FASTENING TOOLS

Stanley is one of the world's preeminent manufacturers of fastening tools, and is responsible for helping to elevate awareness and performance from a niche product to an indispensable, must-own line of tools.

This broad category includes four distinct and distinguished tool lines: staplers (manual and electric), hammer tackers, hand "pop" riveters and electric glue guns. There are nearly 2 dozen fastening tools, so if you've got something to fasten down or hold together, Stanley has the tool to get the job done right.

Professional contractors have relied on Stanley manual staplers since the 1970s, and it's easy to understand why. These ruggedly built tools are tough enough to survive dusty, dirty job sites and still provide enough power to drive staples into thick, dense wood – day in and day out, all day long. There are three types of staplers to choose from: staple-only models, ones that shoot staples and brads, and another that fires staples and special cable staples to fasten wires and cables up to 1/4-inch diameter. Some of the many features found on Stanley staplers include easy-squeeze handles, quick-loading magazines, high/low power switch and anti-jam mechanisms.

Stanley also makes two heavy-duty electric fastening tools. Its versatile stapler/brad nailer drives staples and brads up to 1-1/4 inches long. There's a dedicated brad nailer, as well, which shoots 18-gauge brads ranging in length from 5/8 inch to 1-1/4 inches. Each electric model features a high/low power switch, contoured grip for comfort and 8-foot power cord.

Rounding out Stanley's stapler line is a pair of heavy-duty hammer tackers. These swing-andtap tools provide a quick and effective way to staple down sheet materials, such as house wrap, roofing felt, building paper and carpet padding. To complement its line of staplers, Stanley offers four different hand riveters, which provide quick, reliable ways to install steel, aluminum and stainless steel "pop" rivets.

Some of the many Stanley enhancements found on these tools include extra-long handles for increased leverage, rugged die-cast metal construction, interchangeable nose pieces that store in the handle, the ability to install grommets, and a spring-loaded mechanism that automatically ejects the rivet stem. There's even a model with a swiveling head for setting rivets straight on or at an angle.

If you can't staple, nail or rivet the parts together, don't worry; Stanley's got you covered with its line of electric hot-melt glue guns. The high-performance, trigger-feed guns are equipped with many convenient, user-friendly features such as a dual heater for high/low temperature applications, auto-off light, foldout stand, cushion grip and interchangeable nozzles.

50	m 2	Stand the
Aluminu	BRAD NAILERS & STAPLERS	98-101
/	TACKERS	101
	STAPLES & BRADS	102-105
	GLUE GUNS	106-107
	GLUE STICKS	107-108
	RIVETERS	109
1. 1.	RIVETS & PLATES	110-111



STANLEY

CONSUMER FASTENING SELECTION GUIDES

											R
							[STEN Fype		STE
「「「「「」」	STAPLER	S		DURABILITY	EASY SQUEEZE	HI/LO POWER	SETTING	STAPLES	BRADS	DESK STAPLES	
	Electric Staplers										STAINLES
1. 1	Electric Stapler / Brad I	Nailer Tl	RE550	XXXXX	N/A	. ,	ĸ	х	x		
2	Manual staplers										
	Heavy-Duty Staple Gun TR250	/ Brad N	lailer	ххххх	хххх	x >	ĸ	x	x		
1.15 1.26	Heavy-Duty Staple Gu Setting TR150		i/Lo	хххх	xxxx	x	ĸ	x			
	Heavy-Duty Staple (Gun TR1	50	ххх	xxxx	x)	ĸ	х			ALUM
1	Heavy-Duty Staple Gun/ CT10X	' Cable T	acker	ххх	ххх	,	ĸ	х			F
1	All Steel Light-Duty Ch Staple Gun T		ated	хх	ххх			x			
	All Plastic Light-Duty Staple Gun Kit TR45K			хх	ххх			x			
	Electric Brad Naile	er TRE65	0	хххх	N/A	, ,	ĸ		х		
				1	1	-,	- r				
	Heavy-Duty Hammer Ta		T250C	XXXXX	N/A		_	Х			
Ŷ	Hammer Tacker P	HT150C		ХХХ	N/A			х			
	Plier Stapler 1	FR65		ххх	xxx					х	
				I			_	_			RIV
	GLUE	GR100	GR90C	GR25	GR20	GR15	GR10				
	DUAL MELT STANDARD GLUE STICKS										
	GS10DT					х					RIVE
	GS15DT	х		x	х	х	х				
	GS20DT	х		x	х	х	x				
	GS25DT	х		х	х	Х	х				Contract
	ALL-PURPOSE STANDARD CLEAR GLUE STICKS										Swiv Right
	GS040					х	x				Medi
	GS230	х	х	x	х	х					
	STANDARD WOODWORKING GLUE										DualMe
	GS260	х	х	x	х	х	х				Trigger-Fe
	FORMULA II SUPER STRENGTH STANDARD GLUE STICKS										Mini D Trigger Fe
	GS500	х	х	х	х	х	х				Mini

RIVETS	SIZE	MR100CG	MR77C	MR55C5	MR33C
STEEL RIVETS					
PSS42	1/8" X 1/8"	х	х	х	х
PSS44	1/8" X 1/4"	х	х	х	х
PSS46	1/8" X 3/8"	х	х	х	х
PSS48	1/8" X 1/2"	х	х	х	х
STAINLESS-STEEL RIVETS					
PTT42	1/8" X 1/8"	х		х	х
PTT44	1/8" X 1/4"	х		х	
PTT48	1/8" X 1/2"	х		х	
PTT52	5/32" X 1/8"	х			
PTT54	5/32" X 1/4"	х		х	
PTT64	3/16" X 1/4"				
ALUMINUM RIVETS					
PAA42	1/8" X 1/8"	х	х	х	х
PAA42W	1/8" X 1/8" white	х	х	х	х
PAA44	1/8" X 1/4"	х	х	х	х
PAA46	1/8" X 3/8"	х	х	х	х
PAA48	1/8" X 1/2"	х	х	х	х
PAA52	5/32" X 1/8"	х	х	х	х
PAA54	5/32" X 1/4"	х	х	х	х
PAA58	5/32" X 1/2"	х	х	х	х
PAA610	3/16" X 5/8"	х	х	х	х
PAA62	3/16" X 1/8"	х	х	х	х
PAA64	3/16" X 1/4"	х	х	х	х
PAA66	3/16" X 3/8"	х	х	х	х
PAA68	3/16" X 1/2"	х	х	х	х
RIVET PACK					
R120	Assortment	х	х	х	х

Т

RIVETERS / GLUE GUNS	DURABILITY	FEATURE
RIVETERS		
Contractor Grade Riveter MR100CG	XXXXX	Heavy-Duty
Swivel Head Riveter MR77C	хххх	Swivel Head
Right-Angle Riveter MR55CS	ххх	Right Angled
Medium-Duty Riveter MR33C	ххх	Right Angled
GLUE GUNS		
DualMelt Pro™ Glue Gun Kit GR100	XXXXX	High & Low Settings
Trigger-Feed Dual-Melt Glue Gun GR25	ххх	High & Low Settings
Mini Dual-Temp Glue Gun GR15	ххх	High & Low Settings
Trigger Feed Hot-Melt Glue Gun GR20	хх	High Setting
Mini Hot-Melt Glue Gun GR10	хх	High Setting

mest and the	ment in the	12.25	1.90 0		1.003	1.1.1.1.1.1.1.1	Charles State	- # - CA.	an los	1.0	
STAPLES	SIZE	TR250	TR150HL	TR150	CT10X	TR45	TR45K	TRE650	PHT250C	PHT150C	TR65
HEAVY-DUTY STAPLES	MR77C										
TRA704T	1/4"	х	х	х	х					х	х
TRA705vT	5/16"	х	х	х	x				х	х	х
TRA706T	3/8"	х	х	х	х				х	х	х
TRA708T	1/2"	х	х	х	x				x		
TRA709T	9/16"	Х	Х	Х	Х						
HEAVY-DUTY STAINLESS-ST											
TRA704SST	1/4"	Х	X	X	X					х	х
TRA705SST	5/16"	х	Х	х	X				x	х	х
TRA706SST	3/8"	X	X	X	X				X	х	х
TRA708SST TRA709SST	1/2"	X	X	X	X				X		
HEAVY-DUTY MONEL NARR	9/16" 0W/CR0WN STARIES	Х	Х	Х	Х						
TRA704MT	1/4"	x	х	х	x					х	х
TRA705MT	5/16"	x	x	x	x				x	x	x
TRA706MT	3/8"	x	x	x	x				x	x	x
TRA708MT	1/2"	x	x	x	x				x	~	~
TRA709MT	9/16"	x	x	x	x						
LIGHT-DUTY STAPLES											
TRA204T	1/4"					х	х				
TRA205T	5/16"					х	х				
TRA206T	3/8"					х	х				
TRS105T	5/16"										
CABLE STAPLES											
CT106T	3/8"				x						
CT107T	7/16"				х						
CT108T	1/2"				x						
CT109T	9/16"				Х						
STAPLES	1				1				1		
SWKBN050	1/2"	X	X								
SWKBN562	9/16"	X	X								
SWKBN625 SWKBN075	5/8" 3/4"	х	Х						x		
SWKBBN075	3/4							X	x x		
SWKBBN100	1"							x	x		
SWKWBN100	1"							x	x		
SWKBN1187	1-3/16"							x	x		
SWKBN1250	1-1/4"							х	x		
CABLE STAPLES											
SWKBN562	9/16"	х	х								
SWKBN625	5/8"	х	х						х		
SWKBN050	1/2"	х	х								
SWKBN562	9/16"	х	х								
SWKBN625	5/8"	х	х						х		
SWKBN050	1/2"	Х	Х								
SWKBN562	9/16"	Х	Х								
SWKBN625	5/8"	Х	Х						х		
HEAVY-DUTY FLAT NARROV											
CT305T CT306T	5/16" 3/8"				C+~	nley® CT10X a	and Arrow® T	.25®			
CT308T	1/2"				318	Iney CITUA	and ALLOW 1-	20			
POWERCROWN [®] STAPLES	1/2										
TRO400	Stnd. Office Staple										х
HEAVY-DUTY POWERCROW					·				·	·	
TRB504T	1/4"										
TRB505T	5/16"										
TRB506T	3/8"	Bostitch [®] PowerCrown [®] Tools									
TRB508T	1/2"										
TRB509T	9/16"	<u>1</u>									
HEAVY-DUTY WIDE CROWN											
TRC604T	1/4"	4									
TRC605T	5/16"	Ace®, Black & Decker®, Craftsman® and Duo Fast Wide Crown® products									
TRC606T	3/8"		Ace", black a decker", transman" and duo hast wide Grown" products								
TRC608T	1/2"										
TRC609T	9/16"										



Electric Brad Nailer

- Comfortable, soft-grip handle, cap and trigger reduces hand fatigue
- · Easy-slide load magazine
- Easy-jam-clear mechanism saves time and hassles
- Brad-empty indicator helps keep work flowing
- Adjust hi/lo power with turn of a dial
- 8' cord
- Fires Stanley[®] SWKBN Series 5/8" to 1-1/4" 18-gauge brads

	SKU #	BODY COLOR	OVERALI	. LENGTH	BOX	CARTON	UPC
	3KU #		IN.	ММ	ΩΤΥ	ΩΤΥ	UFC
•	TRE650	Gray/Black	10-1/2	267	_	2	076174050059



Electric Stapler/Brad Nailer

- · Heavy-duty design delivers outstanding driving power
- Hi/Lo power for hard and soft materials
- Flush-nose design solves the problem of stapling in tight spots
- Contoured grip for extra comfort
- Anti-jam mechanism saves time on the job
- 8' power cord
- Uses Stanley[®] TRA700 Series or Arrow[®]
 - T-50[®] heavy-duty staples and 1/2", 9/16" and 5/8" brads
- Nose safety

1	SKU #	# BODY COLOR	OVERALI	. LENGTH	BOX	CARTON	UPC			
	3KU #		IN.	ММ	ΩΤΥ	ΩΤΥ	UFG			
	TRE550	Gray/Black	7-1/4	184	—	4	076174058581			
	Heavy-Duty Staple Gun/Brad Nailer									



STANLEY

- Easy-squeeze product works overtime as a staple gun, brad nailer, cable tacker and wire tacker
- All-metal drive channel for penetration
- Heavy-duty aircraft-aluminum housing for long-lasting, lightweight durability
- Hi/Lo power lever for hard and soft materials
- Flush-nose design solves the problem of stapling in tight spots
- Lock-down handle for storage
- Quick-view window simplifies staple identification
- · Bottom-loading, easy-slide, full-stick staple load
- Uses Stanley[®] TRA700 Series staples and Stanley[®] SWKBN 1/2", 9/16" and 5/8" brads or Arrow[®] T-50[®] heavy-duty staples

SKU #	BODY COLOR	OVERALL	. LENGTH	BOX	CARTON	UPC	
		IN.	ММ	ΩΤΥ	ΩΤΥ		
TR250	Gray/Black	7	178	—	6	076174050073	

Arrow and T50 are trademarks of Arrow Fastener Co., Inc.

Heavy-Duty Staple Gun with Hi/Lo Setting

- Easy-squeeze handle reduces hand fatigue
- Hi/Lo power lever for hard and soft materials
- Heavy-duty aircraft-aluminum housing for long-lasting, lightweight durability
- Anti-jam mechanism saves time on the job
- Delivers high power and deep penetration
- Bottom-loading, easy-slide, full-stick staple load
- Uses Stanley[®] TRA700 Series or Arrow[®] T-50[®] heavy-duty staples



SKU #	BODY COLOR	OVERALL	LENGTH	BOX	CARTON	UPC
3KU #		IN.	ММ	ΩΤΥ	ΩΤΥ	UFG
TR150HL	Yellow/Black	7	178		6	076174058420

Heavy-Duty Staple Gun

- Easy-squeeze handle reduces hand fatigue
- Heavy-duty aircraft-aluminum housing for long-lasting, lightweight durability
- Anti-jam mechanism saves time on the job
- Delivers high power and deep penetration
- Bottom-loading, easy-slide, full-stick staple load
- Uses Stanley[®] TRA700 Series or Arrow[®] T-50[®] heavy-duty staples



CVII 4	BODY COLOR	OVERALI	. LENGTH	BOX	CARTON	UPC	
SKU #	BUDT CULUK	IN.	ММ	ΩΤΥ	ΩΤΥ	UFG	
TR150	Yellow/Black	7	178		6	076174058574	

All-Steel Heavy-Duty Chrome-Plated Staple Gun

- · Perfect for everyday stapling needs around home and office
- Heavy-Duty with convenient handle lock for storage
- Quick-jam-clear mechanism saves time and hassle
- Chrome-plated all-steel construction for durability
- Bottom-loading, easy-slide, full-stick staple load
- Uses Stanley® TRA700 or Arrow® T-50® heavy-duty staples



CVII #	BODY COLOR	OVERALI	. LENGTH	BOX	CARTON	UPC
SKU #		IN.	ММ	QTY	QTY	UFG
TR110	Chrome	7-1/8	181	—	6	076174060553





All-Steel Light-Duty Chrome Plated Staple Gun

- · Perfect for everyday light-duty stapling needs around the home or office
- · Lightweight with convenient handle lock for storage
- Quick-jam-clear mechanism saves time and hassles
- Chrome-plated all-steel construction for durability
- Uses Stanley® TRA200 or Arrow® JT-21® light-duty staples

SKU #	BODY COLOR	OVERALL	. LENGTH	BOX	CARTON	UPC	
		IN.	ММ	QTY	QTY		
TR45	Chrome	6	152	_	8	045731131470	



All-Plastic Light-Duty Staple Gun

- Great for light upholstery work, arts and crafts projects and scores of other light-duty office, home and school tacking chores
- Lightweight plastic construction
- · Large reload window on bottom of stapler
- Uses Stanley® TRA200 or Arrow® JT-21® light-duty staples

SKU #	BODY COLOR	OVERALI	. LENGTH	BOX	CARTON	UPC
	BUDY CULUK	IN.	ММ	QTY	ΩΤΥ	UFC
TR35	Yellow/Black	5-1/2	140	—	6	076174060614



2-in-1 Heavy-Duty Staple Gun/Cable Tacker

- Easy-squeeze product works overtime as a staple gun, brad nailer, cable tacker and wire tacker
- All-metal drive channel for penetration
- · Heavy-duty aircraft-aluminum housing for long-lasting, lightweight durability
- Hi/Lo power lever for hard and soft materials
- Flush-nose design solves the problem of stapling in tight spots
- Lock-down handle for storage
- Quick-view window simplifies staple identification
- · Bottom loading, easy-slide, full-stick staple load
- Uses Stanley[®] CT100 Series 3/8"- 9/16" plus CT300 Flat Narrow Crown Staples or Arrow[®] T-25[®] cable staples

SKU #	BODY COLOR	OVERALL	. LENGTH	BOX	CARTON	UPC
3KU #		IN.	ММ	ΩΤΥ	ΩΤΥ	UFG
CT10X	Gray/Black	7-1/8	181	3	12	076174051001

Arrow, T50, T-25 and JT-21 are trademarks of Arrow Fastener Co., Inc.



TR65 - Plier Stapler

- · Ideal for florists, dry cleaners, home or office
- Comfort-grip handle reduces hand fatigue
- Staples up to 20 sheets of paper
- Uses TRO400 staples



SKU #	BODY COLOR	OVERALI	. LENGTH	BOX	CARTON	UPC	
3NU #	DUDT GULUN	IN.	ММ	QTY	QTY	UFG	
TR65	Chrome/Black	7-1/8	181	—	8	076174051094	

FatMax[®] Hammer Tacker

- Driver mechanism delivers more than 500,000 cycles for long-life performance
- · Anti-jam mechanism reduces downtime and increases productivity
- Bottom-load, high-capacity, quick-load magazine accepts up to two full sticks of staples to minimize reloading time
- Chrome-plated steel construction frame for corrosion resistance
 and durability
- Ergonomic comfort grip minimizes fatigue and maximizes comfort
- Surface guard won't tear Tyvek[®] and felt
- Loads two full sticks Stanley® TRA700 heavy-duty or Arrow® T-50® heavy-duty 5/16", 3/8" and 1/2" staples



SKU #	WEIGHT LBS.	CAPACITY	FASTENER TYPE	FASTENER LENGTH	0/A LE In.	NGTH MM	CROWN	BOX QTY	CTN QTY	UPC
PHT250C	2.64	2 Sticks	TRA700 HD or Arrow® T-50® HD Staples	1 h/1h - 1/7	11-1/4	286	27/64	—	6	076174058369

Stanley[®] Heavy-Duty Hammer Tacker

- Used for fast installation of carpeting, roofing materials or insulation
- Contractor-quality design
- Full-rubber grip absorbs shock and helps protect hand
- · Heavy-duty steel construction for durability
- Loads two full sticks of Stanley[®] TRA700 heavy-duty or Arrow[®] T-50[®] heavy-duty staples (1/4"-3/8")



SKU #	WEIGHT LBS.	CAPACITY	FASTENER TYPE			O/A LENGTH IN. MM		BOX QTY	CTN Qty	UPC
PHT150C	2.13	84	TRA700 or T-50® HD Staples	1/4"-3/8" (6mm-10mm)	12	305			6	045731046439

Tyvek® is a registered trademark of E. I. du Pont de Nemours and Company or its affiliates.



2,500 Pack



3,500 Pack

TRA700 Heavy-Duty Narrow Crown Staple & Brad Assortments

- 2,500-pc assortment of Heavy-Duty 27/64" Narrow Crown staples consists of 336 pcs of 1/4" TRA704, 504 pcs of 5/16" TRA705, 504 pcs of 3/8" TRA706, 504 pcs of 1/2" TRA708, 252 pcs of 9/16" TRA709 and 400 pcs of 5/8" SWKBN625
- 3,500-pc assortment of Heavy-Duty 27/64" Narrow Crown staples consists of 504 pcs of 1/4" TRA704, 672 pcs of 5/16" TRA705, 840 pcs of 3/8" TRA706, 672 pcs of 1/2" TRA708, 336 pcs of 9/16" TRA709 and 500 pcs of 5/8" 18-gauge brad SWKBN625
- Heavy-Duty 27/64" Narrow Crown fits Stanley[®] TR110, TR150, TR150HL, TR250, TRE550, PHT150, PHT250 PHT350 and Arrow® T-50®

SKU #	ТҮРЕ	LEG LENGTH		CROWN WIDTH		GAUGE	PACK SIZE	BOX	CTN	UPC
3KU #	ITFE	IN.	MM	IN.	MM	GAUGE		QTY	QTY	UFG
TRA700BN	Chisel Point	-	_	27/64	11	24	2500	5	20	076174057270
TRA700BN35	Chisel Point	-	-	27/64	11	24	3500	5	20	076174057287



TRA700 Series Heavy-Duty Narrow Crown Staples

- · For heavy-duty stapling jobs such as insulation, carpet underlaying and roofing felt
- Available in 1,000, 1,500 and 5000-pack quantities
- Color-coded packaging makes size and product selection easy
- Heavy-Duty 27/64" Narrow Crown Width fits Stanley[®] TR110, TR150, TR150HL, TR250, TRE550, TRE650 series, PHT150, PHT250, PHT350 and Arrow[®] T-50[®]

1,000-Pack

5,000-Pack

SKU #	ТҮРЕ	LEG LE	NGTH	CROWN	WIDTH	PACK	BOX	CTN	UPC
SKU #	ITPE	IN.	ММ	IN.	ММ	SIZE	ΩΤΥ	Ω ΤΥ	UFG
TRA704T	Chisel Point	1/4	6	27/64	11	1000	7	56	076174054194
TRA704TLS	Chisel Point	1/4	6	27/64	11	1000	_	15	076174054194
TRA704TCS	Chisel Point	1/4	6	27/64	11	1500	5	20	076174055191
TRA704-5C	Chisel Point	5/16	8	27/64	11	5000	_	9	045731059675
TRA705T	Chisel Point	5/16	8	27/64	11	1000	6	48	076174054279
TRA705TLS	Chisel Point	5/16	8	27/64	11	1000	_	15	076174054279
TRA705TCS	Chisel Point	5/16	8	27/64	11	1500	5	20	076174055214
TRA705-5C	Chisel Point	5/16	8	27/64	11	5000	_	8	076174058260
TRA706T	Chisel Point	3/8	10	27/64	11	1000	5	40	076174054286
TRA706TLS	Chisel Point	3/8	10	27/64	11	1000	_	15	076174054286
TRA706TCS	Chisel Point	3/8	10	27/64	11	1500	5	20	076174055221
TRA706-5C	Chisel Point	3/8	10	27/64	11	5000	_	7	045731043636
TRA708T	Chisel Point	1/2	13	27/64	11	1000	4	32	076174054293
TRA708TLS	Chisel Point	1/2	13	27/64	11	1000	_	15	076174054293
TRA708TCS	Chisel Point	1/2	13	27/64	11	1500	5	20	076174055238
TRA708-5C	Chisel Point	1/2	14	27/64	11	5000	_	5	045731059699
TRA709T	Divergent Point	9/16	14	27/64	11	1000	4	32	076174054309
TRA709TLS	Divergent Point	9/16	14	27/64	11	1000		15	076174054309
TRA709TCS	Divergent Point	9/16	14	27/64	11	1500	5	20	076174055252

Arrow, T50 and JT-21 are trademarks of Arrow Fastener Co., Inc.



STANLEY

TRA700SST Series Heavy-Duty Stainless-Steel Narrow Crown Staples

- For corrosive or marine environments and upholstery work
- Color-coded packaging makes size and product selection easy
- Heavy-Duty 27/64" Narrow Crown Stainless-Steel fits TR110, TR150, TR150HL, TR250, TRE550, TRE650 series, PHT150, PHT250, PHT350 and Arrow[®] T-50

SKU #	ТҮРЕ	LEG LENGTH		CROWN WIDTH		PACK	BOX	CTN	UPC
380 #		IN.	MM	IN.	MM	SIZE	QTY	QTY	UFG
TRA704SST	Chisel Point	1/4	6	27/64	11	1000	7	56	076174058505
TRA706SST	Chisel Point	3/8	10	27/64	11	1000	5	40	076174058529
TRA708SST	Chisel Point	1/2	13	27/64	11	1000	4	32	076174058536

TRA700MT Heavy-Duty Monel Narrow Crown Staples

- · For corrosive or marine environments and upholstery work
- · Color-coded packaging makes size and product selection easy
- Heavy-Duty 27/64" Monel Narrow Crown fits TR110, TR150, TR150HL, TR250, TRE550, TRE650 series, PHT150, PHT250, PHT350 and Arrow[®] T-50

SKU #	ТҮРЕ	LEG LE IN.	NGTH MM	CROWN WIDTH IN. MM		PACK SIZE	BOX QTY	CTN QTY	UPC	
TRA704MT	Chisel Point	1/4	6	27/64	11	1000	7	56	076174058550	
TRA706MT	Chisel Point	3/8	10	27/64	11	1000	5	40	076174058437	

TRA200 Light-Duty Staple Assortments

- 1,500-pc assortment of Light-Duty 29/64" Wide Crown consists of 500 pcs 1/4" TRA204, 500 pcs 5/16" and 500 pcs 3/8" TRA206
- Light-Duty 29/64" Wide Crown fits Stanley® TR35, TR40 and TR4

SKU # TYPE		LEG LE	NGTH	CROWN	WIDTH	PACK BOX CTN UPC			
SKU #	ITFE	IN.	MM	IN.	MM	SIZE	QTY	QTY	UPC
TRA200BN	Chisel Point	-	-	29/64	11	1500	5	20	076174057263

Light-Duty Wide Crown Staples

- For light-duty household and crafting stapling jobs
- · Color-coded packaging makes size and product selection easy
- Light-Duty 29/64" Wide Crown fits Stanley® TR35, TR40 and TR45 and Arrow® JT-21®

SKU #	ТҮРЕ		NGTH		WIDTH	PACK SIZE	BOX QTY	CTN Qty	UPC
		IN.	ММ	IN.	ММ	1	UIT	1	
TRA204T	Chisel Point	1/4	6	29/64	12	1000	7	56	076174053883
TRA204TCS	Chisel Point	1/4	6	29/64	12	1500	5	30	076174054880
TRA205TC	Chisel Point	5/16	8	29/64	12	1000	6	48	076174053890
TRA205TCS	Chisel Point	5/16	8	29/64	12	1500	5	30	076174054897
TRA206T	Chisel Point	3/8	10	29/64	12	1000	5	40	076174054101
TRA206TCS	Chisel Point	3/8	10	29/64	12	1500	5	20	076174054927







Heavy-Duty Flat Narrow Crown Staples

- For stapling low-voltage wires
- Galvanized to reduce corrosion
- Color-coded packaging makes size and product selection easy
- Heavy-Duty 5/16" Flat Narrow Crown fits Stanley® CT10X and Arrow® T-25®

SKU #	ТҮРЕ	LEG LENGTH		CROWN WIDTH		PACK	BOX	CTN	UPC
		IN.	MM	IN.	MM	SIZE	ΟΤΥ	QTY	orc
CT306T	Divergent Point	3/8	10	5/16	8	1000	5	40	076174051612
CT308T	Divergent Point	1/2	13	5/16	8	1000	4	32	076174058468



Wide Crown Super Hold Electrician's Staples

- For heavy-duty stapling jobs up to 1/2" (12mm) diameter wire and cable, for UL approved non-metallic sheathed cable, Romex[®], plastic cable, U.F. cable, copper tubing, wire cable up to 26 pair
- Color-coded packaging makes size and product selection easy
- Sturdy plastic packaging reduces staple breakage
- Heavy-Duty 1/2" Crown fits Stanley® CT70 and Arrow® T-75®

SKU #	ТҮРЕ	LEG LENGTH		CROWN WIDTH		GAUGE	PACK	BOX	CTN	UPC
3KU #		IN.	ММ	IN.	ММ	GAUGE	SIZE	QTY	Ω ΤΥ	UFG
CT709	Divergent Point	9/16	14	1/2	13	23	1000		10	076174057096
CT710	Divergent Point	5/8	16	1/2	13	23	1000		10	076174057102
CT714	Divergent Point	7/8	22	1/2	13	23	1000		10	076174057140
CT710X	Divergent Point (Super Hold)	5/8	16	1/2	13	23	1000	_	10	076174057119
CT714X	Divergent Point (Super Hold)	7/8	22	1/2	13	23	1000		10	076174057157



Heavy-Duty Round Crown Cable Staples

- For stapling low-voltage wires
- Galvanized to reduce corrosion
- Color-coded packaging makes size and product selection easy
- Heavy-Duty 5/16" Round Crown fits Stanley[®] CT10X and Arrow[®] T-25[®]

SKU #	ТҮРЕ	LEG LE	LEG LENGTH		CROWN WIDTH		PACK	BOX	CTN	UPC
		IN.	MM	IN.	MM	GAUGE	SIZE	QTY	QTY	
CT106T	Divergent Point	3/8	10	5/16	8	23	1000	6	48	076174058475
CT107T	Divergent Point	7/16	11	5/16	8	23	1000	6	48	076174058482
CT108T	Divergent Point	1/2	13	5/16	8	23	1000	4	32	076174058499
CT109T	Divergent Point	9/16	14	5/16	8	23	1000	4	32	076174051698

Arrow, T50, T-25, T-75 and JT-21 are trademarks of Arrow Fastener Co., Inc. Romex is a registered trademark of The Southwire Company.





Toll Free Customer Service Number: 1-800-262-2161 Customer Service FAX Number: 1-800-643-3756

Office Staples

- Standard office staples
- Fits TR65

<u>еин #</u>	ТУРГ	LEG LE	NGTH	CROWN	WIDTH	CALLOF	PACK	BOX	CTN	UPC	
SKU #	ТҮРЕ	IN.	ММ	IN.	ММ	GAUGE	SIZE	QTY	QTY	UPG	
TR0400T	Divergent Point	1/2	13	5/16	8	23	5000	4	32	076174051728	

Heavy-Duty Wide Crown Staples

- For heavy-duty stapling jobs such as insulation, carpet under-laying and roofing felt
- Color-coded packaging makes size and product selection easy
- Heavy-Duty 1/2" Crown fits Ace[®], Black & Decker[®], Craftsman[®] and Duo-Fast[®] wide crown tools

SKU #	ТҮРЕ	LEG LENGTH		CROWN WIDTH		PACK	BOX	CTN	UPC
3KU #	ITFE	IN.	MM	IN.	MM	SIZE	QTY	QTY	UFG
TRC604T	Chisel Point	1/4	6	1/2	13	1000	7	56	076174054361
TRC606T	Chisel Point	3/8	10	1/2	13	1000	5	40	076174054385
TRC606-5C	Chisel Point	3/8	10	1/2	13	5000	—	12	076174058338

Heavy-Duty Power Crown® Staples

- For heavy-duty stapling jobs such as insulation, carpet underlaying and roofing felt
- Color-coded packaging makes size and product selection easy
- Heavy-Duty 15/32" Power Crown[®] fits Bostitch[®] Power Crown[®] tools

	SKU #	ТҮРЕ		LEG LENGTH IN. MM												BOX QTY	CTN QTY	UPC
							SIZE											
T	rrb504t	Chisel Point	1/4	6	15/32	12	1000	6	48	076174054316								
T	rrb506t	Chisel Point	3/8	10	15/32	12	1000	4	32	076174054330								

18-Gauge Brad Nails

- Used for craft, hobby and finish carpentry projects
- Durable plastic reusable package
- Sturdy plastic packaging reduces staple breakage
- Fits Stanley® TRE650, TRE550, TR250, and Arrow® ET200, ETF50BN, ETF50PN and ETFX50

CKII #	BRAD LENGTH		GAUGE	PACK SIZE	BOX	CTN	UPC
SKU #	IN.	ММ	GAUGE	PACK SIZE	QTY	QTY	UPG
SWKBN050	1/2	13	18	1000	5	20	076174038719
SWKBN075	3/4	19	18	1000		10	077914035077
SWKWBN100 (White)	1	25	18	1000	_	10	077914058390
SWKBBN100 (Brown)	1	25	18	1000	_	10	077914058406
SWKBN1187	1-3/16	30	18	1000	_	10	077914038733
SWKBN1250	1-1/4	32	18	1000		10	076174058413

Ace is a trademark of Peace Industries, Ltd., Craftsman is a trademark of KCD IP, LLC., Duo-Fast is a trademark of Illinois Tool Works Inc.











DualMelt Pro™ Glue Gun Kit

- Delivers industrial performance with consumer appeal
- · Exclusive auto shutoff light for reliability and long life
- Dual heater provides outstanding glue output
- Temperature switch for both high- and low-temperature glue applications
- On/off light and protected nozzle
- Cushion grip for comfortable, slip-resistant trigger action
- Interchangeable nozzle capability
- Fold-out stand for handy storage while in use
- Uses Standard .45" Size Glue Sticks: GS15DT, GS20DT, GS25DT, GS230S, GS260A GS264BK, GS500, GS500BK glue sticks

SKU #	CONTAINS	OPERATING TEMP. (F)		OVERALL LENGTH		WATTS	VOLTS	BOX	CTN	UPC
310 #		HI	LO	IN.	ММ		VOLIS	QTY	QTY	UFC
GR100	 DualMelt Pro[™] Glue Gun Spreader Tip Extender Tip Extender Tip Dual Temp Glue Sticks – 4" x 0.45" Glue Sticks – 4" x 0.45" Super Strength Glue Sticks – 4" x 0.45" 	410°	275°	8-1/2	216	80	120		5	045731132385



Trigger-Feed Standard Dual-Melt Glue Gun

- Offers the versatility of high- and low-temperature gluing in one gun
- · Convenient, one-touch high/low selector switch
- Uses standard dual-temperature glue on both settings and hot-melt formulas on high setting
- · Heats up quickly and bonds within 60 seconds
- · Fold-out stand for handy storage while in use
- Uses Standard .45" Size Glue Sticks: GS15DT, GS20DT, GS25DT, GS230S, GS260A GS264BK, GS500, GS500BK glue sticks

SKU #	OPERATING TEMP. (F)		OVERAL	OVERALL LENGTH		VOLTS	BOX	CTN	UPC	
3KU #	HI	LO	IN.	MM	WATTS	VULIS	QTY	Ω ΤΥ	UFC	
GR25-2	410°	275°	6-1/2	165	80	120	2	8	045731132316	


Trigger-Feed Standard Hot-Melt Glue Gun

- Quality engineered for reliable performance
- Trigger-feed mechanism controls glue flow
- Heats up quickly and bonds within 60 seconds
- Uses standard hot melt sticks
- Fold-out stand for handy storage while in use
- Uses Standard .45" Size Glue Sticks: GS15DT, GS20DT, GS25DT, GS230S, GS260A, GS264BK, GS500, GS500BK glue sticks



	SKU #	OPERATING TEMP. (F)		OVERALL LENGTH		WATTS	VOLTS	BOX	CTN	UPC
		HI	LO	IN.	ММ	WAITS	VULIS	Ω ΤΥ	QTY	ore
	GR20	410°	_	6-1/2	165	40	120	3	18	045731132309

Mini-Hot Melt Glue Gun

- Small, portable size for quick gluing jobs in tight spots
- Trigger-feed mechanism controls glue flow
- Uses standard .28" mini hot melt sticks
- Fold-out stand for handy storage while in use
- Uses GS10DT Mini Glue Sticks



	SKU #	OPERATIN	G TEMP. (F)	OVERALL	. LENGTH	WATTS	VOLTS	BOX	CTN	UPC
		HI	LO	IN.	ММ	WAITS	VULIS	Ω ΤΥ	QTY	UFG
	GR10	385°	-	4-1/4	105	15	120	3	18	045731132293

Dual-Melt Mini Glue Sticks

- For use in mini hot-melt, low-temperature and dual-temperature glue guns
- · Excellent for bonding heat-sensitive materials, as well as general applications
- Used by GR10 Glue Gun

SKU #	LEN	IGTH	DIAN	IETER	SET TIME	PACK	BOX	CTN	UPC
	IN.	ММ	IN.	ММ	(SECS.)	SIZE	Ω ΤΥ	Ω ΤΥ	UFG
GS10DT	4	101	0.28	7	30-60	24	5	60	045731131401





Dual-Melt Standard Glue Sticks

- For use in standard hot-melt, low-temperature and dual-temperature glue guns
- · Excellent for bonding heat-sensitive materials, as well as general applications
- Standard diameter .45" glue sticks in 4" and 10" lengths
- Used by GR20, GR25-2 and GR100 Glue Guns

SKU #	LEN	IGTH	DIAN	IETER	SET TIME	PACK	BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	(SECS.)	SIZE	Ω ΤΥ	QTY	UFG
GS15DT	4	101	0.45	11	30-60	6	5	60	045731131494
GS20DT	4	101	0.45	11	30-60	24	5	60	045731131418
GS25DT	10	254	0.45	11	30-60	12	_	5	045731132125



All-Purpose Standard Clear Glue Sticks

- For use in glue guns
- Excellent for bonding heat-sensitive materials, as well as general applications
- Standard diameter .45" glue sticks in 4" length
- Used by GR20, GR25-2 and GR100 Glue Guns

SKU #	LENGTH		DIAMETER		SET TIME PACK		PACK BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	(SECS.)	SIZE	QTY	Ω ΤΥ	UFG
GS230S	4	101	0.45	11	25-30	6	_	30	045731028121



Standard Woodworking Glue Sticks

- Hot-melt formula for woodworking jobs
- Standard diameter .45" glue sticks in 4" length
- Used by GR20, GR25-2 and GR100 Glue Guns

SKU #	LEN	IGTH	DIAN	IETER	SET TIME	PACK	BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	(SECS.)	SIZE	QTY	Ω ΤΥ	UPG
GS260	4	101	0.45	11	50-60	6	5	60	045731041243
GS264BK	4	101	0.45	11	50-60	30	5	60	045731047290



Formula II Super Strength Standard Glue Sticks

- Extra-strength adhesive
- Standard diameter .45" glue sticks in 4" length
- Used by GR20, GR25-2 and GR100 Glue Guns

SKU #	LEN	GTH	DIAN	IETER	SET TIME	PACK	BOX	CARTON	UPC
3K0 #	IN.	ММ	IN.	ММ	(SECS.)	SIZE	QTY	QTY	
GS500	4	101	0.45	11	25-30	6	5	60	045731060022





Contractor Grade Riveter

- Long handle makes riveter easy to squeeze
- Rugged, contractor-grade die-cast metal construction for long life
- Designed for stainless-steel rivets in marine applications
- Equipped with removable ejector spring
- Uses 1/8", 3/32", 5/32" and 3/16" diameter steel and aluminum rivets
- Uses 1/8" and 5/32" diameter stainless rivets



SVII #	BODY COLOR	OVERAL	L LENGTH	BOX	CARTON	UPC	
SKU #	DUDT CULUN	IN.	ММ	ΩΤΥ	QTY	UFG	
MR100CG	Silver/Yellow	11-1/8	283		4	045731124533	

Swivel Head Riveter

- · Sets rivets at right angle or straight-on with a simple twist of rivet head
- Rugged die-cast metal construction for long life
- Extra nose pieces and wrench are conveniently stored in handle
- Long handle makes riveter easy to squeeze
- Uses 1/8", 3/32", 5/32" and 3/16" diameter steel and aluminum rivets
- Rivets in hard-to-get places



SKU #	BODY COLOR	OVERALI	L LENGTH	BOX	CARTON	UPC	
3KU #	BUDT GULUK	IN.	ММ	Ω ΤΥ	ΩΤΥ	UFG	
MR77C	Yellow/Black	11-1/8	283	—	5	045731132422	

Right-Angle Riveter

- · Spring-loaded handle ejects rivet stem automatically
- All-steel construction for long-lasting durability
- Extra nose pieces and wrench are conveniently stored in handle
- Right-angle riveter
- Long handle makes riveter easy to squeeze
- Uses 1/8", 3/32", 5/32" and 3/16" diameter steel & aluminum rivets



SKU #	BODY COLOR	OVERAL	L LENGTH	BOX	CARTON	UPC	
SKU #	BUDT GULUN	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UFC	
MR55C5	Silver/Black	10	254	—	5	045731089177	

Medium-Duty Riveter

- · Spring-loaded handle ejects rivet stem automatically
- Slim-nose design fits in difficult-to-reach places
- Right-angle riveter
- Long handle makes riveter easy to squeeze
- Uses 1/8", 3/32", 5/32" and 3/16" diameter steel & aluminum rivets

SKU #		OVERALI	L LENGTH	BOX	CARTON	UPC
	SKU # BODY COLOR	IN.	ММ	ΩΤΥ	QTY	UFG
MR33C	Yellow/Black	10	254	_	5	045731132415

Toll Free Customer Service Number: 1-800-262-2161 Customer Service FAX Number: 1-800-643-3756





Aluminum Rivets

- Medium-strength aluminum can be used with aluminum and where rust is a potential problem
- · Reusable, full-visibility packaging simplifies product selection and storage

01/11 //	HOLE DI	AMETER	GRIPPIN	G RANGE	PACK	BOX	CARTON	
SKU #	IN.	ММ	IN.	ММ	SIZE	QTY	QTY	UPC
PAA42-1B	1/8	3	1/8	3.2	100	5	100	045731028480
PAA42W-1B	1/8	3	1/8	3.2	100	5	100	045731028244
PAA44-1B	1/8	3	1/4	6.4	100	5	100	045731028442
PAA46-1B	1/8	3	3/8	10	100	5	100	045731028404
PAA48-1B	1/8	3	1/2	12.7	100	5	100	045731124106
PAA52-5B	5/32	4	1/8	3.2	50	5	100	076174054781
PAA54-5B	5/32	4	1/4	6.4	50	5	100	076174054798
PAA58-5B	5/32	4	1/2	12.7	50	5	100	076174054903
PAA610-5B	3/16	5	5/8	15.87	10	5	100	045731124144
PAA62-5B	3/16	5	1/8	3.2	50	5	100	045731124038
PAA64-5B	3/16	5	1/4	6.4	50	5	100	045731124045
PAA66-5B	3/16	5	3/8	10	50	5	100	045731124229
PAA68-5B	3/16	5	1/2	12.7	50	5	100	045731124137



Stainless-Steel Rivets

- · For use in standard hot-melt, low-temperature and dual-temperature glue guns
- Excellent for bonding heat-sensitive materials, as well as general applications
- Standard diameter glue sticks in 4" length
- Used by GR20 and GR100 Glue Guns

SKU #	HOLE DI	AMETER	GRIPPIN	GRIPPING RANGE		BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	SIZE	QTY	QTY	UFG
PTT42	1/8	3.2	1/8	3.2	25	10	100	076174054910
PTT44	1/8	3.2	1/4	6.4	20	10	100	045731130886
PTT48	1/8	3.2	1/2	12.7	15	10	100	076174055030



Steel Rivets

- Used for joining steel to steel
- Reusable, full-visibility packaging simplifies product selection and storage
- High-strength, all-steel construction

SKU #	HOLE DI	AMETER	GRIPPIN	G RANGE	PACK	BOX	CARTON	UPC	
3K0 #	IN.	MM	IN.	ММ	SIZE	Ω ΤΥ	QTY	UFC	
PSS42-1B	1/8	3	1/8	3.2	100	5	100	045731028602	
PSS44-1B	1/8	3	1/4	6.4	100	5	100	045731028565	
PSS48-1B	1/8	3	1/2	12.7	100	5	100	045731124113	





Steel Back-Up Plates

- Used for joining soft materials, such as leather, or when the hole is oversized
- Adds strength to rivet hole



SKU #	INNER D	IAMETER	PACK SIZE	BOX	CARTON	UPC	
3KU #	IN.	ММ	FAUN SIZE	QTY	ΩΤΥ	UPC	
PBS4	1/8	3.2	40	10	100	045731028725	

Aluminum Back-Up Plates

- Used for joining soft materials, such as leather, or when the hole is oversized
- Adds strength to rivet hole



SVII #	INNER D	IAMETER	PACK SIZE	BOX	CARTON	UPC	
SKU #	IN.	ММ	FAUN JIZE	QTY	QTY	UFC	
PBA6	3/16	4.8	30	10	100	045731028640	

Rivet Pack Assortment

- Assorted pack contains 120 aluminum and steel rivets in the most popular sizes
- Reusable, full-visibility packaging simplifies product selection and storage



Stanley began manufacturing screwdrivers in 1870 – several years before the invention of the telephone or the light bulb – and hasn't stopped since. In 1924 Stanley filed a patent for a ratcheting screwdriver, and in 1937 Henry Phillips, inventor of the Phillips head screw, chose Stanley as the first company to begin making Phillips® screwdrivers.

One other notable achievement includes the 1940 launch of the Stanley[®] Yankee[®] Spiraling Ratchet Screwdriver, considered by tool enthusiasts to be the world's first cordless power tool. Throughout the intervening years, Stanley continued to improve and expand its screwdriver line with new designs and durable materials.

Today, Stanley makes screwdrivers in every imaginable size and style, including Phillips®, Torx® and square tip. They're sold individually or packaged in convenient multi-piece kits. The company also makes a line of multi-bit and ratcheting screwdrivers, which come with interchangeable bits: driving standard, cabinet bits and sockets.

Specialty tools include a set of jeweler's screwdrivers for use on tiny screws, offset screwdrivers for reaching fasteners in extremely tight spaces, and a compact pocket screwdriver that comes with two double-ended bits.

Some of the many features found on Stanley screwdrivers include: durable alloy-steel blades with precision-ground tips; large-diameter, soft-grip handles; smooth-dome ends for fast spinning; chrome-plated, corrosion-resistant shafts; and tip-identification icons printed on the handles for quickly identifying the screwdriver type.

Stanley even makes a pair of demolition screwdrivers, which are specially designed to withstand striking blows from a hammer. Each screwdriver is equipped with a shatter-resistant acetate and rubber handle, cold-formed steel striking cap and the Thru–Tang[™] bar that transfers the hammer's strike force directly to the screwdriver tip.

This extensive tool category also includes a line of high-quality nut drivers, which feature longlasting one-piece construction, soft-grip handles, nickel-plated shafts and hex-shaped shanks that permit the use of a wrench when you need to apply a little extra torque.

FATMAX XTREME®	114
FATMAX®	114-115
CUSHION GRIP	116
VINYL GRIP	116-118
ACETATE	118
BASIC	119-120
NUT DRIVERS	121
HOOK SET	121
MULTIBITS & RATCHETING	121-124
PRECISION	124
OFFSET	124





2-Piece FatMax Xtreme® Demolition Driver Set

- Cold-formed steel strike cap withstands striking blows
- Shatter-resistant bi-material acetate/rubber handle
- Rubber grip with thumb indents makes prying easy
- Thru-tang[™] bar transfers strike force from strike cap to tip

SKU #	INCLUDES		017E	BAR L	ENGTH	BOX	CARTON	UPC
SKU# IN		LUDES	SIZE	IN.	ММ	QTY	QTY	UPG
67 E/G	2 Pieces	1 Standard	5/16	5	127	2	0	76174675467
67-546 2 Piec	ZFIECES	1 Phillips [®]	2pt	5	127	2	0	76174675467

FATMAX® SCREWDRIVERS

- Ergonomically designed tri-lobe handle provides maximum tip torque
- Durable bi-material handle with comfort grip
- Rugged handle resists job site environment and heavy-duty use
- Magnetic tips for secure grip on fasteners



FatMax® Sets

SKU #		INCLUDES	BOX QTY	CARTON QTY	UPC
62-500	2 Pieces	Standard: 1/4" Stubby Phillips®: 2pt Stubby	4	24	76174625004
62-501	2 Pieces	Standard: 1/8" x 3" Phillips®: 0pt x 3"	4	24	76174625011
62-502 (pictured)	11 Pieces	Standard: 1/4" Stubby, 1/4" x 4", 5/16" x 6" Cabinet: 1/8" x 3", 3/16" x 3" Phillips®: 0pt x 2-3/8", 2pt Stubby, 1pt x 3", 2pt x 4", 3pt x 6" Hybrid Offset: 1/4" Slotted, 2pt Phillips®	0	4	76174625028
62-505	4 Pieces	Standard Tip: 1/4" x 4", Cabinet: 3/16" x 3" Phillips®: 1pt x 3", 2pt x 4"	0	4	76174625059

31D

FatMax[®] Pocket

SKU #	TIP SIZE		BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		BOX	CARTON	UPC
3KU #	IN.	ММ	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UFG
62-551	1/8	3	3	75	1/8	3	6-1/2	165	6	36	76174625516
62-556	0	pt	2-3/8	60	1/8	3	5-1/2	146	6	36	76174625561

Phillips is a registered trademark of Phillips Screw Co. Torx is a registered trademark of Acument Intellectual Properties, LLC

STANLEY

FatMax[®] Stubby

• Designed for close-quarter driving

SKU #	TIP V	TIP WIDTH BLAD		DE LENGTH BLADE DIAM		DIAMETER	OVERALL LENGTH		BOX	CARTON	UPC
3KU #	IN.	MM	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UPG
62-552	1/4	6.5	1-3/4	44	1/4	6.5	4	100	6	36	76174625523
62-560	2	6.5	1-3/4	44	1/4	6.5	4	100	6	36	76174625608

FatMax[®] Standard Tip

SKU #	TIP V	TIP WIDTH BLA		LADE LENGTH BLADE DIAN		DIAMETER	TER OVERALL LENGTH		BOX	CARTON	UPC
3K0 #	IN.	MM	IN.	ММ	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UFC
62-553	1/4	6.5	4	100	1/4	6.5	9	225	6	36	76174625530
62-555	5/16	8	6	150	9/32	7	11	280	6	36	76174625554

FatMax[®] Cabinet Tip

SKU #	TIP WIDTH		BLA	DE LENGTH	BLADE DIAMETER		OVERALL LENGTH		BOX	CARTON	UPC
3KU #	IN.	MM	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UPG
62-554	3/16	4.76	3	76	3/16	4.76	9	225	6	36	76174625547

FatMax[®] Phillips[®] Tip

SKU #	POINT	BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		BOX	CARTON	UPC
3KU #	SIZE	IN.	ММ	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	
62-559	1	3	75	3/16	5	7-1/2	190	6	36	76174625592
62-561	2	4	100	1/4	6.5	9	225	6	36	76174625615
62-562	3	6	150	5/16	8	11	280	6	36	76174625622

FatMax[®] Torx[®]

SKU #	SIZE	BLADE LENGTH		BLADE DIAMETER		OVERALL	LENGTH	BOX	CARTON	UPC
310 #	SIZE	IN.	ММ	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UFG
62-563	T10	3	75	3/16	5	7-1/2	190	6	36	76174625639
62-564	T15	3	75	3/16	5	7-1/2	190	6	36	76174625646
62-565	T20	4	100	3/16	5	9	225	6	36	76174625653
62-566	T25	4	100	3/16	5	9	225	6	36	76174625660





STANLEY



•

STAMLE.





Cushion Grip Screwdriver Sets

- Soft-grip handle for excellent comfort and control
- Large-diameter handles offer torque needed for driving wood screws
- Smooth-domed end for fast spinning action
- Chrome-plated bars for corrosion resistance
- Tip identification for easy selection

SKU #		INCLUDES	BOX QTY	CARTON QTY	UPC
62-000	2 Pieces	Standard: 1/4" Stubby Phillips®: 2pt Stubby	4	24	76174620009
65-243	2 Pieces	Standard: 1/4" x 4" Standard Tip Phillips®: 2pt x 4" Phillips® Tip	4	16	76174652437
91-541 (pictured)	8 Pieces	Standard: 1/8" x 6", 3/16" x 4", 1/4" x 4", 5/16" x 6" Phillips®: 0pt x 4", 1pt x 4", 2pt x 6", 3pt x 6"	0	6	76174915419

VINYL GRIP SCREWDRIVERS

- Vinyl grip handle for comfort
- Durable alloy steel blade
- Precision-formed tips for a secure fit
- Chrome-plated bars for corrosion resistance
- Black oxide tips for use in electrical applications



SKU #		INCLUDES	BOX QTY	CARTON QTY	UPC
66-565	6 Pieces (Chrome-Plated Tips)	Standard : 1/4" x 4", 5/16" x 6" Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 1pt x 3", 2pt x 4"	0	6	76174665659

Phillips is a registered trademark of Phillips Screw Co.



STANLEY

ALWAYS WEAR SAFETY GOGGLES

Vinyl Grip Stubby



SKU #	TIP SIZE		BLADE LENGTH		BLADE DIAMETER		OVERALL	. LENGTH	BOX	CARTON	UPC
310 #	IN.	ММ	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UFC
66-088	1/4	6.5	1-1/2	38	1/4	6.5	3-5/8	86	6	36	76174660883
65-905	2	pt	1-1/2	38	1/4	6.5	3-5/8	86	6	36	76174659054

Vinyl Grip Standard Tip

SKU #	TIP W IN.	VIDTH MM	BLADE LENGTH IN. MM		BLADE DIAMETER IN. MM		OVERALL LENGTH IN. MM		BOX QTY	CARTON QTY	UPC
66-089	3/16	5	3	76	3/16	5	6-3/4	173	6	36	76174660890
66-090	1/4	6.5	4	102	1/4	6.5	8-1/4	213	6	36	76174660906
66-091	5/16	8	6	152	5/16	8	11	279	6	24	76174660913
66-092	3/8	10	8	203	3/8	10	13-5/8	340	6	24	76174660920

Vinyl Grip Cabinet Tip

SKU #	TIP W IN.	/IDTH MM	BLADE In.	LENGTH MM	BLADE D In.	IAMETER MM	OVERALL IN.	. LENGTH MM	BOX QTY	CARTON QTY	UPC
66-096	3/16	5	3	76	3/16	5	6-3/4	173	6	36	76174660968
66-097	3/16	5	6	152	3/16	5	9-3/4	249	6	36	76174660975
66-098	3/16	5	8	203	3/16	5	11-3/4	300	6	24	76174660982

Vinyl Grip Phillips® Tip

SKU #	POINT SIZE	BLADE I IN.	LENGTH MM	BLADE D IN.	IAMETER MM	OVERALI IN.	. LENGTH MM	BOX QTY	CARTON QTY	UPC
65-901	1	3	76	3/16	5	6-3/4	173	6	36	76174659016
65-902	2	4	102	1/4	6.5	8-5/8	213	6	36	76174659023
65-903	3	6	152	5/16	8	11	279	6	36	76174659030

117

SKU #	TIP W	/IDTH	BLADE	LENGTH	IGTH BLADE DIAMETER		OVERALL LENGTH		BOX	CARTON	UPC
SKU#	IN.	ММ	IN.	мм	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UFC
66-093	1/4	6.5	4	102	1/4	6.5	8-3/8	213	6	36	76174660937
66-094	5/16	8	6	152	5/16	8	11	279	6	24	76174660944
66-095	3/8	10	8	203	3/8	10	13-3/8	340	6	24	76174660951





4-Piece Acetate Screwdriver Set

- Durable acetate handles withstand chemicals and harsh environments
- Heat-treated alloy steel blades hold up to repeated use
- Nickel-plated bars resist corrosion

SKU #		INCLUDES	BOX QTY	CARTON QTY	UPC
64-017	4 Pieces	Standard: 1/4" x 4" Cabinet: 3/16" x 3" Phillips®: 1pt x 4", 2pt x 4"	0	4	76174640175

Phillips is a registered trademark of Phillips Screw Co. Torx is a registered trademark of Acument Intellectual Properties, LLC

STANLEY

BASIC SCREWDRIVERS

- Ergonomically designed handle with slip-resistant textured grip for comfortable hold
- Heat-treated alloy steel bars hold up to repeated use
- Sets feature popular sizes to satisfy wide range of fastening needs
- Nickel-plated bar resists corrosion

Basic Sets

Storage racks included

SKU #		INCLUDES	BOX QTY	CARTON QTY	UPC
60-020	2-Piece Set	Standard: 1/4" x 4" Phillips®: 2pt x 4"	4	24	76174600209
60-060	6-Piece Set	Standard: 1/4" x 4", 1/4" x 6", Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 1pt x 4", 2pt x 4"	0	6	76174600605
60-081	8-Piece Set	Standard: 1/4" x 4", 1/4" Stubby Cabinet: 3/16" x 3" Phillips®: 1pt x 4", 2pt x 4", 2pt Stubby Hybrid Offset (2 pc)	0	6	76174600810
60-100 (pictured)	10-Piece Set	Standard: 1/8" x 2", 1/4" x 4", 1/4" x 6", 1/4" Stubby Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: 0pt x 2", 1pt x 4", 2pt x 4", 2pt Stubby	0	6	76174601008
60-112K	10-Piece Set w/ Tape Rule	Standard: 1/8" x 2", 1/4" x 4", 1/4" x 6", 1/4" Stubby Cabinet: 3/16" x 3", 3/16" x 6" Phillips®: Opt x 2", 1pt x 4", 2pt x 4", 2pt Stubby 12' Tape Rule	0	6	76174601121
60-220	20-Piece Set (Storage rack not included)	Standard: (2) 1/4" x 4", 1/4" x 6", 1/4" Stubby Cabinet: (2) 3/16" x 3", 3/16" x 6" Phillips®: (2) 1pt x 4", (2) 2pt x 4", 2pt Stubby Hybrid Offset (2 pc) 6 Piece Precision Screwdriver Set	0	6	76174602203



119



SKU #	TIP V	VIDTH	BLADE	BLADE LENGTH		BLADE DIAMETER		OVERALL LENGTH		CARTON	UPC
3KU #	IN.	мм	IN.	мм	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	OFC
60-004	1/4	6.5	4	102	1/4	6.5	7-7/8	201	6	36	76174600049
60-006	1/4	6.5	6	152	1/4	6.5	9-7/8	251	6	36	76174600063
<u>60-124</u>	60-004 - 12-Piece Bulk Merchandiser Fluted 4" S						tandard		12	48	76174604047

Cabinet Tip

SKU #	TIP W	TIP WIDTH		LENGTH	BLADE DIAMETER		OVERALL LENGTH		BOX	CARTON	UPC
380 #	IN.	ММ	IN.	ММ	IN.	ММ	IN.	ММ	ОТҮ	QTY	UFC
60-003	3/16	5	3	76	3/16	5	6-7/8	175	6	36	76174600032
60-005	3/16	5	6	152	3/16 5 9-7/8 251				6	36	76174600056
60-123		60-003 - 12-Piece Bulk Merchandiser Fluted 3" Cabinet							12	48	76174604030



Phillips® Tip

SKU #	POINT	BLADE LENGTH BLADE DIAMETER OVERALL LENGTH		LENGTH	BOX	CARTON	UPC			
3KU #	SIZE	IN.	ММ	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UFG
60-001	1	4	102	3/16	5	7-7/8	201	6	36	76174600018
60-002	2	4	102	1/4	6.5	7-7/8	201	6	36	76174600025
60-121	60-001 - 12-Piece Bulk Merchandiser Fluted 4" Phillips®					®	12	48	76174604016	
60-122	60	60-002 - 12-Piece Bulk Merchandiser Fluted 4" Ph				4" Phillips	®	12	48	76174604023



(IIIIII)

Torx®

SKU #	тір	BLADE LENGTH		BLADE D	BLADE DIAMETER OVERALL LENGTH			BOX	CARTON	UPC
310 #	1117	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UFC
60-010	T10	3-1/4	83	3/16	5	7-1/8	180	6	36	76174600100
60-011	T15	3-1/4	83	3/16	5	7-1/8	180	6	36	76174600117
60-012	T20	3-1/4	83	3/16	5	7-1/8	180	6	36	76174600124
60-013	T25	3-1/4	83	3/16	5	7-1/8	180	6	36	76174600131

100

Square Tip

SKU #	POINT	BLADE	LENGTH	BLADE	DIAMETER	OVERALL LENGTH		BOX CARTON		UPC	
3KU #	SIZE	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UFG	
60-015	1	4	102	3/16	5	7-7/8	201	6	36	76174600155	
60-016	2	5	127	3/16	5	8-7/8	225	6	36	76174600162	

Phillips is a registered trademark of Phillips Screw Co. Torx is a registered trademark of Acument Intellectual Properties, LLC

Nut Driver Sets

- Long-lasting, solid one-piece construction
- Rust-resistant, nickel-plated bar
- Hex shank allows for torque when used with wrench



SKU #		SIZE	BOX QTY	CARTON QTY	UPC
62-541	6 Pieces	3/16", 1/4", 5/16" 3/8", 7/16", 1/2"	0	6	76174625417
62-546	7 Pieces	5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm	0	6	76174625462

4-Piece Pick Hook Set

- Versatile set for a wide range of applications
- Slip-resistant rubber grip for comfort



SKU #	INCLUDES	OVERALL IN.	LENGTH MM	BOX QTY	CARTON QTY	UPC
82-115	6" Angle Hook Full Hook 90° Hook Straight Pick	6	150	4	24	76174821154

29-Piece Multibit Ratcheting Screwdriver Set

- Three-position switch enables clockwise and counter-clockwise ratcheting and locked position
- Ergonomically designed bi-material handle
- Nickel-plated bar for corrosion resistance



	SKU #		INCLUDES	LEN	GTH	BOX	CARTON	UPC
	310 #		INGLODES	IN.	ММ	QTY	QTY	010
	54-925	15 Bits	Standard: (2) 1/4", (1) 9/32" Phillips®: (2) 1pt, (2) 2pt, (1) 3pt Torx®: (1) T10, (1) T15, (1) T20, (1) T25, (1) T27 Hex: (1) 1/8", (1) 5/32"	8-3/4	222	2	12	76174549256
l		12 Drive Sockets 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"						
		(1) Handle, (1) Ada	pter					



20-Piece Multibit Ratcheting Screwdriver Set

- Three-position switch enables clockwise and counter-clockwise ratcheting and locked position
- Bit storage in handle for quick and easy access
- Ergonomically designed handle
- Magnetic bit holder for speedy and secure changeover of bits

SKU #	INCLUDES	LEN	GTH	BOX	CARTON	UPC	
5KU #	INGLUDES	IN.	мм	QTY	Ω ΤΥ		
62-574	6 Nutdrivers 14 Screwdriver Bits Storage Rack	10.5	266.7	2	12	76174625745	



10-Piece Multibit Ratcheting Screwdriver

- Three-position switch enables clockwise and counter-clockwise ratcheting and locked position
- Bit storage in handle for quick and easy access
- Ergonomically designed handle
- Magnetic bit holder for speedy and secure changeover of bits

SKU #		LEN	GTH	BOX	CARTON	UDC	
3KU #	INCLUDES	IN.	ММ	QTY	QTY	UPC	
68-010	Standard: 3/16", 1/4" Phillips®: 1pt, 2pt w®: T15, T20 Pozi: 1p, 2pt Square: 1pt, 2pt Storage Rack	10.5	266.7	2	8	76174680102	



STANLEY

Stubby Multibits

- · Magnetic bit holder for speedy and secure changeover of bits
- Durable bi-material handles with comfort grip
- Includes (6) Chrome Vanadium (CrV) bits with internal bit storage for easy access to bits end cap carries 6 bits
- Three-position switch enables clockwise and counter-clockwise ratcheting and locked position (66-358 only)

SKU #	ТҮРЕ	INCLUDES	LEN	GTH	BOX	CARTON	UPC	
380#	TIFE	INCLUDES	IN.	ММ	QTY	Ω ΤΥ	UFC	
66-357	Regular	Standard: 1/8", 3/16", 1/4" Phillips®: 1pt, (2) 2pt	3.5	89	3	12	76174663570	
66-358 (pictured)	Ratcheting	Standard: 1/8", 3/16", 1/4" Phillips®: 1pt, (2) 2pt	4.5	114.3	3	12	76174663587	

Phillips is a registered trademark of Phillips Screw Co. Torx is a registered trademark of Acument Intellectual Properties, LLC

9-Way Screwdriver

- Interchangeable bars maximize versatility
- Reduces the number of tools user needs to carry
- Storage case included



SKU #	INCLUDES	LEN	GTH	BOX	CARTON	UPC	
3K0 #	INCLODES	IN.	ММ	ΟΤΥ	Ω ΤΥ		
62-511	3 Phillips® Bars: Opt, 1pt, 2pt 3 Standard Bars: 1/8", 3/16", 1/4" 1 Tack Puller 1 Brad Awl 1 Hook Driver	7-3/4	200	6	24	76174625110	

6-Way Screwdriver

- Convenient and space-saving design reduces the number of tools users must carry
- Chrome-plated bar resists corrosion
- Slip-resistant rubber grip provides comfort

SKU #		INCLUDES	LEN	GTH	BOX	CARTON	UPC
3K0 #		INGLODES	IN.	ММ	QTY	QTY	
68-012	6 Bits	Standard: 1/4", 3/16" Phillips®: 1pt, 2pt Nut Driver: 1/4", 5/16"	7-3/4	197	6	24	76174680126
68-012M	24-piece merchandiser		7-3/4	197	0	24	76174680126

Fiberglass Multibit Screwdriver

- Fiberglass composite shaft
- Magnetic tip
- Easy-access bit storage in the handle

SKU # INCLUDES		LENGTH IN. MM		BOX QTY	CARTON QTY	UPC	
			IN.				
68-107	4 Bits	Standard: 1/4", 3/16" Phillips®: 1pt, 2pt	6-1/2	152	4	24	76174681079





4-in-1 Pocket Driver

- The convenience of a set of precision drivers in a one-pocket tool
- Ideal for toy assembly, battery compartments, eyeglasses, electronics and cell phones
- Magnetic bits attract and hold small screws
- Soft and comfortable bi-material grip

SKU #	INCLUDES	LEN	GTH	BOX	CARTON	UPC	
3KU #	INCLUDES	IN.	ММ	ΩΤΥ	QTY	UFG	
66-344	Standard: 5/32", 1/8" Phillips®: 1pt, 2pt	5-1/4	133	8	48	76174663440	



6-Piece Jeweler's Precision Screwdriver Set

- Swivel-head handles provide precision and reach
- Bright, plated shafts are fluted for a steady, solid grip
- Hardened and tempered steel blades with blued finish to resist corrosion
- Plastic storage case included

SKII #		INCLUDES	LEN	GTH	BOX	CARTON	UPC
SKU #		INGLODES	IN.	ММ	Ω ΤΥ	QTY	UFC
66-039	6 Pieces	Standard: 1.4mm, 1.8mm, 2.3mm, 3.0mm Phillips®: Opt, 1pt	6	152	1	36	76174660395



STANLEY

6-Piece Precision Screwdriver Set

- Swivel-head handles provide precision and reach
- Tough, plastic handles with soft cushion grip for comfort
- Plastic storage case included

	SKU #		INCLUDES	LEN	GTH	BOX	CARTON	LIDE
66-052 6 Pieces Standard: 1.4mm, 2.0mm, 2.4mm, 3.0mm 4 102 5 24 7617466055	3KU #		INGLODES	IN.	ММ	Ω ΤΥ	QTY	UFG
	66-052	6 Pieces	Standard: 1.4mm, 2.0mm, 2.4mm, 3.0mm Phillips®: 0pt, 1pt	4	102	5	24	76174660524

Offset Screwdrivers

- Heat-treated steel blades
- Nickel-plated for corrosion resistance

SKII #	INCLUDES	LEN	GTH	BOX	CARTON	UPC
SKU #	INGLODES	IN.	мм	QTY	QTY	UPC
65-032	Phillips®: 1pt, 2pt	4	102	6	72	76174650327
65-033	Standard: 1/4" Phillips®: 2pt	4	102	6	72	76174650334

Phillips is a registered trademark of Phillips Screw Co. Torx is a registered trademark of Acument Intellectual Properties, LLC

CLAMPS

Stanley is world-renowned for manufacturing high-quality tools, a reputation that extends to its line of work-holding clamps. The company offers four different clamps and one cleverly designed portable vise. Each tool is designed to satisfy the demands of professional contractors, machinists, woodworkers and do-it-yourself homeowners.

Stanley's traditional-style MaxSteel[®] C-Clamp has a 2-inch capacity and advanced frame design that resists flexing and bending. Made of malleable iron and precision roll-formed threads, the clamp has an oversized T-handle for easy tightening. Each trigger clamp can be easily converted to a spreader for separating two parts.

The Stanley Spring Clamp has a 1-inch capacity and is fitted with 3 thick, soft-grip handles and injection-molded jaw pads that help to protect surfaces from dents and scratches.

Lastly, there's the super versatile MaxSteel® Multi-Angle Vise, which is a combination work-holding clamp and vise. It can be conveniently clamped onto a workbench, sawhorse, tailgate or similar object whenever and wherever you need a vise. The swivel-ball design allows you to rotate the vise into a comfortable position and the best possible working angle.

Today, Stanley continues to experiment with new clamp designs made of durable materials. The company uses a variety of materials to build its clamps, including cast iron, stamped metal, reinforced nylon, high-strength steel and cast aluminum. Many models have a corrosion-resistant finish that fights rust and provides a long, serviceable life.

CLAMPING TOOLS



FatMax Xtreme® Auto Trigger Clamp

- Rapid return spring mechanism fastest one-handed bar clamp on the market
- 12" jaw capacity with 220 lbs. of clamping force
- Converts easily to a spreader
- · Made from reinforced nylon for durability
- Removable jaw pads/oversized jaw face help protect surfaces from marring and damage

SKU # TYPE		THROAT	DEPTH	LEN	GTH	BOX	CARTON	UPC
SKU #	IYPE	IN.	ММ	IN.	ММ	ΩΤΥ	QTY	UPG
83-124	Large	3-1/4	83	12	300	0	4	76174831245



FatMax[®] Trigger Clamp

- Drive mechanism provides three times faster travel and 50% more clamping force than competitive traditional products
- Quickly converts from a clamp to a spreader without the use of tools
- Smaller jaw can be positioned anywhere along bar for a range of applications
- · Reinforced nylon and steel construction provides strength and durability
- · Removable jaw pads help protect surfaces from marring and damage

с и ц #	THRO,		DEPTH	LEN	GTH	BOX QTY	CARTON	UPC
SKU #	ΤΥΡΕ	IN.	ММ	IN.	ММ	DUAUIT	Ω ΤΥ	UFG
83-002	Medium	2-1/2	64	6	150	3	12	76174830026



MaxSteel® C Clamps

- · Advanced frame design resists flexing and bending
- · Roll-formed screw threads for smooth operation and durability
- Heavy-duty, malleable iron and steel construction
- Oversized "T" handle for applying torque
- High-visibility, corrosion-resistant finish

SKU #	THROAT	T DEPTH	CAPA	NCITY	BOX	CARTON	UPC	
3KU #	IN.	ММ	IN.	ММ	Ω ΤΥ	ΩΤΥ	UFG	
83-032	1-5/16	33	2	50	4	24	76174830323	



CLAMPING TOOLS

Metal Spring Clamp

- Stamped metal construction provides strength
- Ergonomically designed handle pads fit securely and won't slip off
- Cold-formed spring for long life
- Injection-molded jaw pads help protect surfaces from marring and damage



SKU #	CAPA	ACITY	BOX	CARTON	UPC	
3KU #	IN.	ММ	QTY	QTY		
83-079	1	25	4	24	76174830798	

MaxSteel[®] Multi-Angle Vise

- Infinite and lockable positioning achieved with swivel-ball design
- Easily attached to most work surfaces with integral screw clamp
- Durable cast-aluminum and steel construction
- Removable jaw pads help protect surfaces from marring and damage



SKU #	JAW	NIDTH	BOX	CARTON	UPC	
3KU #	IN.	ММ	QTY	QTY		
83-069M	2-7/8	73	2	4	76174830699	



FINISHING TOOLS

Stanley is proud of its long-standing commitment to manufacturing some of the world's best finishing tools, including its highly regarded and worldrenowned line of hand planes. Stanley has a rich tradition and long history in this tool category, having produced high-quality hand planes since 1870, a fact that has not gone unnoticed by serious antique tool collectors.

Today, there are nearly 20 Stanley hand planes available, ranging from smoothing, jack and block planes to specialty tools such as shoulder/chisel and bull-nose rabbet planes. Each tool is designed and built to deliver clean, precise cuts and to last for several generations. And Stanley pays tribute to its rich history with the introduction of its traditional Sweetheart[™] planes and Bailey[®] planes. Sweetheart[™] tools are named after William H. Hart, who was president of Stanley from 1884 to 1915. Bailey[®] planes commemorate a line of tools that was originally designed by legendary Boston toolmaker Leonard Bailey.

To complement its hand planes, Stanley offers a flat-based SpokeShave, a full assortment of replacement blade irons, and an easy-to-use sharpening system that includes everything you need to sharpen and hone plane irons and wood chisels.

This dynamic tool category also includes Stanley's celebrated line of Surform[®] tools, which comprises five different super-versatile implements designed for quickly smoothing, shaping and contouring a wide variety of materials ranging from wood, drywall and rabbet to copper, aluminum and brass. A wide variety of Surform[®] replacement blades is available too.

Rounding out the finishing-tool category, Stanley offers 25 hand files, available in every imaginable size, shape and coarseness, including both single- and double-cut models. These durable, fast-cutting files are sold individually and in convenient four-, five- and six-piece sets.

As you peruse this category, remember that behind every finishing tool are more than 140 years of tool-manufacturing experience, skill and, of course, Stanley's unflagging commitment to excellence.

PLANES	130-133
PLANE REPLACEMENT BLADE GUIDE	134
SURFORM®	135-136
SURFORM® BLADES	136-137
SURFORM® TOOL CHART	137
FILES	138-141
WIRE BRUSHES	141



FINISHING TOOLS



No. 4 Sweetheart Smoothing Bench Plane

- Iron is made from extra-thick 1/8" (3.18 mm) A2 steel for excellent edge retention
- One-piece base and frog virtually eliminate chatter
- · Cherrywood handle and knob for comfort
- Norris-type adjuster with lateral locking feature
- · Adjustable throat plate for different types of wood
- Replacement Blade 12-141

			LENGTH WIDT			CUTTER	WIDTH	BOX	CARTON	
SKU #	ТҮРЕ	IN.	ММ	IN.	MM	IN.	ММ	QTY	ΔΤΥ ΔΤΥ	UPC
12-136	Bench	10-45/64	272	2-1/2	64	2	51	1	6	076174121360



No. 62 Sweetheart Low Angle Jack Plane

- Iron is made from extra thick 3/16" (4.75 mm) A2 steel for excellent edge retention
- · Cherry wood handle and knob for comfort
- · Norris type adjustment for ease of use
- Adjustable throat plate for different types of wood
- Replacement Blade 12-142

SKU # TYPE		LENGTH WIDTH		TH	CUTTER WIDTH		BOX CARTON		UPC	
3KU #	ITFE	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFG
12-137	Jack	14	356	2-13/32	61	1-63/64	50	1	6	076174121377



No. 9-1/2 Sweetheart Block Plane

- Iron is made from extra-thick 1/8" (3.18 mm) A2 steel for excellent edge retention
- Precision-ground ductile cast iron base for accuracy
- · Norris-type adjuster with lateral locking feature
- Solid brass hardware for smooth adjustments
- Replacement Blade 12-143

SKU #	ТҮРЕ	LEN	GTH	WIE	DTH	CUTTE	R WIDTH	BOX	CARTON	UPC
310 #	TTFE	IN.	MM	IN.	MM	IN.	ММ	QTY	QTY	UFG
12-138	Block	6-1/2	165	2-1/8	54	1-5/8	41	1	15	076174121384



No. 60-1/2 Sweetheart Low-Angle Block Plane

- Iron is made from extra-thick 1/8" (3.18mm) A2 steel for excellent edge retention
- Precision-ground ductile cast iron base for accuracy
- · Norris-type adjuster with lateral locking feature
- Solid brass hardware for smooth adjustments
- 12° low-angle bed ideal for cutting end grain
- Replacement Blade 12-143

SKU #	ТҮРЕ	LEN	GTH	WIE	DTH	CUTTE	R WIDTH	BOX	CARTON	UPC
310 #	TIFE	IN.	MM	IN.	MM	IN.	ММ	QTY	QTY	UFG
12-139	Block	6-1/2	165	2-1/8	54	1-5/8	41	1	18	076174121391



PLANES

No. 92 Sweetheart Shoulder/Chisel Plane

- Dual purpose converts from a shoulder plane to a chisel plane
- Iron is made from extra-thick 1/8" (3.18mm) A2 steel for excellent edge retention
- Precision-ground cast-iron base for accuracy
- Finger grips for control
- Replacement Blade 12-144



SKU #	ТҮРЕ	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
3NU #	ITFE	IN.	ММ	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UFC
12-140	Shoulder/Chisel	6-7/64	155	3/4	19	3/4	19	1	20	076174121407

Bailey® Bench Planes

- Gray, cast-iron base with precision-ground sides and bottom
- Durable epoxy coating provides long-lasting protection
- · Hardened, tempered steel gives precision-ground cutter edge durability
- Fully machined and polished double-iron cutter and lever
- Frog seat is machined for precise mouth adjustment
- Cutter adjusts for depth and alignment, offering precise control
- · Solid brass cutter-adjustment knob
- Quick-release cam lock makes iron removal easy
- Kidney-shaped hole in lever cap helps secure cutter in place
- Contoured, polished high-impact polymer handles and knobs
- Replacement Iron 12-313



SKU #	TVDE	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
3NU #	ТҮРЕ	IN.	MM	IN.	MM	IN.	ММ	QTY	Ω ΤΥ	UFC
12-904	No. 4 Smoothing Plane	9-3/4	248	2-1/2	64	2	51	1	6	076174129045
12-905	No. 5 Jack Plane	14	356	2-1/2	64	2	51	1	6	076174129052

Bailey® Block Planes

- · Ideal for planing end grain and plastic materials
- 12-920 block plane has a fully adjustable cutter resting at 21°
- 13-1/2° low-angle cutter on the 12-960 block plane keeps vibration to a minimum, creating a fine finish
- Gray, cast-iron base with precision-ground sides and bottom
- Finger grips machined into sides make single-handed use easy
- · Hardened, tempered steel gives precision-ground cutter edge durability
- Cutter adjusts for depth and alignment, offering precise control
- Durable epoxy coating for long-lasting protection
- Quick-release cam lock makes iron removal easy
- Replacement Iron 12-508 for 12-920, 12-504 for 12-960



SKU #	ТҮРЕ	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
3KU #	ITE	IN.	MM	IN.	ММ	IN.	MM	QTY	Ω ΤΥ	UFC
12-920	Block Plane	6-3/8	162	2	51	1-5/8	41	1	6	076174129205
12-960	Low Angle Block Plane	6-1/4	159	1-1/4	32	1-3/8	35	1	6	076174129601

FINISHING TOOLS



No. 4 Smoothing Bench Planes

- Gray, cast-iron base with precision-ground sides and bottom
- Durable epoxy coating provides long-lasting protection
- · Hardened, tempered steel gives precision-ground cutter edge durability
- Cutter adjusts for depth and alignment, offering precise control
- Quick-release cam lock makes iron removal easy
- High-impact polymer handles and knobs are contoured and polished
- Replacement Blade 12-313 for 12-204, 12-134 for 12-404

SKU #	ТҮРЕ	LENGTH		wi	WIDTH		CUTTER WIDTH		CARTON	UPC
3NU #	ITFE	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	ΟΤΥ	UFC
12-204	Smooth Plane	9-3/4	248	2-1/2	64	2	51	1	6	076174122046
12-404	Smooth Plane	9-3/4	248	2-1/2	64	2	51	4/4	4	076174124040



Adjustable Block Planes

- · Both the 12-247 and 12-220 have machined sides
- Cutter rests at a 21° angle, ideal for cross-grain planing
- Thickness and evenness of shavings can be changed by loosening the clamping wheel and manually adjusting cutter
- · Gray, cast-iron base with precision-ground sides and bottom
- Durable epoxy coating provides long-lasting protection
- Finger rest at front of plane adds comfort and control
- Replacement Iron 12-330 for 12-247, 12-508 for 12-220

SKU #	ТҮРЕ	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
3KU #	ITFE	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UFG
12-220	Block Plane	7	178	2	51	1-5/8	41	1	6	076174122206
12-247	Block Plane	6-5/8	168	2	51	1-5/8	41	1	6	076174122473

16.

Small Trimming Plane

- Small, lightweight plane comes in handy for modeling, sculpture and other light work
- · Nickel-plated, black-finish bottom for durability

SKU #	ТҮРЕ	LEN	GTH	wi	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
51.0 #		IN.	MM	IN.	MM	IN.	ММ	ΟΤΥ	QTY	010
12-101	Trimming Plane	3-1/2	89	1-1/8	29	1	25	4	12	076174121018



Stanley[®] RB5[™] Plane

- · Dual-blade positioning for regular planing or bullnosing into corners
- Cutting depth is easy to set and adjust
- Compact size perfect for narrow work areas
- · Contoured to fit in the palm of your hand
- Quick, easy blade change; no honing required
- · Convenient blade storage in the handle
- · Comes with two disposable replacement blades
- Replacement blades available for bullnose work, regular planing, and work on plastics and laminates
- Replacement Iron 12-378

SKU #	ТҮРЕ	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
310 #		IN.	MM	IN.	MM	IN.	MM	Ω ΤΥ	Ω ΤΥ	
12-105	Block/Bullnose	6	152	2	51	2	51	2	12	076174121056





PLANES

Adjustable Bullnose Rabbet Plane

- Designed with the cutter at front of plane for close work into corners
- Mouth adjusts for coarse or fine work
- Gray cast-iron body machined on base and sides
- Replacement Iron 12-332



SKU #	ТҮРЕ	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
3KU #	ITE	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UFC
12-975	Bullnose Rabbet	4	102	1-1/16	27	1-1/16	27	1	60	076174129755

Bullnose Rabbet Plane

- One-piece, cast-iron body and handle
- All working surfaces are machined for precision work
- Two cutter positions: the rear position for regular work and the forward position for bullnose work
- Rear cutter has precise depth adjustment
- Fitted with a spur for work across wood grain, removable depth gauge and adjustable fence for use on either side of plane
- Replacement Iron 12-333



SKU #	ТҮРЕ	LEN	GTH	WI	DTH	CUTTE	R WIDTH	BOX	CARTON	UPC
310 #	1166	IN.	MM	IN.	MM	IN.	ММ	QTY	Ω ΤΥ	UFC
12-978	Bullnose Rabbet	10	254	1-1/2	38	1-1/2	38	1	1	076174129786

SpokeShave – Flat Base

- Designed for curved work, such as shaping chair seats and legs
- Cutters are fully adjustable for depth of cut and thickness of shavings
- Flat base for flat and convex surfaces
- Blades are replaceable
- Comes with a vinyl pouch that protects plane when not in use
- Replacement Irons 12-350

SKU #	ТҮРЕ	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
3KU #	TIFE	IN.	ММ	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UFC
12-951	Flat and Concave	10	254	1-5/8	41	2-1/8	54	2	24	076174129519

Sharpening System

- Provides complete system for accurate and precise sharpening
- Contents include: Honing guide, oilstone (8" x 2" aluminum oxide grit sharpening stone, double-sided with fine and medium grade) and white oil (for use with oilstone, non-flammable, non-toxic)
- Comes with instructions on how to achieve a precise, sharp edge that is square to the blade
- Compatible with standard chisel blades and plane irons from 1/4" to 2-3/4" (4mm-60mm)

l	SKU #	CONTAINS	BOX QTY	CARTON QTY	UPC
	16-050	Honing guide, Oilstone (8" X 2" aluminum oxide grit sharpening stone, double-sided with fine and medium grade) and White Oil	4	24	076174160505





PLANE REPLACEMENT BLADES

							R	EPLACI	EMENT	BLADE	S					
一時にいる	PLANE SKU	12-141 A2 STEEL	12-142 A2 STEEL	12-143 A2 STEEL	12-144 A2 STEEL	12-134 HIGH CARBON	12-313 HIGH CARBON	12-508 HIGH CARBON	12-504 HIGH CARBON	12-330 HIGH CARBON	12-378 HIGH CARBON	12-337 HIGH CARBON	12-332 HIGH CARBON	12-333 HIGH CARBON	12-350 HIGH CARBON	12-328 High carbon
1	12-136	x														
-	12-130	^	X													
-	12-137		^	X												
8																
2	12-139			X												
-	12-140				X											
	12-904						X									
	12-905						X									
	12-920							Х								
	12-960								X							
	12-204						Х									
	12-404					Х										
	12-220							X								
	12-247									Х						
	12-105										X					
1	12-080											Х				
	12-975												X			
	12-978													X		
	12-951														Х	
	12-952														X	
	12-090															Х

REPLACEMENT BLADES

SURFORM® TOOLS

Surform® Flat File – Regular Cut Blade

- Superb tool for use as a rasp on wood, plastic, soft metals and many other materials
- Manufactured with a metallic-gray, die-cast alloy body
- High-impact polymer handle holds up to heavy use
- Fitted with a replaceable (10"/250mm) blade
- Use replacement blade 21-293 for standard cut, 21-393 for fine cut and 21-299 for half round



SKU #	ТҮРЕ	CUT	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
3KU #	ITFE	COI	IN.	MM	IN.	MM	IN.	ММ	QTY	Ω ΤΥ	UPC
21-295	Flat File	Regular	17-3/8	441	1-5/8	41	1-5/8	41	6	6	076174212952

Surform® Plane Type – Regular Cut Blade

- Resilient enough to be used on materials that would dull a traditional bench plane blade
- Manufactured with a metallic-gray, die-cast alloy body
- High-impact polymer handle holds up to heavy use
- Fitted with a replaceable (10"/250mm) blade.
- Use replacement blade 21-293 for standard cut, 21-393 for fine cut and 21-299 for half round

21-299 for h	half round										
SKU #	ТҮРЕ	CUT	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
3KU #	ITE	CUI	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFC
21-296	Plane	Regular	12-1/2	318	1-5/8	41	1-5/8	41	4	4	076174212969

Surform[®] Round File

- Useful for enlarging holes and smoothing curved surfaces
- Ideal for pipe installations in MDF, chipboard, drywall or laminates
- Front grip can be easily removed for use in small holes
- High-impact polymer handle with thumb support holds up to heavy use
- Fitted with a replaceable (10"/250mm) round blade
- Use replacement blade 21-291

SKU #	ТҮРЕ	CUT	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
310 #		601	IN.	MM	IN.	MM	IN.	MM	QTY	QTY	ULC .
21-297	Round	Round	15-3/4	400	1-1/2	38	5/8	16	2	12	076174212976

6" Surform[®] Pocket Plane

- Designed for one-handed use
- · Ideal for end-grain work, sheetrock and smoothing edges of laminates
- Manufactured with a metallic-gray, die-cast alloy body
- Includes thumbscrew blade tension for quick blade replacement
- Fitted with a replaceable (5-1/2"/140mm) fine cut blade
- Use replacement blade 21-398

SKU #	ТҮРЕ	CUT	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
		001	IN.	ММ	IN.	MM	IN.	MM	QTY	QTY	010
21-399	Pocket Plane	Fine	5-5/8	143	1-5/8	41	1-5/8	41	4	24	076174213997

Toll Free Customer Service Number: 1-800-262-2161 Customer Service FAX Number: 1-800-643-3756



FINISHING TOOLS



7-1/4" Surform® Shaver

- Compact and lightweight polypropylene molded body
- Curved blade handy and efficient for stock removal
- Sidecut teeth in blade useful for shaving in corners
- Works on the pull stroke
- Simple, click-on blade replacement
- Use replacement blade 21-515

SKU #	ТҮРЕ	CUT	LEN	GTH	WI	DTH	CUTTER	WIDTH	BOX	CARTON	UPC
310 #		601	IN.	ММ	IN.	MM	IN.	ММ	QTY	Ω ΤΥ	ULC.
21-115	Shaver	Regular	7-1/4	184	1-5/8	41	1-5/8	41	4	24	076174211153



- 10"/250mm
- All-purpose blade for use on wood, vinyl, plaster, thermalite, fiberglass and linoleum
- Designed for working into edges, with teeth flush to the blade edge
- Can be used as a replacement blade on 21-296 Surform[®] Plane Type -Regular Cut Blade and 21-295 Surform[®] Flat File - Regular Cut Blade

SKU #	BLADES	FITS TOOLS	LEN	GTH	CUTTER	WIDTH	BOX	CARTON	UPC
5K0 #	PER PACK		IN.	MM	IN.	MM	Ω ΤΥ	QTY	
21-293	1	21-295, 21-296	10	254	1-5/8	41	4	24	076174212938

10" Surform[®] Flat Fine Cut Replacement Blade



- 10"/250mm
 Produces a fine finish on hardwoods, end grains and soft metals
- Can be used as a replacement blade on 21-295 Surform[®] Flat File -
 - Regular Cut and 21-296 Surform® Plane Type Regular Cut Blade

SKU #	BLADES	FITS TOOLS	LEN	GTH	CUTTER	WIDTH	BOX	CARTON	UPC
310 #	PER PACK		IN.	MM	IN.	ММ	Ω ΤΥ	Ω ΤΥ	ore
21-393	1	21-295, 21-296	10	254	1-5/8	41	6	72	076174213935



- 10"/250mm
- Produces a fine finish on hardwoods, end grains and soft metals
- Can be use as a replacement blade on 21-299 Surform[®] Pocket Plane

SKU #	BLADES	FITS TOOL	LEN	GTH	CUTTER	WIDTH	BOX	CARTON	UPC
	PER PACK		IN.	MM	IN.	MM	QTY	QTY	
21-398	1	21-399	5-1/2	140	1-5/8	41	4	24	076174213980

10" Surform[®] Half Round Regular Cut Replacement Blade

- Half-round convex blade used for fast stock removal and shaping curved surfaces
- Ideal for work on fiberglass and removing filler (for cars and boats)
- Can be used as a replacement blade on 21-295 Surform[®] Flat File -Regular Cut and 21-296 Surform[®] Plane Type - Regular Cut Blade

SKU #	BLADES	FITS TOOLS	LEN	GTH	CUTTER	WIDTH	BOX	CARTON	UPC
3KU #	PER PACK	FI13 100L3	IN.	ММ	IN.	ММ	ΩΤΥ	Ω ΤΥ	UFG
21-299	1	21-295, 21-296	10	254	1-1/2	38	6	36	076174212990



SURFORM® TOOLS

10" Surform[®] Round Replacement Blade

- 10"/250mm
- Used for enlarging holes and smoothing curved surfaces
- Can be used as a replacement blade on 21-297 Surform® Round File

SKU #	BLADES	FITS TOOL	LEN	GTH	CUTTER	WIDTH	BOX	CARTON	UPC
310 #	PER PACK	1113 1002	IN.	ММ	IN.	MM	Ω ΤΥ	Ω ΤΥ	OFC
21-291	1	21-297	10	254	5/8	16	6	36	076174212914

2-1/2" Surform[®] Shaver Replacement Blade

- 2-1/2"/63mm
- Curved blade speeds up stock removal
- Works on the pull stroke
- Can be used as a replacement blade on 21-115, 7-1/4" Surform® Shaver

SKU #	BLADES PER PACK	FITS TOOL	LENGTH		CUTTER WIDTH		BOX	CARTON	UPC	
		FITS TOOL	IN.	ММ	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UFC	
21-515	1	21-115	2-1/2	64	1-5/8	41	6	36	076174215151	

SURFORM® TOOL	£6665 £		202020			26666
AND BLADE	<u>1 202020</u>	222222222222	68989		<u> </u>	1 RORORD
CHART	STANDARD CUT 21-293	FINE CUT 21-393	HALF ROUND 21-299	ROUND 21-291	FINE CUT 21-398	CURVED 21-515
Hardwood	Х	Х	Х	X	X	X
Softwood	X	X	X	X	X	X
End Grain		Х			X	
Chipboard	Х		X	X		X
Plywood	Х		X	X		X
Blockboard	Х		X	X		Х
Vinyl	Х	Х	Х	Х	Х	х
Rubber	X		X	X		X
Plaster	Х	Х	Х	X	X	X
Thermalite	Х		X	X		X
Chalk	Х		Х	X		X
Fiberglass	X		X	X		X
Brass		Х			X	10
Aluminum		Х			X	
Copper		Х			X	5
Mild Steel		Х			X	
Plastic Laminates						X
Plastic Fillers	Х	Х	Х	X	Х	X
Nylon	Х		X	X		X
Vinyl Flooring	X		Х	Х		X
Fits Tool(s)	21-296, 21-295	21-296, 21-295	21-296, 21-295	21-297	21-399	21-115



137

FINISHING TOOLS

FI ΔT

Single-Cut Mill Bastard Files

- Flat file tapered in width and thickness for general material removal
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing

SKU #	СИТ	LENGTH		BOX	CARTON	UPC
		IN.	ММ	ΩΤΥ	QTY	UFC
22-170	Single	6	152	6	36	076471221701
22-171	Single	8	203	6	36	076174221718
22-172	Single	10	254	6	36	076174221725
22-173	Single	12	305	6	36	076174221732

Double-Cut Flat Bastard Files

- Flat file parallel in width and tapered in thickness for general material removal
- Double-cut pattern for moderate removal of material
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing

SKU #	CUT	LENGTH		BOX	CARTON	UPC
3KU #		IN.	ММ	QTY	ΟΤΥ	
22-174	Double	6	152	6	36	076174221749
22-175	Double	8	203	6	36	076174221756
22-176	Double	10	254	6	36	076174221763

Single-Cut Round Bastard Files

- Round file tapered in width and thickness for enlarging round holes or cutting a scalloped edge
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing

сиц #	CUT	LENGTH		BOX	CARTON	UPC
SKU #	COT	IN.	ММ	QTY	QTY	UFG
22-307	Single	6	152	6	36	076174223071
22-098	Single	8	203	6	36	076174220988
22-178	Single	10	254	6	36	076174221787

Single Cut Slim Taper Files

- Triangle-shape file gradually tapered in width and thickness for cutting angles less than 90 degrees
- · Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing

SKU #	ТҮРЕ	CUT	LENGTH		BOX	CARTON	UPC
3NU #		COI	IN.	ММ	Ω ΤΥ	ΟΤΥ	ULC.
22-306	Slim Taper	Single	6	152	6	36	076174223064
22-312	Extra Slim Taper	Single	6	152	6	36	076174223125
22-313	Extra Extra Slim Taper	Single	6	152	6	36	076174223132



SLIM

TAPER





FILES

ROUND

ROUND

Half Round Bastard Files

- Half round file tapered in width and thickness for filing inside of rings and round holes
- Double-cut pattern for moderate removal of material
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing

CVII #	CUT	LENGTH		BOX	CARTON	UPC
SKU #		IN.	ММ	QTY	QTY	UFG
22-308	Double	8	203	6	36	076174223088
22-099	Double	10	254	6	36	076174220995

Half Round Rasp File - 8"

- Half round file tapered in width and thickness for filing round holes
- Rasp pattern for rapid removal of material
- Bastard teeth spacing for general-purpose material removal



Chainsaw Files

- Round file for sharpening chainsaw blades
- Follow saw manufacturer's specifications and safety instructions when sharpening chainsaw blades

SKU #	CUT	LENGTH		BOX	CARTON	UPC
		IN.	ММ	ΩΤΥ	QTY	UFG
22-118	Single	6	152	6	36	076174221183
22-121	Single	8	203	6	36	076174221213
22-122	Single	8	203	6	36	076174221220

4-in-1 Rasp & Double Cut File - 8"

- 4 tools in 1 -- ideal for woodworking or sharpening tools
- Double-cut and rasp file for moderate and rapid removal of material
- Half round and flat file for filing both flat surfaces and round holes
- Bastard teeth spacing for general-purpose material removal



SKU #	CUT	LENGTH IN. MM		BOX QTY	CARTON QTY	UPC
21-113	Double & Rasp	8	203	3 / 18	18	076174211139

Toll Free Customer Service Number: 1-800-262-2161 Customer Service FAX Number: 1-800-643-3756



ROUND

FINISHING TOOLS



Bi-Material File Handle

- Interchangeable file handle
- Bi-material handle reduces vibrations
- Ergonomic, slip-resistant design for comfort
- Hanger opening for easy storage
- Includes 3 inserts that fits most files

SKU #	HANDLE COLOR	LEN	LENGTH		CARTON	UPC
310 #	HANDLE GOLUN	IN.	ММ	ΩΤΥ	QTY	UFG
22-311	Yellow/Black	4.5	114	6	36	076174223118

Bastard Cut Mill Files with Handle

- Flat file tapered in width and thickness for general material removal
- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing
- Ergonomic bi-material handle reduces vibrations and is slip-resistant
- Handle includes hanger opening for easy storage

SKU #		CUT	LENGTH		BOX	CARTON	UPC
3KU #	IN.		ММ	QTY	ΩΤΥ	UFG	
22-0	018	Single	6	152	2	12	076174220186
22-0	019	Single	8	203	2	12	076174220193
22-0	020	Single	10	254	2	12	076174220209
22-0	021	Single	12	305	2	12	076174220216



ΕΙ ΔΤ

FI ΔT

Single-Cut Handy File with Handle

• Flat file tapered in width and thickness for general material removal

- Single-cut mill pattern for light removal of material
- Bastard teeth spacing for general-purpose tool sharpening and material smoothing
- Ergonomic handle is slip-resistant

SKU #	СИТ	LEN	GTH	BOX	CARTON	UPC
5KU #		IN.	ММ	Ω ΤΥ	ΩΤΥ	Uru
21-106	Single	8	203	3	12	076174211061



File Sets

- · Multi-tool sets are ideal for most sharpening and material removal needs
- Round, flat and triangle files for filing flat, round and less than 90-degree angles
- All sets include 1 interchangeable bi-material file handle that reduces vibrations

SKU #	CONTAINS	BOX QTY	CARTON QTY	UPC
22-319	4pc File Set - 6" Slim Taper, 6" Round, 6" Mill Bastard Files and 1 Interchangeable Handle	2	8	076174223194
22-314	5pc File Set - 8" Mill Bastard, 6" Round, 6" Slim Taper, 8" 4-in-1 Files and 1 Interchangeable Handle	2	8	076174223149



FILES

6-pc Hobby File Set - 4"

- Needle files for small precision filing projects
- Smooth pattern for light removal of material
- 6-pc set includes flat parallel, flat tapered, half round, round, square and triangle files, all 4" long
- Includes storage rack





SKU #	CONTAINS	BOX QTY	CARTON QTY	UPC
22-316	6pc Set : Flat Parallel, Flat Tapered, Half Round, Round, Square and Triangle Files, all 4" long	2	12	076174223163

File Cleaner - 8"

- Ideal for cleaning file teeth
- Ergonomic wood handle for a secure grip



SKU #	LENGTH		BOX CARTON		UPC	
3KU #	IN.	ММ	QTY	QTY	UFU	
22-339	8	203	2	16	076174223392	

Wire Brush

- Ideal for removal of rust and paint
- Strong wire bristles
- Durable wood handle



SKU #	LENGTH		BOX	CARTON	UPC	
310 #	IN.	ММ	QTY	QTY	UF C	
21-112	8	203	4	16	076174211122	

PAINT SUNDRIES

Stanley knows that every successful painting job – interior or exterior – starts with a properly prepared surface. So to make surface prep as easy as possible, Stanley offers a full line of paint-prep tools that are specially designed for use by professional painters, drywall contractors and do-it-yourself homeowners. Like all Stanley products, these specialized hand tools are designed and built to outperform and outlast the competition.

The Paint Sundries category includes 4 basic types of surface-prep tools: putty knives, paint scrapers, hand sanders and scrubbing brushes. Within these groups are the tools needed to prepare virtually any surface prior to patching, priming and painting. There are 17 different putty knives, ranging in width from 1-1/4 inches to 4 inches. Most have hardened tempered-steel blades fitted onto durable bi-material, nylon or wood handles.

The high-quality putty knives come with rigid or flexible blades, and are ideal for applying wood putty, joint compound and other spreadable materials. And unlike some tool companies, Stanley offers all blade widths in a choice of rigid or flexible blades, allowing the user to choose the right tool for the job at hand.

Scraping cracked, blistered paint may never be fun, but it's a lot less tedious with Stanley's line of jobsite-ready paint scrapers, which feature long handles for extra leverage and stiff, rust-resistant blades. The 8-tool lineup includes several specialized models, including a safety soft-grip window scraper, glass and tile scraper, bent-blade scraper with removable end cap for attaching an extension pole, and a 6-in-1 Paint Tool that can be used as a scraper, spreader and putty/caulk remover. It's also useful for cleaning paint-roller sleeves, pounding in protruding nail heads, and scratching open cracks and crevices.
Stanley makes 2 different hand sanders, which are useful in sanding smooth, large, flat surfaces including walls, ceilings and flat wood trim. Both models accept regular abrasive paper. Stanley also offers 9 different types of scrub brushes that can be used to clean virtually any surface you're likely to encounter. The brushes come with bristles made of carbon steel, nylon or brass, making it easy to choose the brush that will clean effectively without damaging the surface.

Rounding out the category, Stanley offers an 8-inch-wide drywall knife, 2 styles of caulking guns, and a drywall tool kit that comes with the tools needed to tape drywall joints; it even includes a roll of fiberglass-mesh joint tape.

PUTTY KNIVES	144
SCRAPERS	144-147
SANDERS	147
BRUSHES	147-148
DRYWALL TOOLS	149
CAULK GUNS	149



Putty Knives

- Ergonomic bi-material handle
- Flexible metal tip for even coverage
- Hardened, tempered and polished steel blade
- Permanently fastened full tang blade

SKU #	BLADE WIDTH		BOX	CTN	UPC
3KU #	IN.	ММ	QTY	QTY	UFC
28-207	1-1/2	38	6	24	076174282078
28-205	3	76	6	24	076174282054
28-208	4	102	4	16	076174282085



Nylon Handle Putty Knives and Scrapers

- Hardened, tempered and polished steel blade
- Nylon handle resists shattering
- Permanently fastened full tang blade

SKU #	BLADE TYPE	BLADE WIDTH		BOX	CTN	UPC
		IN.	ММ	ΟΤΥ	ΟΤΥ	
28-140	Stiff Putty	1-1/4	32	5	50	076174281408
28-240	Flexible Putty	1-1/4	32	5	50	076174282405
28-141	Stiff Putty	1-1/2	38	5	50	076174281415
28-241	Flexible Putty	1-1/2	38	5	50	076174282412
28-142	Stiff Putty	2	51	5	50	076174281422
28-242	Flexible Putty	2	51	5	50	076174282429
28-139	Stiff Scraper	3	76	5	50	076174281392



Wood Handle Putty Knives and Scrapers

- Hardened, tempered, taper-grounded and polished high-carbon blade designed for long life
- Hardwood handle holds up against solvents such as paint thinners
- Permanently fastened full tang blade

SKU # BLADE TYPE		BLADE WIDTH		BOX	CTN	UPC
SKU# BLADE I TPE	IN.	ММ	QTY	QTY	UFG	
28-540	Flexible Putty	1-1/4	32	5	50	076174285406
28-541	Stiff Putty	1-1/4	32	5	50	076174285413
28-539	Flexible Scraper	3	76	5	50	076174285390
28-543	Stiff Scraper	3	76	5	50	076174285420



STANLEY

Plastic Putty Knives

- · High-visibility yellow for easy location
- 3 sizes for any job

CVII #	BLADE WIDTH		BOX	CTN	LIDC		
SKU #	IN.	ММ	QTY	QTY	UPC		
	1-1/2	38					
28-209	3	76	12	12 48 076174	48	12 48 076174	076174282092
	4	102					



Stiff Blade Scraper

- Ergonomic bi-material handle
- Hardened, tempered and polished steel blade
- Permanently fastened full tang blade
- Die-cast metal nail setting end built into handle to set drywall screws



Bent Scraper

- Removable end cap for use with pole
- Long handle for leverage
- Spring-tempered blade resists rust



6-in-1 Paint Tool

- Ergonomic bi-material handle
- Scraper
- Putty remover
- Spreader
- Half round cutout to remove paint from roller
- Sharp point to open cracks for patching
- Metal handle end for setting nails

SKU #	BLADE WIDTH		DUX		UPC
	IN.	ММ	ΩΤΥ	ΩΤΥ	
28-206	3	76	6	24	076174282061

Safety Window Scraper

- Metal design for strength and durability
- Retractable blade for easy storage
- Includes 5-pack of razor blades

BLADE WIDTH			BOA	CTN	UPC
	IN.	ММ	ΩΤΥ	ΩΤΥ	
28-216	2-3/5	66	10	40	076174282160





E		• Ergon • Retra	Soft Grip Win omic bi-material ctable blade for des 5-pack of raz	l design for (easy storage	- comfortable no-sli	p grip
SKU #	BLADE IN.	WIDTH MM	BOX QTY		CTN QTY	UPC
28-217	2-3/5	66	4		16	076174282177
		• High- • Comp	Scraper visibility yellow f pact design des 5-pack of raz		ation	
SKU #	BLADE IN.	WIDTH MM	ВОХ QТҮ		CTN QTY	UPC
28-218	2-3/5	66	10		40	076174282184
	0	• Reusa	Blades able clamshell pa ·backed high-ca		storage of blades ade	
SKU #	BLADE WIDT IN.	H N MM	UMBER OF BLADES	BOX QTY	CTN QTY	UPC
28-224	2-3/5	66	10	10	40	076174282245
B		• 3-pos • Ergon • Bi-ma • High-	retractable blade ition slider (clos nomic handle des nterial handle – n visibility yellow f , durable handle	ed, open, bla sign – comfo io-slip grip for easy loca	ade change) ortable for extende otion	ed use
SKU #	BLADE IN.	WIDTH MM	BOX QTY		CTN QTY	UPC
28-214	7-2/10	183	4		24	076174282146
0	Glass & Tile Scraper Blades • Includes blade case to store blades					
SKU #	BLADE WIDT IN.	H N MM	UMBER OF BLADES	BOX QTY	CTN QTY	UPC
28-223	7-2/10	183	5	5	30	076174282238
	 Stripping Tool 6-1/2cm wide - narrow profile for access in tight spaces High-visibility yellow for easy location 					
SKU #		BOX QTY		CTN QTY		UPC
28-215		4		24	0	76174282153

STANLEY

 \bigcirc

4 Edge Scraper

- Ergonomic bi-material handle
- 4-edge scraper blade
- High-visibility yellow for easy location
- Hand knob increases leverage over standard scraper

BLADE WIDTH		BOX	CTN	UPC	
SKU #	IN.	ММ	QTY	QTY	UFG
28-213	1-1/2	38	4	16	076174282139

Hand Sander

- High-visibility yellow for easy location
- Easy sandpaper loading mechanism
- Ability to loosen paper retainer enough to adjust paper without fully releasing



SKU #	BOX QTY	CTN QTY	UPC
28-211	3	12	076174282115

Block Sander

- Textured top surface for comfortable grip
- Provides even distribution of sanding pressure, reducing pressure marks



Stripping Brush

- Ergonomic handle design comfortable for extended use
- Bi-material handle no-slip grip
- Smooth, seamless handle construction



SKU #	BOX QTY	CTN QTY	UPC
28-222	4	24	076174282221

Brass Wire Brush 3-Pack

- Corrosion-resistant wires
- Long wooden handle
- Slightly curved handle for ease of use

SKU #	BOX QTY	CTN QTY	UPC
28-219	6	24	076174282191









Wire Brush

- Corrosion-resistant
- · Carbon steel wires for durability and strength
- Ergonomic bi-material handle

2	SKU #	BOX QTY	CTN QTY	UPC
	28-221	6	24	076174282214



Long Handle Scrub Brush

- Ergonomic bi-material design for comfortable no-slip grip
- Curved handle design allows cleaning in hard-to-reach places

SKU #	BOX QTY	CTN QTY	UPC
28-231	—	3	076174282313



Scrub Brush

- · Ergonomic bi-material design for comfortable no-slip grip
- Durable nylon bristles

SKU #	SKU # BOX QTY		UPC
28-233	—	6	076174282337



Jumbo Wire Brush

- · Ergonomic bi-material design for comfortable no-slip grip
- Hand or pole use
- Corrosion-resistant wire bristles

SKU #	SKU # BOX QTY		UPC		
28-234	—	2	076174282344		



STANLEY

Grout Brush

- Ergonomic bi-material handle
- Thick, durable bristles
- · Curved handle design allows cleaning in hard-to-reach places

SKU #	BOX QTY	CTN QTY	UPC
28-229	—	10	076174282290



Drywall Tool Kit

- 10" blue steel tape knife
- 12" mud pan
- 6" putty knife
- Fiberglass joint tape
- Sanding block



SKU #	BOX QTY	CTN QTY	UPC
28-255	—	2	076174282252

8" Pro Tape Knife

- Ergonomic bi-material handle
- 8" edge for complete uniform coverage

SKU #	BLADE WIDTH		BOX	CTN	UPC	
	IN.	ММ	QTY	ΩΤΥ		
28-228	8		—	4	076174282283	

Hex Rod Caulk Gun

- Strong skeleton body design
- 1/10-gallon capacity tube
- Use with most grades of adhesives
- Easy side loading
- Convenient thumb release

SKU #	BOX QTY	CTN QTY	UPC
28-230	—	7	076174282306

Ratcheting Caulk Gun

- Built-in spout cutter
- Sealant puncture tool
- 1/10-gallon capacity

SKU #	BOX QTY	CTN QTY	UPC
28-232	_	10	076174282320





Stanley is responsible for helping to revolutionize the flashlight industry and creating a whole new category of personal, portable lighting devices. After years of research and development, the company now offers a full range of hands-free work lights and high-performance aluminum flashlights that boast the latest design innovations and LED bright-light technologies. More importantly, each new model delivers the 4 characteristics that everyone wants in a portable light: brightness, reliability, ruggedness and long-term durability.

This category includes the innovative new hands-free Stanley Clamp Light, which has a large spring-loaded handle that opens up to 4 inches wide for grabbing onto exposed ceiling joists, wall studs, fence posts, tabletops and/or car hoods. It features an oversized rotating, tilting head; impact-resistant housing; non-slip comfort grip; and super-bright LED bulb with shatterproof lens. It's also equipped with parallel-cell technology, which allows the light to run on 2 or 4 C-size batteries for up to 30 hours of illumination.

Another innovation pioneered by Stanley is its line of LED tripod lights. Each light can be used as a standard flashlight, but at the push of a button, 3 legs pop out, converting the handheld flashlight into a freestanding lantern. There are 4 different sizes of tripod lights, including the 3-in-1 model that can be used as a powerful handheld flashlight, as a freestanding lantern, or disassembled and used as 3 separate smaller flashlights. All Stanley tripod lights feature pivoting heads for precisely aiming the light beam exactly where it's needed.

To satisfy the demand for high-performance, extremely rugged flashlights, Stanley manufactures a line of pro-duty aluminum flashlights that feature durable anodized-aluminum bodies fitted with non-slip grips, electroplated reflectors, shatterproof lenses and weather-resistant seals that keep out dust and moisture. Both battery-powered and rechargeable models are available.

3 ml	CLAMP FLASHLIGHTS	152
-11.	TRIPOD FLASHLIGHTS	152-154
E I	ALUMINUM FLASHLIGHTS	154-155





Stanley[®] LED Clamp Flashlight

- Clamp feature provides for hands-free use
- Spring-loaded clamp opens to 4" wide to allow for gripping onto ceiling beams, floor joists, tabletops, pipes and vehicle components
- 350° rotational head with 120° tilt focuses light where it is needed most
- Powerful flood lighting will illuminate a large work surface area
- Parallel cell technology uses 2 or 4 C cell batteries with up to 30 hours of use
- One 3-watt bright white, long-lasting LED delivers a strong spot beam and 77 lumens of light
- · Non-marring rubberized clamp feet and non-slip comfort grip
- On/Off switch
- Meets or exceeds ANSI standards
- · Compliant with ANSI, CE and RoHs standards

SKU #			RUN TIME	REIGHINESS		IMPACT BULB RESISTANCE TYPE		HEIGHT		BOX QTY	CTN QTY	UPC
		(NOT INCLUDED)			TTFE	FT.	М	IN.	ММ	UII	UIT	
9	5-891	2 or 4 C	30 Hours (using 4 C batteries)	77 Lumens	3 W LED	6	1.8	13-7/9	350	-	2	76174958911



Stanley® LED Tripod Flashlight – 3-in-1

- 3-in-1 design can be used as one powerful flashlight or separately as 3 flashlights
- Tripod design provides capability for hands-free use
- Three 120° rotational heads with shatter-resistant lens focus light where it's needed most
- 100 lumens of combined light using three 1/2-watt white, long-lasting LEDs
- On/Off switch for each flashlight
- Compliant with ANSI, CE and RoHs standards
- Slip-resistant rubber feet

SKU #	BATTERIES	RUN TIME	BRIGHTNESS	BULB TYPE		AM Ance		ACT TANCE	HEIG	HT	BOX QTY	CTN QTY	UPC
					FT.	Μ	FT.	Μ	IN.	MM			
95-15	6 AA (2 per Flashlight)	5 Hrs	100 Lumens (34 Lumens ea)	1/2 W LED	375	115	3	0.9	13-3/4	349	—	4	76174951554



Stanley® LED Tripod Flashlight – Standard

- Tripod design provides capability for hands-free use
- Magnetized and anodized aluminum tripod legs fold together to become a regular hand-held flashlight
- 3-6-9 technology gives user the choice to run the flashlight on 3, 6 or 9 AA batteries
- 100° rotational head with shatter-resistant lens focuses light where it's needed most
- One 1/2-watt bright white, long-lasting LED delivers a strong spot beam
- Slip-resistant rubber grip and feet
- On/Off switch
- Compliant with ANSI, CE and RoHs standards



SKU #	BATTERIES	RUN TIME	BRIGHTNESS	BULB TYPE	BEA Dista		IMP RESIS	ACT TANCE	HEIG	HT	BOX QTY	CTN QTY	UPC
					FT.	Μ	FT.	М	IN.	MM	un	Q11	
95-112W	3, 6 or 9 AA	90 hrs (using 9 AA)	20 Lumens	1/2 W LED	282	86	3	0.9	11-8/9	302		6	076174951127

Stanley[®] LED Tripod Flashlight – Mini

- Tripod design provides capability for hands-free use
- Magnetized and anodized aluminum tripod legs fold to become a regular hand-held flashlight
- 100° rotational head with shatter-resistant lens focuses light where it's needed most
- Three 5mm bright white, long-lasting LEDs
- Slip-resistant rubber grip and feet
- On/Off switch
- Compliant with ANSI, CE and RoHs standards



SKU #	BATTERIES	RUN TIME	BRIGHTNESS	BULB TYPE	IMP RESIS	ACT FANCE	HEIG	HT	BOX QTY	CTN QTY	UPC
					FT.	Μ	FT.	Μ	211	211	
95-111	3 AAA	10 hrs	8 Lumens	5mm LED	3	0.9	7-1/2	2.3	4	24	076174951110



Stanley[®] LED Tripod Flashlights - Keychain

- Tripod design provides capability for hands-free use
- Tripod legs fold together to become a regular hand-held flashlight
- 90° rotational head with shatter-resistant lens focuses light where it's needed most
- · Convenient keyring attachment included
- One 5mm bright white LED lasts 100,000 hours
- On/Off switch
- Compliant with ANSI, CE and RoHs standards

	SKU #	INCLUDES	COLOR	BATTERIES	RUN	BRIGHTNESS	BULB	IMP/ Resist		HEIG	GHT	BOX	CTN	UPC
8				(INCLUDED)	TIME		ТҮРЕ	FT.	М	IN.	мм	QTY	QTY	
	95-113X	10 units (per clipstrip)	Black	LR41 Lithium Button	5 hrs	2 Lumens	5mm LED	3	0.9	3-1/2	89	10	60	76174951134
ę	95-144X	10 units (per clipstrip)	Blue, Green, Purple, Pink & Black	LR41 Lithium Button	5 hrs	2 Lumens	5mm LED	3	0.9	3-1/2	89	10	60	76174951134
ę	95-145 M	10 units (per countertop)	Blue, Green, Purple & Pink	LR41 Lithium Button	5 hrs	2 Lumens	5mm LED	3	0.9	3-1/2	89	—	16	76174951134

STANLEY[®] PERFORMANCE ALUMINUM FLASHLIGHTS

- Durable anodized aluminum body with slip-resistant textured grip
- Electroplated reflector combined with a shatter-proof lens provides a strong focused beam
- IPX4 level weather resistance prevents water from entering the flashlight in outdoor conditions
- High-visibility yellow bands allows easy identification
- Meets or exceeds ANSI standards

Stanley[®] Performance Aluminum Flashlight

- One 1-1/4-watt bright white, long-lasting LED delivers 40 lumens of light
- Tactile, rubberized rear on/off switch for easy and comfortable access
- · Wrist band lanyard included to help prevent flashlight from being dropped

SKU #	BATTERIES	RUN TIME	BRIGHTNESS	BULB TYPE	BE/ DIST/	AM Ance	IMP RESIS	ACT TANCE	HEIC	GHT	BOX QTY	CTN QTY	UPC
		· ····L			FT.	Μ	FT.	Μ	IN.	MM		211	
95-151	2 AA	5 hrs	40 Lumens	1-1/4 W LED	433	132	3	0.9	8-3/4	222	—	6	076174951516



Stanley[®] Performance Aluminum Flashlight

- One 3-watt bright white, long-lasting LED delivers 70 lumens of light
- Tactile, rubberized rear on/off switch for easy and comfortable access
- Wrist band lanyard included to help prevent flashlight from being dropped

SKU #	BATTERIES	RUN TIME	BRIGHTNESS	BULB TYPE	BE/ DIST/	AM Ance	IMP RESIS		HEIG	GHT	BOX QTY	CTN QTY	UPC
					FT.	Μ	FT.	М	IN.	ММ	un	un	
95-152	3 AAA	3 hrs	70 Lumens	3 W LED	548	167	3	0.9	4-3/4	121		6	076174951523

Stanley® Performance Aluminum Flashlight

• One 3-watt bright white, long-lasting LED delivers 70 lumens of light



Stanley[®] Performance Aluminum Flashlight – Rechargeable

- Rechargeable Ni-MH batteries can be charged up to 500 cycles
- One 3-watt bright white, long-lasting LED delivers 70 lumens of light
- Included: Recyclable Nickel Metal Hydride (Ni-MH) batteries and charging adapter
- Wrist band lanyard included to help prevent flashlight from being dropped

SKU #		RUN TIME	CHARGE TIME	BRIGHTNESS	BULB TYPE	BE/ DIST/		IMP RESIS		HEIG	iHT	BOX QTY	CTN QTY	UPC
	(INCLUDED)	IIIVIE	TIME		TTFE	FT.	М	FT.	Μ	IN.	ММ	UII	un	
95-154	1 Ni-MH	2 hrs	8 hrs	70 Lumens	3 W LED	446	136	3	0.9	7-5/8	194	_	6	076174951547







ADJUSTABLE WRENCHES, PLIERS & SNIPS

Stanley has quietly built one of the most impressive – and extensive – lines of adjustable wrenches, pliers and snips offered by any tool manufacturer available on the market today. This single category encompasses nearly 95 individual tools, many of which possess innovative designs and unique performance-enhancing features.

The tools within this category include both standard/traditional models and updated versions of the same tools. For example, Stanley offers 4 different slip-joint pliers and 2 sizes of the FatMax[®] Push-Lock[™] Slip-Joint Pliers, which are equipped with a push-button that allows for fast and easy adjustment of the jaws. There are 18 different adjustable wrenches, including 4 FatMax Xtreme[®] models featuring a unique ratcheting jaw that permits the wrench to be repositioned after each swing of the handle without removing the tool from the fastener.

Stanley also recognizes that in the real world it takes more than one type of any single tool to get the job done right. That's why the company offers a broad range of models for each tool. For instance, there 9 aviation snips to choose from, including ones specifically designed for cutting straight, to the left and/or to the right. Although some workers can get by with a single pair of long-nose pliers, Stanley makes 9 models, including bent-nose and self-locking types.

Also included in this category are forged-handle bolt cutters, which can cut steel up to 1/4-inch thick; a heavy-duty cast-iron pipe wrench; straight pattern tinner snips that will slice through 25-gauge cold-rolled steel and 28-gauge stainless steel; wire strippers that can cut crimp wires; and locking C-clamp pliers, which are equipped with swiveling pads that help to evenly distribute clamping pressure.

This is the kind of variety, quality and innovation professional contractors and do-it-yourselfers alike have come to expect from Stanley, and those characteristics are clearly evident in every tool offered within this category.

	1
PLIERS	158-167
FATMAX [®] SERIES	158-161
BI-MATERIAL SERIES	162-163
STANLEY® PLIERS	164-165
LOCKING PLIERS	166-167
WIRE STRIPPERS	167
PIPE WRENCHES	168
ADJUSTABLE WRENCHES	168-169
SNIPS	170-171



FATMAX® SERIES PLIERS

- Slip-resistant bi-material handle for a comfortable grip
- Limited Lifetime Warranty



FatMax[®] Push-Lock[™] Adjustable Joint Pliers

- Multipurpose jaws designed to grasp flat and round objects
- Push-Lock[™] technology allows for quick and easy adjustment in 17 positions
- Induction hardened jaws last longer and grip better than non-induction hardened jaws

SKU	LEN	GTH	# OF	JAW CA	PACITY	BOX	CARTON	UPC
360	IN.	ММ	POSITIONS	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UFC
84-649	12	300	17	2-3/4	69.9	4	24	076174846492
84-647	8	200	17	1-2/5	35.6	4	24	076174846478
84-648	10	254	17	2-3/8	60.2	4	24	076174846485
SKU	DESCR	IPTION		INCLUDES		BOX QTY	CARTON QTY	UPC
84-554	3-Pied	ce Set		8", 10", 12"			4	076174845549

FatMax[®] Groove Joint Pliers

• Slip-resistant tongue and groove pliers used for grasping and turning



- One-piece rivet design improves strength and eliminates retightening
- Drop-forged chrome vanadium steel is strong and durable
- Meets ANSI specifications

SKU	LENG	ith	# OF	JAW CA	PACITY	JAW	BOX	CARTON	UPC
380			POSITIONS	IN.	ММ	SHAPE	QTY	QTY	UFC
84-522	8	200	6	1	13	Curved	4	24	076174845528
84-553	10	250	7	1-7/10	43.2	Smooth Jaw	2	8	076174845532
84-804	10	250	7	1-7/10	43.2	Curved	4	24	076174848045
84-507	12	300	8	2-1/10	53.3	Curved	2	8	076174845075
84-493	16	400	9	3-7/10	94	Curved	2	8	076174844931
SKU	DI	ESCRIPT	ION		INCLUD	ES	BOX QTY	CARTON QTY	UPC
84-529	2	2-Piece S	Set		10", 12	<u>)"</u>	2	8	076174845297
84-538	3	8-Piece S	Set		8", 10",	12"		4	076174845389





FatMax[®] Push-Lock[™] Slip Joint Pliers

- Multipurpose jaws designed to grasp flat and round objects
- Push-Lock[™] technology allows for quick and easy adjustment in 3 positions
- Induction hardened jaws last longer and grip better than non-induction hardened jaws



SKU	LEN	GTH	# OF	JAW CA	APACITY	BOX	CARTON	UPC
310	IN.	ММ	POSITIONS	IN.	ММ	ΩΤΥ	QTY	UFG
84-645	6	150	3	1/2	12.7	4	24	076174846454
84-646	8	200	3	5/8	15.9	4	24	076174846461

FatMax[®] Slip Joint Pliers

- Two-position, adjustable joint design used for grasping and turning
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- One-piece rivet design improves strength and eliminates retightening
- Forged chrome vanadium steel is strong and durable
- Meets ANSI specifications

CVII	LEN	GTH	# 0F	JAW CA	PACITY	BOX	CARTON	UPC
SKU	IN.	ММ	POSITIONS	IN.	ММ	Ω ΤΥ	QTY	UFG
84-801	6-1/2	165	2	5/9	14.2	4	24	076174848014
84-524	8	200	2	2/3	16.9	4	6	076174845242

FatMax[®] Diagonal Cutting Pliers

- Slim head design allows access into tight spaces
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Forged high-quality carbon steel provides a durable cutting edge
- Meets ANSI specifications



SKU	LEN	GTH	BOX	CARTON	UPC
310	IN.	ММ	QTY	QTY	UFC
89-858	6	150	4	24	076174898583
89-859	7-1/2	190	4	24	076174898590







FatMax® High-Leverage Angled Cutting Pliers

- High-leverage pivot design uses less energy to cut than traditional cutting pliers
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Angled head design cuts flush against any surface
- Forged high-quality carbon steel provides a durable cutting edge
- Meets ANSI specifications

SKU	LEN	GTH	BOX	CARTON	UPC	
380	IN.	ММ	QTY	QTY	UFG	
89-861	8	200	4	24	076174898613	
89-862	10	250	4	24	076174898620	

FatMax[®] High-Leverage Lineman Pliers

- High-leverage pivot design uses less energy to cut than traditional cutting pliers
- Precision machined jaws ideal for gripping, twisting and cutting
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Forged high-quality carbon steel provides a durable gripping and cutting edge
- Meets ANSI specifications

SKU	LEN	LENGTH		CARTON	UPC	
380	IN.	ММ	QTY	QTY	UFC	
89-865	9-1/2	240	4	24	076174898651	



FatMax[®] Long Nose Pliers with Cutter

- · Precision machined jaws ideal for gripping, twisting and cutting
- Slim head design allows access into tight spaces
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Forged high-quality carbon steel provides a durable gripping and cutting edge
- Meets ANSI specifications

SKU	LENGTH		BOX	CARTON	UPC
380	IN.	ММ	QTY	QTY	UFG
89-869	6-1/2	165	4	24	076174898699
89-870	8	200	4	24	076174898705

STANLEY

160



FatMax® Bent Long Nose Pliers with Cutter

- Precision machined jaws ideal for bending, twisting and cutting
- Slim head design is angled to allow access into tight spaces
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Forged high-quality carbon steel provides a durable gripping and cutting edge
- Meets ANSI specifications



CVII	LEN	LENGTH		CARTON	UPC
SKU	SKU IN. MM		QTY	QTY	UFC
89-872	7-3/4	197	4	24	076174898729

FatMax[®] Curved Jaw Cable Cutter

- Curved jaw design cuts coaxial and other soft cables up to 1/2" in diameter
- Induction hardened cutting jaws engineered to cut clean and stay sharp longer than non-induction hardened jaws
- Drop-forged high-quality carbon steel provides a durable cutting edge
- Meets ANSI specifications



SKU	LEN	LENGTH		CARTON	UPC
SKU	IN.	ММ	QTY	QTY	UFC
89-874	8	200	4	24	076174898743

FatMax[®] End Cutting Pliers

- Round head design is ideal for cutting wires and pulling nails
- Induction hardened cutting jaws engineered to stay sharp longer than non-induction hardened jaws
- Drop-forged high-quality carbon steel provides a durable cutting edge
- Meets ANSI specifications

SKU	LEN	GTH	BOX	CARTON	UPC
SKU	IN.	ММ	QTY	QTY	UFG
89-875	6-1/2	165	4	24	076174898750



BI-MATERIAL SERIES PLIERS

- Slip-resistant bi-material handle for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



Bi-Material Groove Joint Pliers

· Slip-resistant tongue and groove design used for grasping and turning

SKU	LEN	GTH	# OF	BOX	CARTON	UPC
380	IN.	ММ	POSITIONS	QTY	QTY	UFC
84-034	8	200	6	4	24	076174840346
84-024	10	250	7	4	24	076174840247
SKU	DESCRIPTION	INCLUDES		BOX QTY	CARTON QTY	UPC
84-503	2-Piece Set	10",	. 12"	2	8	076174845037



Bi-Material Slip Joint Pliers

• Two-position adjustable joint design used for grasping and turning

SKU	LEN	GTH	# OF	BOX	CARTON	UPC
360	IN.	ММ	POSITIONS	QTY	QTY	UFG
84-055	6	150	2	4	24	076174840551
84-026	8	200	2	4	24	076174840261



STANLEY

Bi-Material Diagonal Pliers

- Fixed joint design used for cutting
- Individually sharpened blades cut soft and hard wire

CI/11	LEN	GTH	BOX	CARTON	
SKU	IN.	ММ	ΩΤΥ	ΩΤΥ	UPC
84-027	6	150	4	24	076174840278
84-028	7	175	4	24	076174840285

Bi-Material Lineman Pliers

- Fixed joint design used for grasping, bending and cutting
- Individually sharpened blades cut soft and hard wire



SKII	LENGTH		BOX	CARTON	UPC
360	IN.	ММ	QTY	QTY	UFC
84-029	8	200	4	24	076174840292

Bi-Material Long Nose Pliers

- Fixed joint design used for bending, turning and cutting
- Long nose design for use in hard-to-reach areas



SKU	LEN	LENGTH		CARTON	UPC	
SKU	IN.	ММ	QTY	QTY	UFG	
84-031W	6	150	3	18	076174840315	
84-032	8	200	4	24	076174840322	

Bi-Material Pliers Sets

• Pliers set designed for grasping, bending and cutting



ekii	DESCRIPTION	INCLUDES	LEN	GTH	BOX	CARTON	UPC
SKU	DESCRIPTION	INCLUDES	IN.	ММ	QTY	QTY	UFG
		Slip Joint Pliers	6	150			
84-056	3-Piece Set	Diagonal Pliers	6	150	4	12	076174840568
		Long Nose Pliers	6	150			
		Slip Joint Pliers	6	150			
84-558	4-Piece Set	Long Nose Pliers	6	150	2	8	076174845587
04-330	4-Piece Sel	Adjustable Wrench	6	150			
		Groove Joint Pliers	8	200			
		Slip Joint Pliers	8	200			
84-058V	4 Diago Cot	Diagonal Pliers	7	175	2	c	070174040502
(Pictured)	4-Piece Set	Long Nose Pliers	8	200		6	076174840582
		Lineman Pliers	8	200			

163

STANLEY® PLIERS

- Oil-resistant dipped handle allows for a comfortable grip
- Drop-forged steel is strong and durable
- Meets ANSI specifications



Groove Joint Pliers

• Slip-resistant tongue and groove design used for grasping and turning

0//11	LENGTH		# OF	JAW CA	JAW CAPACITY		CARTON	UPC
SKU	IN.	ММ	POSITIONS	ONS IN. MM QTY		QTY	QTY	UPC
84-019	6	150	5	7/10	17.8	4	24	076174840193
84-109	8	200	6	1	25.4	4	24	076174841091
84-110	10	250	7	1-7/10	43.2	4	24	076174841107
84-111	12	300	8	2-1/10	53.3	4	24	076174841114
84-020	16	400	9	3-7/10	94	4	24	076174840209



Slip Joint Pliers

• Adjustable joint design used for grasping and turning

SKU	LENGTH		# OF JAW CAPACITY		APACITY	BOX	CARTON	UPC
SKU	IN.	ММ	POSITIONS	IN.	ММ	QTY	QTY	UFC
84-097	6	150	2	1/2	12.7	4	24	076174840971
84-098	8	200	2	2/3	16.3	4	24	076174840988



STANLEY

Diagonal Pliers

- · Fixed joint design used for cutting
- Individually sharpened blades cut soft and hard wire

SKU	LENGTH		JAW CAPACITY		BOX	CARTON	UPC	
310	IN.	ММ	IN.	ММ	QTY	QTY	UFG	
84-104	5	125	1/3	7.9	4	24	076174841046	
84-105	6	150	4/9	11.2	4	24	076174841053	
84-108	7	175	1/2	12.7	4	24	076174841084	



Lineman Pliers

- Fixed joint design used for grasping, bending and cutting
- Individually sharpened blades cut soft and hard wire



Long Nose Pliers

- Fixed joint design used for bending, turning and cutting
- Long nose design for use in hard-to-reach areas



SKU	LENGTH		JAW CAPACITY		BOX	CARTON	UPC
SKU	IN.	ММ	IN.	ММ	QTY	QTY	UFC
84-101	6	150	1	25.4	4	24	076174841015
84-102	8	200	1-1/8	28.7	4	24	076174841022



Pliers Set

• Pliers set designed for grasping, bending and cutting

SKU	DESCRIPTION	INCLUDES	LEN	GTH	BOX	CARTON	UPC
310	DESCRIPTION	INGLUDES	IN.	ММ	QTY	QTY	UFG
84-212	2-Piece Set	Slip Joint Pliers	6	150	4	12	076174842128
04-212	2-Fiece Set	Long Nose Pliers	6	150	4	12	070174042120
		Slip Joint Pliers	6	150			
84-114	3-Piece Set	Diagonal Pliers	6	150	4	12	076174841145
		Long Nose Pliers	6	150			
		Diagonal Pliers	4	100			
		End Cutting Pliers	4	100			
04.070	6-Piece Set	Bent Nose Pliers	4	100	2	8	7070707070707
84-079	Designed for small objects	Long Nose Pliers	5	125		0	076174840797
		Flat Nose Pliers	5	125			
		Groove Joint Pliers	5	125			





Curved Jaw Locking Pliers

- Curved jaws designed for tightening, clamping and turning round objects such as piping or nuts
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- · Adjustment screw provides the ideal holding pressure
- Built-in wire cutter
- Forged steel is strong and durable
- Meets ANSI specifications

SKU	LENGTH		JAW CAPACITY		BOX	CARTON	UPC	
SKU	IN.	ММ	IN.	ММ	QTY	QTY	UPC	
84-807	5-3/4	145	1-1/8	28.7	4	24	076174848076	
84-808	7	180	1-1/2	38.1	4	24	076174848083	
84-809	9	225	1-3/4	44.5	4	24	076174848090	

Straight Jaw Locking Pliers

- Straight jaws ideal for tightening, clamping, twisting and turning flat objects such as sheet metal
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- · Adjustment screw provides the ideal holding pressure
- Built-in wire cutter
- Forged steel is strong and durable
- Meets ANSI specifications

CVII	LENGTH		JAW CAPACITY		BOX	CARTON	UPC
SKU	IN.	ММ	IN.	ММ	QTY	QTY	UPG
84-810	7-1/2	190	1-1/3	33.3	4	24	076174848106
84-811	9	230	1-3/4	44.5	4	24	076471848113

Long Nose Locking Pliers

- Long nose jaws reach into tight spaces; ideal for tightening, clamping, twisting and turning flat objects such as sheet metal
- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- · Adjustment screw provides the ideal holding pressure
- Built-in wire cutter
- Drop-forged steel is strong and durable
- Meets ANSI specifications

CVII	LENGTH		JAW CAPACITY		BOX	CARTON	UPC
SKU	IN.	ММ	IN.	ММ	QTY	QTY	UFG
84-812	6-3/4	170	2	50.8	4	24	076174848120
84-813	8-1/2	215	2-3/4	69.9	4	24	076174848137





C-Clamp Locking Pliers

- Swivel pad jaws help distribute clamping pressure
- Turn screw adjustment
- Forged steel is strong and durable
- Meets ANSI specifications



LENGTH		GTH	JAW CA	PACITY	BOX	CARTON	UPC
3KU	IN.	ММ	IN.	ММ	QTY	QTY	UFC
84-816	7	180	2	50.8	4	16	076174848168
84-815	11-1/4	285	3-3/8	85.7	4	24	076174848151

Locking Pliers Set

- Induction hardened jaws last longer and grip better than non-induction hardened jaws
- · Adjustment screw provides the ideal holding pressure
- Built-in wire cutter
- Forged steel is strong and durable
- Meets ANSI specifications



SKU	DESCRIPTION	INCLUDES	LENGTH		BOX	CARTON	UPC
JKU	DESCRIPTION	INGLUDES	IN.	ММ	QTY	QTY	UFG
		Straight Jaw Locking Pliers	9	225			
94-960	3-Piece Set	Curved Jaw Locking Pliers	7-3/8	185	2	8	076174949605
		Long Nose Locking Pliers	6-3/4	170			

Wire Stripper/Cutter/Crimper

- Cuts up to five sizes of bolts
- Oil-resistant dipped handle allows for a comfortable grip
- Meets ANSI specifications

1	SKU	CUTTING CAPACITY	CRIMPING CAPACITY	LEN IN.	GTH MM	ВОХ QTY	CARTON QTY	UPC
	84-199	10 to 26 gauge stranded 8 to 22 gauge solid wire	10 to 26 gauge insulated terminals 10 to 22 gauge non-insulated terminals	8	200		6	076174841992

Wire Stripper/Cutter

- Adjustable slide stop and hole designed for bending and looping wire
- Oil-resistant dipped handle allows for a comfortable grip
- Meets ANSI specifications

SKU	CUTTING CAPACITY	LENGTH IN. MM		BOX QTY	CARTON QTY	UPC
84-213	10 to 26 gauge solid wire	5	125	5	50	076174842135



WRENCHES



Straight Pipe Wrenches

- Durable heavy-duty cast-iron housing
- Strong I-beam handle design withstands high torque
- Floating hook jaw design allows ratcheting function
- Durable drop-forged hook jaw for long life

SKU	JAW CA	PACITY	LEN	GTH	BOX	CARTON	
SKU	IN.	ММ	IN.	ММ	ΟΤΥ	ΩΤΥ	UPC
87-622	1-2/5	45.7	10	250	2	12	076174876222
87-624	2-2/5	71.1	14	355	2	8	076174876246

FatMax[®] Xtreme[™] Ratcheting Adjustable Wrenches

- Ratcheting jaw function for quick/easy operation
- Knurl adjusting mechanism for quick and precise adjustment
- Wide-capacity jaw accommodates wide range of fasteners
- Laser-etched SAE and mm jaw scale for easy fastener size adjustment
- Ergonomically shaped head for limited space applications
- Thick/heavy-duty handle for grip and leverage
- · Chrome vanadium forged body for torque, strength and durability
- Polished chrome finish for anti-corrosion protection

SKU	LEN	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		CARTON	UPC
310	IN.	MM	IN.	MM	IN.	MM	QTY	QTY	UFG
95-794	6	152	3/4	19.1	9/20	11.4	2	12	076174957945
95-795	8	200	13/14	23.6	1/2	12.7	2	12	076174957952
95-796	10	254	1-2/11	30	3/5	15.2	2	12	076174957969
95-797	12	305	1-3/8	34.8	3/4	19.1	2	12	076174957976



FatMax[®] Adjustable Wrenches

- Wide I-beam handle design allows for a strong and sturdy grip
- Wide-capacity jaw accepts a wide range of fastener sizes
- Specially designed profile allows tool to be used in confined spaces
- Built-in tension spring stabilizes movable jaw and reduces rattling
- Knurl adjusting mechanism for quick and precise adjustment
- Heavy-duty forged chrome vanadium steel is strong and durable
- · Polished chrome head and chrome-plated body for anti-corrosion protection
- Meets ANSI specifications
- Limited Lifetime Warranty

SKU	LEN	GTH	MAX JAW	CAPACITY	HEAD	WIDTH	BOX	CARTON	UPC
SNU	IN.	MM	IN.	MM	IN.	MM	QTY	QTY	UFG
95-876	15	381	1-9/10	48.3	19/20	24.1	2	8	076174958768
84-540	12	305	1-7/10	43.2	3/4	19.1	2	8	076174845402
95-874	10	254	1-3/8	34.8	3/5	15.2	4	24	076174958744
95-873	8	200	1-1/8	28.6	29/50	13.5	4	24	076174958737
95-872	6	152	15/16	23.8	9/20	11.4	4	24	076174958720
SKU	DESCR	IPTION		INCLUDES			BOX QTY	CARTON QTY	UPC
96-021	3-Pie	ce Set	8", 10", 12"			_	4	076174960211	
96-023	2-Pie	ce Set	8", 12"					4	076174960235

ALWAYS WEAR SAFETY GOGGLES

WRENCHES

Bi-Material Adjustable Wrenches

- Tapered jaw design allows for work in limited space applications
- Slip-resistant bi-material handle for a comfortable grip
- Wide-capacity jaw accepts a wide range of fastener sizes
- Knurl adjusting mechanism for quick and precise adjustment
- Laser-etched SAE and mm jaw scale for easy size adjustment
- Built-in tension spring stabilizes movable jaw
- Forged chrome vanadium steel is strong and durable
- Meets ANSI specifications



SKU	LEN	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		CARTON	UPC
310	IN.	ММ	IN.	MM	IN.	ММ	Ω ΤΥ	QTY	OFC
90-947	6	152	13/14	26.3	11/25	11.2	2	12	076174909470
90-948	8	200	1-1/4	32.3	11/20	14	2	12	076174909487
90-949	10	254	1-21/50	36.1	11/18	15.5	2	12	076174909494
90-950	12	205	1-13/20	41.9	3/4	19.1	2	12	076174909500

Adjustable Wrenches

- · Adjustable jaw design allows tool to grip many fastener sizes
- Knurl adjusting mechanism for quick and precise adjustment
- Laser-etched SAE and mm jaw scale for easy size adjustment
- Built-in tension spring stabilizes movable jaw
- Forged chrome vanadium steel is strong and durable
- Lightweight handle design
- Polished chrome head and chrome-plated body for anti-corrosion protection
- Meets ANSI specifications



SKU	LEN	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		CARTON	UPC
310	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UFG
87-367	6	152	1-1/20	26.7	9/20	11.4	4	24	076174873672
87-369	8	200	1-1/20	26.7	1/2	12.7	4	24	076174873696
87-471	10	254	1-2/11	30	13/20	16.5	4	24	076174874716
87-473	12	305	1-3/8	34.9	3/4	19.1	4	24	076174874730

Locking Adjustable Wrench

- Anti-slip mechanism locks the movable jaw and tightly grips onto fastener
- · Wide locking handle allows for a sturdy and comfortable grip
- Knurl adjusting mechanism for quick and precise adjustment
- Built-in tension spring stabilizes movable jaw
- Forged chrome vanadium steel is strong and durable
- · Polished chrome head and chrome-plated body for anti-corrosion protection
- Meets ANSI specifications

ĺ	SKU	LEN	LENGTH		MAX JAW CAPACITY		HEAD WIDTH		CARTON	UPC
	SKU	IN.	ММ	IN.	MM	IN.	MM	Ω ΤΥ	Ω ΤΥ	UFC
	85-610	10	254	1-1/4	31.8	11/19	14.7	2	12	076174856101



SNIPS



FatMax Xtreme® Aviation Snips

- Titanium-coated blades
- Flush hardware helps prevent catching on tool pouches and materials while cutting
- Internal locking mechanism with auto release provides for fast, one-handed operation
- Chrome molybdenum alloy with serrated jaw blades gives a stable bite and helps prevent slippage

SKU#	CUTTING DIRECTION	COLOR	LENGTH		WEIGHT	BOX	CARTON	UPC
3KU#		CULUN	IN.	ММ	LBS.	Ω ΤΥ	QTY	UFG
14-206	Straight, left & right	Yellow	12-3/10	312	.88	4	12	076174142068
14-207	Tight left curves to straight	Red	12-3/10	312	.87	4	12	076174142075
14-208	Tight right curves to straight	Green	12-3/10	312	.85	4	12	076174142082



FATMAX® COMPOUND ACTION AVIATION SNIPS

- Cuts up to 18 gauge (1.2mm) cold-rolled steel or 23 gauge (0.7mm) stainless-steel
- Forged chrome molybdenum steel cutting blades for strength, durability and long cutting life
- Serrated cutting blades provides a sturdy bite and helps prevent material from slipping during use
- Latch design allows for a quick single handed operation
- Adjustment-free fasteners prevent loosening of the blades
- Color-coded, slip-resistant bi-material grip for comfort and control
- Meets or exceeds ANSI standards
- Limited Lifetime Warranty

FatMax[®] Compound Action Aviation Snips

SKU#	CUTTING DIRECTION	COLOR	LEN	GTH	WEIGHT	BOX	CARTON	UPC
UNU#		UULUII	IN.	ММ	LBS.	QTY	QTY	
14-562	Tight left curves to straight	Red	12-1/10	307	0.88	6	24	076174145625
14-563	Straight, left & right	Yellow	12-3/5	320	0.92	6	24	076174145632
14-564	Tight right curves to straight	Green	12-1/2	318	0.89	6	24	076174145649
SKU#	DESCRIPTION	INCLUDED				BOX QTY	CARTON QTY	UPC
14-559L	3 piece set	14-562, 14-563, 14-564					3	076174145595



FatMax[®] Compound Action Aviation Snip - Straight Long

• Extended cutting blade allows for a longer distance per cut than standard length blades

SKU#	CUTTING DIRECTION	COLOR	LENGTH		WEIGHT	BOX	CARTON	UPC
31.0#		UULUN	IN.	MM	LBS.	QTY	QTY	
14-566	Straight, left & right	Yellow	13	330	1.07	6	24	076174145564





SNIPS

FatMax[®] Compound Action Aviation Snip - Offset

• Offset angled blades provide clearance between the handles and the cutting material



	SKU#	CUTTING DIRECTION	COLOR	LENGTH		WEIGHT	BOX	CARTON	UPC
I.	380#		GOLON	IN.	ММ	LBS.	ΩΤΥ	ОТҮ	UFG
	14-567	Tight left curves to straight	Red	12-1/2	318	0.96	6	24	076174145670
	14-568	Tight right curves to straight	Green	12-1/2	318	1.05	6	24	076174145687

3-Piece Compound Action Aviation Snips

- Ideal for cutting low-carbon cold-rolled steel sheets, paper and plastic
- Forged chrome molybdenum steel cutting blades add strength and durability
- Serrated cutting blades provide a sturdy bite and helps prevent material from slipping during use
- Color-coded slip-resistant grip

SKU#	DESCRIPTION	INCLUDED	BOX QTY	CARTON QTY	UPC
14-019	3-piece set	Straight cut, left cut and right cut	2	8	076174140194

Straight Pattern Tinner Snips

- Cuts up to 25 gauge (0.56mm) cold-rolled steel or 28 gauge (0.38mm) stainless-steel
- Durable fully-polished steel blades are forged to stay sharp for long cutting life
- · Adjustment-free fastener prevents loosening of the blades
- Slip-resistant double cushion grip for comfort
- Meets or exceeds ANSI standards

SKU#	SIZE	CUTTING DIRECTION	LEN		WEIGHT	BOX	CARTON	UPC
SKU#	IN.	CUTTING DIRECTION	IN.	ММ	LBS.	Ω ΤΥ	Ω ΤΥ	UFG
14-569	7	Straight and wide curves	8-4/5	224	0.64	6	24	076174145694
14-556	10	Straight and wide curves	11-4/5	300	1.16	6	24	076174145564
14-558	12	Straight and wide curves	13-4/5	351	1.45	6	24	076174145588

Forged Handle Bolt Cutter

- Cuts steel up to 1/4" in diameter with a jaw opening of 1/2"
- · Forged chrome molybdenum steel cutting blades for strength and durability
- 3-point pivot mechanism allows for cutting tough materials
- Durable forged handles provide strength and control
- Slip-resistant rubber handles provides grip and comfort
- Meets or exceeds International GGG standards

SKU#	SIZE IN.	LEN IN.	GTH MM	WEIGHT LBS.	BOX QTY	CARTON QTY	UPC
14-376	18	19-1/2	495	4.11	2	8	076174143768



Toll Free Customer Service Number: 1-800-262-2161 Customer Service FAX Number: 1-800-643-3756

MECHANICS' TOOLS

Stanley flexes its tool-manufacturing muscles by continuously enhancing and enlarging its already massive collection of high-quality mechanics' tools. This significant tool category includes a wide variety of ratchets, sockets, wrenches and accessories in many styles, sizes and finishes.

The tools are sold individually or in convenient, multi-piece sets that range from as few as 2 pieces up to 201 pieces. And nearly all sets include the most popular standard (SAE) and metric (mm) sizes in multiple drive sizes to meet the demands of any job. So if you've got a bolt, nut or screw to tighten or loosen, you can be sure that Stanley has the right tool – and the right-sized tool – to get the job done.

Stanley ratchets have an ergonomically designed handle, forward/ reverse switch and a quick-release button for easy operation and quick socket changeover. They are available in pear head and round head styles and in 3 basic drive sizes, including 1/4, 3/8 and 1/2 inch. The slim profile, low arc swing and high torque provide easy operation in hard-to-reach areas and deliver ultimate torque for heavy-duty applications. Our innovative rotator ratchet equipped with a unique twist handle design, delivers a zero-degree arc swing and is ideal for applications where work space is limited. There's also a cleverly designed extendable ratchet that's equipped with a telescopic handle that extends from 10 to 15 inches long for additional torque and leverage.

Stanley wrenches are available in many different styles (combination, ratcheting, open end ratcheting, etc.), sizes and finishes (full-polish, black chrome, satin, etc.). They are precision machined to fit tightly onto fasteners and are protected against corrosion by a nickel-chrome-plated finish. The Stanley line of open end ratcheting wrenches features patented technology that allows 50% faster operation and tightening/loosening of fasteners without disengaging the wrench from the fastener. The latest addition to the category is Stanley's Black Chrome Socket Sets that feature midnight-black sockets with laser-etched marking. The large, permanent markings make it easy to see the size of each socket, even in dimly lit spaces.



MECHANICS' TOOLS



Stanley[®] ratchets and accessories are designed to meet or exceed ANSI specifications. All are forged from high-quality steel and finished in highpolish chrome. Selected Stanley[®] high-torgue ratchets have a Quick Release[™] mechanism for one-handed use. Sockets and extensions remain locked onto the drive until disengaged with an easy-to-reach, low-profile quick-release button. Stanley® Pear Head Ratchets have a slim profile and a small 7-degree arc swing for accessing hard-to-reach fasteners.

Pear Head Quick Release[™] Ratchet

- · Pear head design for strength, durability and performance
- Quick-release mechanism to lock sockets onto the drive during operation and allow easy changeover
- Reversible mechanism for easy one-hand direction change
- · Chrome vanadium steel forging for durability and high-torque performance
- Lifetime warranty

SKU #	DRIVE SIZE	BOX QTY	CARTON QTY	UPC
91-928	1/4"	3	12	076174919288
91-929	3/8"	3	12	076174919295
91-930	1/2"	_	6	076174919301



- Forged from high-quality steel and finished in high-polish chrome
- Ratchet handles are ergonomically designed and have an easy-to-use, thumb-operated reverse-switch mechanism
- Lifetime warranty

SKU #	DRIVE SIZE	BOX QTY	CARTON QTY	UPC
85-890	1/4"	4	8	076174858907
85-891	3/8"	4	8	076174858914
85-892	1/2"	4	8	076174858921



STANLEY

Rotator Ratchet

- Unique twist handle technology with 0° twist arc swing allows accessibility in tight spaces
- 60-tooth gear system for low ratcheting arc swing and high-torque ratcheting
- Quick release mechanism to lock sockets onto the drive during operation and allow easy change over
- · Reversible mechanism for forward and reverse transition
- Chrome Vanadium steel forging for durability and high torque
- · Bi-material ergonomic handle design for grip and comfort
- Lifetime warranty

SKU #	DRIVE SIZE	BOX QTY	CARTON QTY	UPC
89-962	3/8"	2	6	076174899627





RATCHETS & SOCKET SETS

Extendable Ratchet

- Extendable handle technology allows for handle extension from 10" to 15" and 5 locking positions
- 60-tooth gear system for low ratcheting arc swing and high-torque ratcheting
- Flexible locking head for operation in limited access areas
- Low-profile pear head design for accessibility
- Quick-release mechanism to lock sockets onto the drive during operation and allow easy changeover
- Reversible mechanism for forward and reverse transition
- Chrome vanadium steel forging for durability and high-torque performance
- Lifetime warranty

SKU #	DRIVE SIZE	BOX QTY	CARTON QTY	UPC
92-645	3/8"	3	12	076174926453

SOCKET SETS

Stanley offers a complete range of SAE and metric-sized sockets and 1/4", 3/8" and 1/2" drive tools. Our socket sets combine the most popular tools for easy accessibility. Stanley[®] drive tools are forged from high-quality steel and finished in high-polish nickel chrome or black chrome. Selected ratchet handles are ergonomically designed and have an easy-to-use, thumb-operated reverse-switch mechanism. Sockets and extensions remain locked onto the drive until disengaged with an easy-to-reach, low-profile quick-release button. Stanley[®] sockets feature our Max-Drive[™] design, a unique radius corner design that provides 15% more torque' to tighten fasteners easily and simplify the turning of rounded corners. Max-Drive[™] helps reduce fastener wear by minimizing contact on the outer 5% of the fastener, helping to increase life

expectancy.^{*} It also helps reduce slipping on frozen or rusted fasteners. All Stanley[®] ratchets, sockets and wrenches are manufactured globally to Stanley specifications, meeting and often exceeding ANSI specifications.

16-Piece Socket and Ratchet Set

Lifetime warranty

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
89-199	1, 1/4" Pear Head Ratchet 1, 1/4" Dr. Extension Bar – 6" 14, 1/4" Dr. Deep Sockets	2	12	076174891997

Rotator Ratchet with Sockets

- 3/8" drive ratchet with twist action for access in tight spaces
- Works as a normal ratchet

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
92-640	1, 3/8" Dr. Rotator Ratchet 8, 3/8" Dr. Sockets – SAE	3	12	076174926408

*Than standard sockets





MECHANICS' TOOLS









STANLEY

20-Piece Socket Set

• Lifetime warranty

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
92-802	18, 1/4" Dr. Sockets 1, 1/4" Dr. Extension Bar – 3" 1, 1/4" Ratchet Blow Molded Carry Case	_	3	076174928020

30-Piece Socket Set

• Lifetime warranty

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
92-804	27, 1/4" Dr. Sockets 1, 1/4" Dr. Universal Joint 1, 1/4" Dr. Extension Bar – 3" 1, 1/4" Pear Head Ratchet Blow Molded Carry Case	_	3	076174928044

40-Piece Socket Set

• Lifetime warranty

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
92-806	1, 3/8" Dr. Pear Head Ratchet 15, 1/4" Dr. Sockets 14, 3/8" Dr. Sockets 1, 3/8" Dr. Extension Bar – 3" 1, 3/8" Dr. F to 1/4" Dr. M Adapter 1, 1/4" Dr. Socket Driver Handle 1, 1/4" Dr. Specialty Bit Holder 6 Specialty Bits Blow Molded Carry Case		3	076174928068

60-Piece Socket Set

• Lifetime warranty

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
92-809	1, 3/8" Dr. Pear Head Ratchet 23, 1/4" Dr. Sockets 19, 3/8" Dr. Sockets 1, 3/8" Dr. Spark Plug Socket – 5/8" 1, 1/4" Dr. Extension Bar – 2" 1, 3/8" Dr. Extension Bar – 3" 1, 3/8" Dr. Extension Bar – 6" 1, 3/8" Dr. F to 1/4" Dr. M Adapter 1, 1/4" Dr. Socket Driver Handle 1, 1/4" Dr. Bit Adapter 10, 1/4" Dr. Specialty Bits Blow Molded Carry Case		2	076174928099



SOCKET SETS

65-Piece Homeowner's Tool Kit

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
94-248	1 Claw Hammer 30, 1/4" Dr. Specialty Bits 1, 16' Tape Rule 1, 18mm Snap-Off Knife 1, 1/4" Dr. Bit Holder 1 Spinner Handle, 1, 1/4" Dr. Round Head Ratchet 8, 1/4" Dr. Sockets 1 Torpedo Level 1 Long Nose Pliers – 6" 1 Slip Joint Pliers – 6" 1 Slip Joint Pliers – 6" 1 Phillips® Screwdriver – 2 pt 1 Flat Screwdriver – 6.5 mm 8 Hex Keys – Metric 8 Hex Keys – SAE Blow Molded Carry Case		3	076174942484



85-Piece Socket and Ratchet Set

• Lifetime warranty

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
94-375	1, 3/8" Pear Head Ratchet 1, 3/8" Dr. Extension Bar – 3" 7, 3/8" Deep Sockets – 6 Pt 20, 3/8" Dr. Sockets – 6 Pt 1, 1/4" Pear Head Ratchet 2, 1/4" Dr. Extensions – 3", 6" 20, 1/4" Dr. Deep Sockets – 6 Pt 20, 1/4" Dr. Sockets – 6 Pt 1, 1/4" Spinner Handle 10, 1/4" Dr. Specialty Bits 1, 3/8" Spark Plug Socket 1, 1/4" Bit Holder Blow Molded Carry Case		2	076174943757



123-Piece Socket and Ratchet Set

• Lifetime warranty

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
94-374	1, 3/8" Dr. Pear Head Ratchet 1, 3/8" Dr. Extension Bar – 3" 3, 3/8" Dr. Spark Plug Sockets – 6 Pt 20, 3/8" Dr. Sockets – 6 Pt 7, 3/8" Dr. Deep Sockets – 6 Pt 1, 1/4" Dr. Pear Head Ratchet 2, 1/4" Dr. Extensions Bar – 3", 6" 20, 1/4" Dr. Sockets – 6 Pt 20, 1/4" Dr. Deep Sockets 10 Combination Wrenches 1, 1/4" Dr. Spinner Handle 20 Specialty Bits 1, 1/4" Bit Holder 16 Hex Keys – SAE & Metric Blow Molded Carry Case		2	076174943740



MECHANICS' TOOLS



145-Piece Socket and Ratchet Set

• Lifetime warranty

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
94-376	1, 3/8" Dr. Pear Head Ratchet 1, 3/8" Dr. Extension Bar – 3" 1, 3/8" Dr. Universal Joint 3, 3/8" Spark Plug Sockets – 6 Pt 7, 3/8" Dr. Deep Sockets – 6 Pt 20, 3/8" Dr. Sockets – 6 Pt 5, 3/8" Dr. Sockets – 12 Pt 1, 1/4" Dr. Pear Head Ratchet 1, 1/4" Dr. Pear Head Ratchet 1, 1/4" Dr. Deep Sockets – 6 Pt 19, 1/4" Dr. Deep Sockets – 6 Pt 19, 1/4" Dr. Sockets – 6 Pt 1, 1/4" Bit Holder 1, 1/4" Spinner Handle 12 Combination Wrenches 16 Hex Keys – SAE & Metric 30, 1/4" Dr. Specialty Bits 10 Nut Bits Blow Molded Carry Case		2	076174943764



201-Piece Mechanics Tool Set

• Lifetime warranty

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
91-988	10, 1/4" Dr. Sockets – 6 Pt SAE 13, 1/4" Dr. Sockets – 6 Pt mm 10, 1/4" Dr. Deep Sockets – 6 Pt SAE 11, 1/4" Dr. Deep Sockets – 6 Pt SAE 14, 3/8" Dr. Sockets – 6 Pt SAE 14, 3/8" Dr. Deep Sockets – 6 Pt SAE 3, 3/8" Dr. Deep Sockets – 6 Pt SAE 3, 3/8" Dr. Deep Sockets – 6 Pt SAE 3, 3/8" Dr. Sockets – 6 Pt SAE 8, 1/2" Dr. Sockets – 6 Pt SAE 8, 1/2" Dr. Sockets – 6 Pt SAE 1, 3/8" Dr. Spark Plug Socket – 6 Pt SAE 1, 1/4" Dr. Pear Head Ratchet- Quick Release 1, 3/8" Dr. Pear Head Ratchet- Quick Release 1, 1/2" Dr. Pear Head Ratchet- Quick Release 1, 1/2" Dr. Pear Head Ratchet- Quick Release 1, 1/4" Dr. F X 3/8"M Adapter 1, 3/8" Dr. F X 1/4"M Adapter 1, 3/8" Dr. Extension Bar 1, 3/8" Dr. Extension Bar 4 Combination SAE Wrenches 4 Combination mm Wrenches 28 Hex Keys 12 Nut Bits 55 Bits Blow Molded Carry Case		2	076174919882


SOCKET SETS

70-Piece Socket Set

• Lifetime warranty

SKU #	SIZE	ВОХ QTY	CARTON QTY	UPC
97-542	1, 1/4" Dr. Pear Head Ratchet 1, 3/8" Dr. Pear Head Ratchet 20, 1/4" Dr. Sockets – 6 pt 20, 1/4" Dr. Deep Sockets – 6 pt 15, 3/8" Dr. Sockets – 6 pt 7, 3/8" Dr. Deep Sockets – 12 pt 1, 3/8" Dr. Extension Bar – 3" 1, 3/8" Dr. Spark Plug Socket – 5/8" 1 Slip Joint Pliers 1 Flat Head Screwdriver – 5mm 1 Phillips® Screwdriver – 1 pt 1 Phillips® Screwdriver – 2 pt Blow Molded Carry Case		2	076174975420



75-Piece Socket Set

• Lifetime warranty

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
96-010	1, 1/4" Dr. Pear Head Ratchet 1, 3/8" Dr. Pear Head Ratchet 20, 1/4" Dr. Sockets – 6 pt 20, 1/4" Dr. Deep Sockets – 6 pt 22, 3/8" Dr. Sockets – 6 pt 7, 3/8" Dr. Deep Sockets – 6 pt 1, 3/8" Dr. Spark Plug Socket – 5/8" 2, 1/4" Dr. Extension Bars – 3", 6" 1, 3/8" Dr. Extension Bar – 3" Blow Molded Carry Case		2	076174960105





MECHANICS' TOOLS





STANLEY

150-Piece Socket Set

• Lifetime warranty

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
97-543	1, 1/4" Dr. Pear Head Ratchet 1, 3/8 Dr. Pear Head Ratchet 21, 1/4" Sockets - 6 pt. 16, 3/8" Dr. Sockets - 12 pt. 10, 3/8" Dr. Deep Sockets - 6 pt. 1, 1/4" Dr. Extension Bar - 3" 2, 3/8 Dr. Extension Bars - 3", 6" 2, 3/8 Dr. Spark Plug Sockets-5/8, 13/16 1, 3/8" Dr. M to 1/4"Dr. F Adapter 1, 1/4" Dr. Bit Holder 1 Long Nose Pliers 1 Slip Joint Pliers 1 Flat Head Screw Driver: 6.5mm 1 Flat Head Screw Driver: 5mm 1 Phillips Screw Driver - 1 pt. 1 Phillips Screw Driver - 2 pt. 14 Combination Wrenches 55 Specialty Bits 18 Hex Keys Blow Molded Carry		2	076174975437

170-Piece Socket Set

• Lifetime warranty

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
96-011	1, 1/4" Dr. Pear Head Ratchet 1, 3/8" Dr. Pear Head Ratchet 1, 1/2" Dr. Pear Head Ratchet 16, 1/4" Sockets – 6 pt. 12, 1/4" Deep Sockets – 6 pt. 13, 3/8" Dr. Sockets – 6 pt. 14, 3/8" Dr. Deep Sockets – 6 pt. 10, 12" Dr. Sockets – 6 pt. 1, 3/8" Dr. Spark Plug Sockets – 5/8" 1, 1/4" Dr. Bit Holder 1, 1/4" Dr. Extension Bar – 3" 1, 3/8" Dr. Extension Bar – 3" 8 Combination Wrenches 55 Specialty Bits 26 Hex Keys 12 Nut Bits Blow Molded Carry Case		2	076174960112

Phillips is a registered trademark of Phillips Screw Co.

SOCKET SETS

BLACK CHROME LASER-ETCHED SOCKET SETS

- Black chrome finish for anti-corrosion protection and attractive appearance
- Laser-etched markings for size visibility
- Chrome vanadium forged body for torque, strength and durability
- Quick release switch and reversible mechanism for easy operation
- Knurled handle finish for slip resistance
- Meets or exceeds ANSI specifications
- Lifetime warranty

40-Piece Black Chrome Socket Set

SK	(U #	SIZE	BOX QTY	CARTON QTY	UPC
94-	377	1, 3/8" Dr. Pear Head Ratchet 9, 1/4" Dr. Sockets – mm 8, 1/4" Dr. Sockets – SAE 9, 3/8" Dr. Sockets – SAE 5, 3/8" Dr. Deep Sockets – SAE 1, 3/8" Dr. Spark Plug Socket – 5/8" 1, 1/4" Dr. Extension Bar – 3" 1, 3/8" Dr. Extension Bar – 6" 1, 3/8" Dr. F x 1/4" M Adapter 4 Combination Wrenches – 3/8", 7/16", 1/2", 9/16" Blow Molded Carry Case		2	076174943771

69-Piece Black Chrome Socket Set

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
92-824	1, 1/4" Dr. Pear Head Ratchet 1, 3/8" Dr. Pear Head Ratchet 30, 1/4" Dr. Sockets 33, 3/8" Dr. Sockets 1, 3/8" Dr. Spark Plug Socket – 5/8" 1, 3/8" Dr. Spark Plug Socket – 13/16" 1, 1/4" Dr. Extension Bar – 3" 1, 3/8" Dr. Extension Bar – 6" Blow Molded Carry Case		2	076174928242

99-Piece Black Chrome Set

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
92-839	19, 1/4" Dr. 6 pt. Standard Sockets 14, 1/4" Dr. 6 pt. Deep Sockets 19, 3/8" Dr. 6 pt. Standard Sockets 17, 3/8" Dr. 6 pt. Deep Sockets 3, 3/8" Dr. 8 pt. Deep Sockets 1, 3/8" Dr. 6 pt. Spark Plug Sockets – 5/8" 10 Combination Wrenches – SAE & Metric 1, 1/4" Dr. Pear Head Ratchet 1, 3/8" Dr. Pear Head Ratchet 1, 3/8" Dr. Pear Head Ratchet 1, 1/4" Dr. Extension Bar – 3" 1, 3/8" Dr. Extension Bar – 6" 1, 1/4" Dr. Spinner Handle 10 Specialty Bits 1 Bit Adapter Blow Molded Carry Case		2	076174928396







STANLEY

MECHANICS' TOOLS

WRENCHES

Stanley[®] wrenches are designed to meet or exceed ANSI specifications. The box end of the Stanley[®] Combination Wrench employs the Max-Drive[™] system, which allows the box end to contact the fastener away from the corner. This system allows 15% more torque^{*} to be applied to the fastener and helps reduce fastener rounding.

COMBINATION WRENCHES

- Chrome vanadium steel forging for durability and high torque
- Max-Drive[™] design of the box end allows for 15% more torque^{*} and helps reduce fastener rounding
- 15-degree box end offset for additional knuckle clearance
- Full polish plating for anti-corrosion protection and easy cleaning
- Lifetime warranty

20-Piece Combination Wrench Set

- 20-piece wrench set metric and SAE
- 100% chrome vanadium steel
- Max-Drive[™] wrenches for improved torque^{*}

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
85-783	SAE: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8" Metric: 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm	n/a	2	076174857832

11-Piece Combination Wrench Set – SAE

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
94-385W	1/4", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"	2	12	076174943856

11-Piece Combination Wrench Set – Metric

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
94-386W	7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm	2	12	076174943863

*Than standard wrenches







WRENCHES

RATCHETING WRENCHES

7-Piece Ratcheting Wrench Set – SAE

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
94-542W	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	2	12	076174945423

7-Piece Ratcheting Wrench Set – Metric

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
94-543W	9mm,10mm, 11mm, 12mm, 13mm, 14mm, 15mm	2	12	076174945430

OPEN-END RATCHETING WRENCHES

- Pivoting head enables ratcheting function for fast operation
- Chamfered end for easy on and off
- Chrome vanadium steel forging for durability and high torque
- Full polish chrome plating for anti-corrosion protection and easy cleaning
- 15-degree box end offset for knuckle clearance
- Max-Drive[™] design of the box end allows 15% more torque^{*} and helps reduce fastener rounding
- Lifetime warranty

5-Piece Open-End Ratcheting Wrench Set – Metric

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
95-898	10mm, 11mm, 13mm, 14mm, 16mm	2	6	076174958980

5-Piece Open-End Ratcheting Wrench Set – SAE

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
95-901	3/8", 7/16", 1/2", 9/16", 5/8"	2	6	076174959017

8-Piece Open-End Ratcheting Wrench Set – Metric

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
95-899	10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm, 19mm	2	6	076174958997

8-Piece Open-End Ratcheting Wrench Set – SAE

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
95-902	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"	2	6	076174959024





MECHANICS' TOOLS



9-Piece Folding Hex Set - SAE

- Durable composite construction
- Comfortable over-molded ergonomic grip
- Chamfered edge helps guide the wrench for a smooth, easy entry of the hex key
- Symbols used on each folding set for easy identification

SK	J # SIZES	BOX QTY	CARTON QTY	UPC
90-	392 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	2	8	076174903928

8-Piece Folding Hex Key Set – Metric

- Durable composite construction
- Comfortable over-molded
 ergonomic grip
- Chamfered edge helps guide the wrench for a smooth, easy entry of the hex key
- Symbols used on each folding set for easy identification

SKU #	SIZES	BOX QTY	CARTON QTY	UPC
90-394	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm	2	8	076174903942



STANLEY

22-Piece Hex Key Set

- · Strong steel hex keys with black oxide coating
- Durable plastic molded holders with garage storage hand holes
- Labeled holders for easy organization

SKU #	SIZES	BOX QTY	CARTON QTY	UPC
85-753	SAE: .05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" Metric: 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm	4	24	076174857535

Torx is a registered trademark of Acument Intellectual Properties, LLC





HEX KEYS

8-Piece Torx[®] Key Set

- Durable composite construction
- Comfortable over-molded ergonomic grip
- Chamfered edge helps guide the wrench for a smooth, easy entry of the hex key
- Symbols used on each folding set for easy identification

รหเ	# SIZES	BOX QTY	CARTON QTY	UPC
95-9	32 T9, T10, T-15, T-20, T-25, T-27, T-30, T-40	2	8	076174959826

9-Piece Folding Hex Key Set – Metric

- Durable composite construction
- Comfortable over-molded grips
- Compact self-storing tool
- Chrome vanadium steel hex keys fold out and lock into place
-

 Unique 	e design offers leverage in hand while in use			
SKU #	SIZES	BOX QTY	CARTON QTY	UPC
95-935	1.5mm, 2mm, 2.5mm, 3mm, 4mm, 4.5mm, 5mm, 5.5mm, 6mm	4	8	076174959352

9-Piece Folding Hex Key Set – SAE

- Durable composite construction
- Comfortable over-molded grips
- Compact self-storing tool
- Chrome vanadium steel hex keys fold out and lock into place
- Unique design offers leverage in hand while in use

SKU #	SIZES	BOX QTY	CARTON QTY	UPC
95-937	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	4	8	076174959376

8-Piece Folding Star Key Set

- Durable composite construction
- Comfortable over-molded grips
- Compact self-storing tool
- · Chrome vanadium steel hex keys fold out and lock into place
- Unique design offers leverage in hand while in use

SKU #	SIZES	BOX QTY	CARTON QTY	UPC
95-961	T9, T10, T15, T20, T25, T27, T30, T40	4	8	076174959611









MECHANICS' TOOLS









STANLEY

SOCKETS

Stanley® sockets feature our Max-Drive™ design, a unique radius corner design that provides 15% more torque,* making it easy to tighten fasteners and simplifying the turning of rounded corners. Helps reduce fastener wear without contact with the outer 5% of the fastener.

Accessory Sets

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
85-711	1/2" Dr. to 3/8" Dr. Adapter 1/2" Dr. Universal Joint	2	12	076174857115
85-727	1/4" & 3/8" Dr. Universal Joints 3/8" to 1/4" Dr. Adaptor	2	12	076174857276

Extension Bar Set

SKU #	DRIVE SIZE	CONTENTS	BOX QTY	CARTON QTY	UPC
85-704	1/4"	2", 4" and 6" Extensions	2	12	076174857047
85-706	3/8"	3", 6" and 10" Extensions	2	12	076174857061
85-705	1/2"	3", 6" and 10" Extensions	4	24	076174857054

Socket Holders

· Securely holds 16 sockets

SKU #	DRIVE SIZE	BOX QTY	CARTON QTY	UPC
94-963	1/4"	3	12	076174949636
94-964	3/8"	3	12	076174949643
94-965	1/2"	3	12	076174949650

6-Piece 1/2" Drive Deep Socket Set (6 pt) - Metric

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
94-966	12mm, 13mm, 14mm, 15mm, 17mm, 19mm	2	6	076174949667

6-Piece 1/2" Drive Deep Socket Set (6 pt) - SAE

SKU #	SIZE	BOX QTY	CARTON QTY	UPC
89-618	9/16", 5/8", 11/16", 3/4", 7/8" 15/16"	3	12	076174896183

7-Piece 3/8" Drive Hex Bit Socket Set (6 pt) - SAE

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
85-707	1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	2	12	076174857078

*Than standard sockets

Phillips is a registered trademark of Phillips Screw Co. Torx is a registered trademark of Acument Intellectual Properties, LLC



SOCKETS

7-Piece 3/8" Hex Bit Socket Set – Metric

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
85-708	3mm, 4mm, 5mm, 6mm, 7mm, 8mm, 10mm	2	12	076174857085



SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
89-420	1/4 Dr.: T8, T10, T15, T20, T25, T27 3/8 Dr.: T30, T40, T45, T50, T55	2	12	076174894202

10-Piece 3/8" Drive Standard Socket Set (6 pt) – SAE 6 Pt

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
95-441	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	_	4	076174954418

10-Piece 3/8" Drive Standard Socket Set (6 pt) – Metric

SKU #	CONTENTS	ВОХ QTY	CARTON QTY	UPC
95-442	10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm		4	076174954425

10-Piece 3/8" Drive Deep Socket Set (6 pt) - Metric

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
95-443	10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm	_	4	076174954432

10-Piece 3/8" Drive Deep Socket Set (6 pt) - SAE

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
85-919	5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"	2	12	076174896374















187

MECHANICS' TOOLS





SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
95-443	9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm	_	4	076174954432

10-Piece 1/2" Drive Standard Socket Set (6 pt) – SAE

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
95-444	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"	_	4	076174954449

15-Piece 1/2" Drive Standard Socket Set (12 pt) – Metric

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
89-339	9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 24mm	2	8	076174893397

15-Piece 1/2" Drive Standard Socket Set (12 pt) - SAE

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
94-547	5/16", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 21/32", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1"	2	8	076174945478

11-Piece 1/2" Drive Deep Socket Set (6 pt) - Metric

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
95-446	9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm	_	4	076174954463

11-Piece 1/2" Drive Deep Socket Set (6 pt) - SAE

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
95-445	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"		4	076174954456







STANLEY

SOCKETS

IMPACT SOCKETS

Stanley[®] sockets feature our Max-Drive[™] design, a unique radius corner design that provides 15% more torque,^{*} making it easy to tighten fasteners and simplifying the turning of rounded corners. Helps reduce fastener wear without contact with the outer 5% of the fastener. Helps reduce slipping on frozen or rusted fasteners. These impact sockets are made of alloy steel for strength and durability, then heat-treated to balance strength and hardness. The socket wall thickness is optimized to provide strength while retaining ample access to restricted fasteners. All sockets meet or exceed ANSI specifications.

11-Piece 3/8" Drive Deep Impact Socket Set (6 pt) – SAE

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC	
97-125	3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	_	3	076174971255	



11-Piece 3/8" Drive Deep Impact Socket Set (6 pt) – Metric

SKU #	CONTENTS	BOX QTY	CARTON QTY	UPC
97-126	10mm, 11mm, 12mm, 13mm, 14mm, 16mm, 17mm, 19mm, 21mm, 22mm, 24mm	_	3	076174971262



*Than traditional sockets



Stanley has taken the same principles it uses to build world-class hand tools – quality, innovation and durability – and applied them to the manufacturing of its tool-storage products. This comprehensive category is divided into 6 product lines: tool bags, toolboxes, mobile storage devices, organizers and bins, garage workshop cabinets, and collapsible sawhorses. In total, there are more than 80 storage products available, and each one is well engineered, thoughtfully designed and job-site tough. In other words, it's exactly what you'd expect from Stanley.

The soft-sided tool bags feature rugged, rip-resistant polyester sides and hard-wearing polypropylene bottoms. Many have stay-open, widemouth designs for easily storing and retrieving hand tools. There are bags of various sizes and styles, as well as wheeled tool bags and an easycarry tool backpack.

Stanley's line of weather-resistant toolboxes comes in many sizes and shapes to satisfy virtually any tradesperson, machinist, technician or do-it-yourselfer. The storage units are made from a variety of long-lasting materials, including heavy-duty structural foam, high-impact plastic, and a combination of plastic and metal.

The mobile storage devices combine maximum tool storage and easyrolling portability. Each device is equipped with stout handles and large heavy-duty wheels, allowing you to transport your tools across difficult terrain. For the ultimate in tool security and safety, Stanley offers the FatMax Xtreme[®] Portable Truck Box. This cavernous wheeled chest has a truck-bed docking station and a StanleyGuard[™] integrated security system that features an alarm and code panel to help deter thieves.

To help organize clutter in workshops and truckbeds, Stanley offers 20 different small-parts organizers and storage bins. These products can be neatly stacked, nested, stored away and then carried from job to job, allowing maximal organization with internal drawers, compartments, removable cups and dividers.

The company also manufactures a collection of tough, durable storage cabinets that are specifically designed for the garage or workshop. It includes 16-inch-deep wall cabinets and 20-inch-deep freestanding base cabinets.

To complete the category are 3 styles of portable, collapsible sawhorses. The 2 twin packs of plastic sawhorses can each support up to 1,000 pounds. The fully featured FatMax[®] Sawhorse has 4-way adjustable aluminum legs; it can support an astonishing 2,500 pounds per pair.

TOOL BAGS	192-194
TOOL BOXES	195-196
MOBILE STORAGE	197-200
BINS & ORGANIZERS	200-203
SAWHORSES	204
MODULAR Workshop Storage	204-205

Stanley[®] FatMax Xtreme[®] Portable Truck Box





Stanley[™] FatMax[™] Open Mouth Tool Bags

- · Ideal for carrying hand tools and other medium to small-size items
- Rugged 600 x 600 denier (density of material) polyester
- Central zipper allows for quick access and visibility to contents when opened
- Injected polypropylene hard base helps protect from dirt and damp surfaces
- Multiple external pockets for organization

SKU #	WEIGHT		LENGTH		WIDTH		WIDTH HEIGHT E		BOX	CARTON	UPC
3KU #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	ΩΤΥ	QTY	UFG
516150M	3	1360	17.71	450	9.84	250	3.93	99		4	076174939491
518150M	3.19	1447	19.29	490	10.23	259	3.93	99		4	076174939507



Stanley[™] FatMax[™] Open Tote

- Open bag for quick access to contents
- Rubber-gripped steel handle for quick transport
- Ideal for hand tools and other small items commonly used by electricians, plumbers and woodworkers
- Multiple compartments, saw pocket and level holder for organization
- Shoulder strap helps with carrying the load

	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
SKU #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UPC
518160M	4.34	1968	18.89"	479	9.84"	250	12.6	321	—	4	076174939514



Stanley[™] FatMax[™] Technician Tool Bag

- Open structure with rigid walls
- Removable rubber grip handle and padded shoulder strap provide easy access and extra comfort
- Ideal for hand tools and other small items commonly used by electricians, plumbers and technicians
- · Multiple easy access pockets and loops

SVII #	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
SKU #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	QTY	Ω ΤΥ	UPG
511150M	3.76	1705	11.4	289	11.4	289	14.9	378		4	076174939521



Stanley[™] FatMax[™] Tool Organizer Bag

- Helps keep tools organized in upright position to enable easy access and high visibility while on the job
- Designated compartment for mechanic tools and sockets
- Reinforced body plastic sides help protect contents and plastic feet help protect from moisture and dirt
- Portable organizer for convenient transportation of tools -- easily converted into a workstation once opened (A-frame structure)
- Suitable for different work surfaces: workbench, floor or ladder.



SKU #	WEIGHT		LENGTH		WI	WIDTH		HEIGHT		CARTON	UPC
3NU #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UFG
517170M	2.9	1.31	15.35	389	9.84	250	17.32	440	_	2	076174942316

Stanley[™] Wheeled Tool Bag

- Rigid frame for easy opening and access
- Reinforced plastic base for durability
- Internal and external pockets for additional storage capacity
- Telescopic handle and heavy-duty wheels provide stability
- Two high wheels keep bag away from the floor
- Tools and accessories not included





SKU #	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3NU #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UFC
520100M	7.27	3.29	22.83	579	13.77	349	15.35	389	—	2	076174933284

Stanley[™] Open Mouth Bag

- Wide open mouth provides for easy access to contents
- Hard wearing and durable, double-layered 600 X 600 denier polyester fabric
- Interior and exterior pockets for storage of small tools, hardware and accessories
- Rubber foam bottom keeps bag stable

SKU #		GHT	LEN			DTH	HEI		BOX QTY	CARTON QTY	UPC
	LBS.	G	IN.	MM	IN.	ММ	IN.	MM	<u></u>		
511100M	1.8	816	11.8	299	7	177	10.9	276	—	2	076174933314



Stanley[™] Tool Bag

- · Adjustable strap allows for easy access to contents
- · Ideal for carrying hand tools and other small to medium-sized items
- Comfortable, cotton-padded handles
- · Rubber foam bottom keeps bag sturdy, helps protect contents from hard falls
- Outer mesh pocket stores personal items

SKU # 512100M	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC	
3KU #		LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UFG
512100	М	1.25	567	11.8	299	5.11	129	9.84	250	_	2	076174933307



Stanley[™] 9" Pouch

- Double-layer fabric for reinforcement
- Large center pocket suitable for small organizer
- Two side pockets for wrench and pincer placing
- · Metal heavy-duty nits for durability

	SKU #	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
	3NU #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UFC
	509100M	0.34	156	6.69	170	2.3	60	9.4	239	_	12	076174933291



Stanley[™] FatMax[™] Tool Backpack

- · Tools backpack for transporting and storing tools: leaves your hands free
- 600 x 600 denier fabric for durability
- Removable double-sided divider with 24 tool holders
- · Waterproof plastic bottom helps protect against moisture and dirt
- Rigid form keeps tool bag stable
- Padded back and ergonomic shoulder straps, convenient carriage
- Power tool or laptop compartment
- Front compartment for quick access needs; loops provide additional fastening options
- · Dual zipper closure enables opening from every end

SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	
3KU #	CAPACITY	LBS.	KG	IN.	ММ	IN.	MM	IN.	MM	QTY	QTY	UPC
514195M	42 GAL	4.4	2.0	13.77	350	10.62	270	18.11	460	—	2	076174961928

Stanley[™] FatMax[®] Structural Foam Water Resistant Tool Boxes

- Extra heavy-duty, professional tool box
- Water seal makes tool box water resistant
- Ideal for carrying power tools, hand tools and medium-size to large items
- · Portable half tray allows room for storage of larger items
- V-groove with ruler on top of lid holds materials such as lumber and pipes in place for cutting



SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
SKU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFC
028001L	9.2 GAL	10.34	4.69	27.3	693	12.48	317	11.31	287	_	3	076174939446
023001W	5.8 GAL	7.04	3.19	22.62	574	12.09	307	10.53	267	_	2	076174947496

Stanley[™] FatMax[®] Gray Metal Plastic Tool Boxes

- Tough material combination and embossed logo branding tough resin combined with metal and long-lasting branding
- Tall tool box with a vertical storage unit for organization and easy access
- Long metal hinge to carry the heavy loads
- Large metal latches heavy-duty, strong, rustproof
- · Portable tray for hand tools and small parts
- Holes ready for inserting a lock for security of your tools
- V-groove on top lid for any onsite sawing and adjusting needs



SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3NU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	QTY	UFG
023180R	9 GAL	7.7	3.49	23	584	11.5	292	11.6	294	_	3	076174956160
026180R	10.3 GAL	8.2	3.71	26	660	11.5	292	11.6	294		3	076174956177

Stanley[™] Galvanized Metal Plastic Tool Box

- Tough material combination and embossed logo branding
- Tough resin combined with metal and long-lasting branding
- · Long metal hinge to carry the heavy loads
- Large metal latches heavy-duty, strong, rustproof
- · Portable tray for hand tools and small parts
- Holes ready for inserting a lock for security of your tools
- V-groove on top lid for any onsite sawing and adjusting needs



SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3KU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFC
020060R	4.7 GAL	2.95	1.34	19	520	11.5	292	8.7	221	_	4	076174956184



Stanley[™] Professional Tool Box with Tray

- Rubber shock-absorbing corners reduces wear and tear of box and helps prevent abrasions to surroundings
- Full-length handle for stability of heavy loads
- Extra-large, heavy-duty metal latches with padlockable eyelets

SKU # 020300R	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
	CAPACITY	LBS.	KG	IN.	MM	IN.	ММ	IN.	ММ	QTY	QTY	0.0
020300R	8.1 GAL	5.94	2.69	23.4	594	10.92	277	11.11	282		6	076174922516



Stanley[™] Professional Tool Box

- Long aluminum handle for easy grip and accessibility
- 4 rubber corners
- Large, heavy-duty nickel-plated metal latches with padlock eyes to fasten the tool box

SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3KU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFG
026301R	7.1 GAL	5.5	2.49	21.72	551	9.63	244	8.89	225	_	2	076174942347



Stanley[™] 2000 Series Tool Boxes with Trays

- Two lid organizers for small parts storage accessible without opening the tool box
- Built-in pad lock eye for small locks helps keep contents secure
- · Soft, wide rubber-coated handle allows for easy and comfortable grip
- Nickel metal-plated latches
- Tote tray

SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3NU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	Ω ΤΥ	QTY	UFC
013013S	1.05 GAL	0.99	0.45	12.87	326	6.63	168	4	101		4	076174920642
016013R	2.1 GAL	2.42	1.1	16	406	8.19	208	7.21	185	—	6	076174920659
019151M	4.7 GAL	2.95	1.34	19	482	10.14	257	9.55	242		4	076174928983
024013S	8.1 GAL	4.71	2.14	23.4	594	10.92	277	11.115	282		2	076174920673



Stanley[™] Tool Box

- Two lid organizers for small parts storage accessible without opening the tool box
- Built-in pad lock eye for small locks helps keep contents secure
- Tote tray

SKU # 016011R	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3KU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFC
016011R	2.1 GAL	1.87	0.84	16	406	7.6	193	7.21	183	—	6	076174939767



Stanley[™] FatMax[®] Lock n' Stock[™]

- Trolley system with two 7" wheels
- Detachable and portable storage units
- Large bottom drawer with ball bearing slides
- Top organizer with removable dividers
- V-groove on top lid
- Durable steel chassis includes 2 side handles for convenient lift



с и ц #	WEI	GHT	LEN	GTH	WI	отн	HEI	GHT	BOX	CARTON	UPC
SKU #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UPC
059000R	25.3	11.4	24.13	613	16	406	24.88	638		1	076174947472

Stanley[™] FatMax[®] 4-in-1 Mobile Workstation

- 4 storage solutions in 1; includes tool box, part bins, portable tray and oversized lower bin for larger items
- Tiered cantilever multi-level rolling system allows easy access to all 4 storage areas at the same time
- Durable structural foam construction



SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3KU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFG
020800R	21.6 GAL	7.7	3.49	21.25		11.11	282	28.66	728	_	2	076174942101

Stanley[™] Galvanized Metal Plastic Rolling Workshop[™]

- 20" detachable metal plastic top tool box includes portable tray for small parts and hand tools separates easily by pressing the front push button, enabling transporting it when needed
- Telescopic handle and large wheels for easy maneuverability
- Ball bearing slides for smooth gliding and carrying heavy loads
- Large bottom bin and drawer open up easily to form a workstation with access to all tools
- 2 deep 4" drawers with ball bearing slides
- Heavy-duty 7" wheels



I	SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
	3KU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	QTY	UFC
	020586R	14.1 GAL	25.3	642	22	559	15	381	29	736	_	1	076174958331



Stanley[™] 2-in-1 Mobile Work Center

- 2 storage solutions in 1; includes extra large tool box, storage bin
- Large, heavy-duty nickel-plated metal latches
- Two transparent lid organizers and middle carousel offer extensive small parts storage
- Front pocket for storage of extension cord or other cables
- · Large truck wheels enable smooth, easy mobility
- Conveniently fits into car trunk or back seat

SKII #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
SKU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFG
018603R	14 GAL	9.30	12.73	18.72	475	11.7	297	24.18	614	_	2	076174942231



Stanley[™] Mobile Work Center

- Large bin for power tools, level and other large tools
- Easy mobility with large wheels
- Slide-down door with easy-shut snap
- Handle folds down for storage
- Portable tray for hand tools in top tool storage compartment

SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
310 #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFC
018800R	13 GAL	7.7	3.49	41.34	1050	11.11	282	24.18	614	—	2	076174944730



Stanley[™] FatMax[®] Mobile Tool Chest

- 30-gallon capacity
- Wide work surface on lid that includes 2" X 4" saw grooves
- Pull-out steel handle with soft grip for easy maneuverability
- Large, heavy-duty nickel-plated metal latches
- Lock and keys included
- Wide, heavy-duty rubber-coated wheel
- Water seal makes chest water resistant
- Tools and accessories not included

SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3K0 #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	QTY	010
032800R	30 GAL	28.07	12.73	35.84	910	20.39	518	17.04	433	_	1	076174948509



Stanley[™] Mobile Tool Chest

- 50-gallon capacity
- Wide work surface on lid that includes two 2" X 4" saw grooves
- Pull-out steel handle with soft grip for easy maneuverability
- Large, heavy-duty nickel-plated metal latches
- Lock and keys included
- Wide, heavy-duty rubber-coated wheel



SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
380 #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFC
037025	H 50 GAL	31.36	14.22	41.34	1050	36.85	936	23.4	594	_	2	076174932782

Stanley[™] Mobile Tool Chest

- 24-gallon capacity
- Suitable for large power tools and accessories
- Large, heavy-duty metal latches with pad lock eyes
- Unique tote tray sits conveniently on the pull-out steel handle, increasing the available work space
- Tote tray includes two deep compartments



SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
310 #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	UFC
029025R	24 GAL	20.68	9.38	37.05	941	29.64	752	19.30	490	_	2	076174929782

Stanley[™] Pro Mobile Tool Chest w/o Pocket Organizer

• Tools and accessories not included

SKU #	STORAGE	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
	CAPACITY	LBS.	KG	IN.	ММ	IN.	ММ	IN.	MM	QTY	QTY	0.0
033025R	15 GAL	13.46	6.10	24.18	614	14.62	371	16.57	420		2	076174944709









- Unique lid design keeps storage cups locked in place
- Large, deep cups for easy access to small items
- Heavy-duty aluminum latches, handle
- Padded, adjustable shoulder strap included
- Tools and accessories not included

	WE	IGHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
SKU #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UFC
014461	1 5.72	2.59	19.37	492	16.96	431	4.33	110	—	5	076174948998



STANLEY

Stanley[™] Deep Professional Organizer

- High-impact, break-resistant, crystal-clear lid
- Unique lid design keeps storage cups locked in place
- Large, deep cups for easy access to small items
- Extra-wide handle designed for gloved hands

SVII #	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
SKU #	LBS.	KG.	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UPC
014710R	3.663	1.66	16.33	415	13.14	333	4.13	105	_	4	076174942033

Stanley[™] Professional Organizer

- High-impact, break-resistant crystal-clear lid
- Unique lid design keeps storage cups locked in place
- Removable cup compartments in 3 different sizes
- Extra-wide handle designed for gloved hands



CVII #	WEI	GHT	LEN	GTH	WI	отн	HEI	GHT	BOX	CARTON	UPC
SKU #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UFC
014725R	3.06	1.38	16.18	411	13.14	333	2.10	53		4	076174942026

Stanley[™] SortMaster[™] Junior

- Innovative benefits such as locking latches allows secured stacking and transport of up to 3 at once
- Movable dividers provide high customization for small parts and larger hand tools; 512 configurations possible
- Unique 90-degree angle in the main compartment design allows storage of hammers and angled tools or measure tapes comfortably with the small parts in the other nearby compartments
- Special lid structure upper lid interlocks with dividers to prevent movement of small parts from one compartment to another
- Tools and accessories not included





Can carry up to 3 together using latches

SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
310 #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UPC
014022R	1.83	0.83	14.75	375	11.5	292	2.66	67	_	4	076174974836

Stanley[™] SortMaster[™] Organizer

- Unique interior open-ended corners accommodates angled tools, such as hammers, etc.
- Organizer allows combination of tools and small parts storage
- Customized with removable dividers 1,024 different configurations possible to meet every need
- Lid structure with interlocking ribs prevents movement of small parts from one compartment to another
- Top lid lock keeps all small parts secured inside

┝─┝━╋━━┲

с и ц #	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
SKU #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UFG
014026R	2.31	1.05	16.96	431	12.98	333	3.43	88		12	076174947458



Stanley[™] Tool Organizer

- Double-sided organizer allows easy access to both sides
- Sides fold down flat for great stability
- 6 removable organizer drawers slide out for easy access and portability
- Multiple separate compartments for storing both fasteners and smaller hand tools
- Wide-grip handle for comfort
- Fold-up sides interconnect and lock middle drawers to help prevent accidental opening
- Heavy-duty latches are easy to open

CVII #	WEI	GHT	LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
SKU #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UFG
014266R	6.82	3.09	17.82	452	9.63	244	12.7	323	_	4	076174929768



Stanley[™] Organizer 166 9-Compartment Organizer

- 9- to 18-compartment organizer
- Comfortable handle
- Double-latch closure on both sides
- Tools and accessories not included

SKU #	WEI	GHT	LENGTH		WIDTH		HEI	GHT	BOX	CARTON	UPC
3NU #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UPG
014002R	1.34	608	14.37	365	11.45	291	2.52	64		12	076174920710



Stanley[™] 14" Organizer

- Clear 23-compartment organizer
- Tools and accessories not included

SKU #	WEIGHT		LEN	LENGTH		WIDTH		HEIGHT		CARTON	UPC
3KU #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UFG
014014R	1.122	508	13.923	353	8.931	226	1.87	47	_	8	076174928907



Stanley[™] Tote Tray

- Portable, multipurpose tool storage
- Extra deep 2 deep compartments with 1.58-gallon volume
- Perforations for tools are high enough so that longer screwdrivers can be placed without scratching the surface
- Ergonomic handle wide and convenient

с и ц #	WEI	WEIGHT		LENGTH		WIDTH		HEIGHT		CARTON	UPC
SKU #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	QTY	ΩΤΥ ΟΤΥ	UPC
041003W	1.65	748	22.81	579	12.87	326	8.77	222	—	6	076174942200



Stanley[™] FatMax[®] Stock and Carry

- Hangers included can be easily hung to form a modular system just take it with you and hang back when done
- Sliding cover clicks shut keep contents safely secured inside during upright transport
- Vertical transportation is possible can easily be carried and the lid remains closed
- Hang tag included useful for marking contents and differentiating



SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
3KU #	LBS.	KG	IN.	ММ	IN.	ММ	IN.	ММ	QTY	QTY	UFG
058003R	3.14	1.42	11.62	327	6.74	171	15.48	393		4	076174947465

Stanley[™] Bin #2 Bonus Set with Hangers

- Set includes 8 small storage bins
- Hangers allow bins to hang on wall for easy access
- Bins can be stacked or nested
- Tools and accessories not included



1	SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
1	310 #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	ΩΤΥ	Ω ΤΥ	UFC
	057208R	1.5158	688	6.43	163	4.095	104	13.26	336		6	076174932751

Stanley[™] Bin #3 Bonus Set with Hangers

- Set includes 4 medium-size storage bins
- Hangers allow for hanging of bins on wall for easy access
- Bins can be stacked or nested
- High-impact, polypropylene construction
- Tools and accessories not included



	SKU #	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
		LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	Ω ΤΥ	UPG
0	57304R	1.62	737	9.28	236	5.85	149	12.51	318		6	076174932768

Stanley[™] Bins

- Bins can be stacked or nested
- Wide mouth design for easy access to contents
- High-impact, polypropylene construction

SKU #	WEI	GHT	LENGTH WIDTH		DTH	HEI	GHT	BOX	CARTON	UPC	
310 #	LBS.	G	IN.	ММ	IN.	ММ	IN.	ММ	Ω ΤΥ	QTY	UFG
056400L	0.792	359	12.75	324	7.8	195	6.084	155		12	076174939637
056500L	1.408	639	16.73	425	12.012	305	6.942	176		8	076174939644





Stanley[™] FatMax[™] Sawhorse with Adjustable Legs

- Each leg adjusts separately, allowing the sawhorse to stand on uneven surfaces
- Rubber inserts for stability
- High-quality, sturdy polypropylene and aluminum legs
- Unique slide mechanism, providing for easy, smooth adjustment

SKU #			EIGHT LENGTH			WIDTH HEI			IGHT	BOX	CARTON	UPC
3KU #	CAPACITY	LBS.	0Z.	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	OFC
011031S	2500 lbs. (per pair)	0.64	0.29	27.19	691	2.13	54	31-39	787-991		4	076174975116



Stanley[™] Adjustable Sawhorse – Twin Pack

- · Smooth sliding mechanism for easy adjustment of ruler and legs
- Anti-slip rubber bases
- Two V-grooves holds materials such as lumber and pipes in place for cutting
- Capacity 1,000 lbs. per pair

	SKU #	WEIGHT	WEI	WEIGHT LEN		GTH	WI	DTH	HEIGHT		BOX	CARTON	UPC	
ľ	3KU #	CAPACITY	LBS.	0Z.	IN.	MM	IN.	MM	IN.	ММ	QTY	QTY	UPC	
	060622R	1000 lbs. (per pair)	24.6	11.15	29.38	746	4.7	119	30-37	762-940	—	2	076174929799	



Stanley[™] Folding Sawhorse – Twin Pack

- Comfortable work height (31")
- Multipurpose side hangers for storage of accessories
- Strong tray connection helps keep sawhorse from collapsing unexpectedly under heavy load
- Two built-in V-grooves hold materials such as lumber and pipes in place for cutting
- Rubber points line top of ruler for load stability
- Capacity 1,000 lbs. per pair

SKU #	WEIGHT	WEI	GHT	LEN	LENGTH WIDT		OTH HEIGHT		BOX	CARTON	UPC		
310 #	CAPACITY	LBS.	0Z.	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ		
060864R	1000 lbs. (per pair)	6.1	2.76	13.77	350	2.2	56	32.36	822	_	4	076174928587	



STANLEY

Stanley[®] 16" Deep Wall Cabinet

- W2 2-door wall cabinet with inner storage space and 1 shelf
- Deep doors with pegboard and multipurpose bins that can be fastened at the needed height
- Pegboards on cabinet sides

SKU #		WEIGHT	WEIGHT		LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC	
	3KU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	Ω ΤΥ	OF C	
	716201R	215 lbs.	27.94	12.42	30.3	770	16.14	410	30.59	777		1	076174933376	



Stanley[®] 20" Deep Base Cabinet

- B1 2-door base cabinet
- Deep doors with pegboard and multipurpose bins that can be fastened at the needed height
- Pegboards on cabinet sides
- Feet are height adjustable to provide level stance and protect from moist floors



	SKU #	WEIGHT	WEI	GHT	LENGTH		WIDTH		HEIGHT		BOX	CARTON	UPC
		CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	QTY	UFG
7	22201R	280 lbs.	30.14	13.67	30.3	770	19.69	424	34.26	870		1	076174933383

Stanley[®] 20" Deep Drawer Cabinet

- B3-3-drawer cabinet
- Comfortable 34" work height
- Full extension ball bearing slides improve drawer performance
- Feet are height adjustable to provide level stance and protect from moist floors
- Pegboards on cabinet sides for hanging longer tools



SKU #	WEIGHT	WEI	GHT	LEN	GTH	WI	DTH	HEI	GHT	BOX	CARTON	UPC
3KU #	CAPACITY	LBS.	KG	IN.	MM	IN.	MM	IN.	MM	QTY	QTY	Urc
772030R	325 lbs.	45.59	20.68	30.3	770	19.69	424	34.26	870	_	1	076174933390

Stanley[®] 20" Deep XL Shelving Cabinet

- T3 Heavy-Duty XL Tall Cabinet
- Deep doors with pegboard and multipurpose bins that can be fastened at the needed height
- Pegboards on cabinet sides for hanging longer tools
- Feet are height adjustable to provide level stance and protect from moist floors

SKU #	WEIGHT			LEN	GTH	WI	DTH	HEI	HEIGHT BOX			UPC
	CAPACITY	LBS.	KG	IN.	ММ	IN.	MM	IN.	MM	QTY	QTY	
774203R	390 lbs.	60.5	27.44	30.3	770	19.69	500	74.02	1880	_	1	076174933406

011031S 204 10-39 35 11-725 .46 12-951 .33 15-628 .59 013013S 196 10-401 .39 11-725 .46 12-961 .33 15-628 .59 014024 202 10-425 .41 11-715 .46 12-973 .33 15-630 .59 014024R 201 10-475 .40 11-914 44 12-071 15-765 .52 01426R 201 10-476 .40 11-917 .44 14-206 .70 15-725 .52 01426R 201 10-646 .40 11-921 .44 14-206 .70 15-82A .59 01472FR 201 10-510 .56 11-921 .44 14-556 .71 15-80A .59 01472FR 201 10-510 .56 11-921 .44 14-556 .71 15-80A .59 016013R 196 10-778 .21 <td< th=""><th>SKU</th><th>PAGE #</th><th>SKU</th><th>PAGE #</th><th>SKU</th><th>PAGE #</th><th>SKU</th><th>PAGE #</th><th>SKU</th><th>PAGE #</th></td<>	SKU	PAGE #								
014022 202 10-421 40 11-725T 46 12-975 133 15-631 559 01402A 201 10-475 40 11-914 44 12-978 133 15-631 599 01402A 201 10-475 40 11-914 44 4207 170 15-728 522 01426B 201 10-486 40 11-912 44 14-207 170 15-778 52 014710R 200 10-509 36 11-9216 44 14-576 171 15-602A 59 014710R 201 10-510 36 11-9214 44 14-558 171 15-603A 59 016013R 10-5778 32 11-931A 34 14-563 170 15-522A 59 016038 10-778 32 11-931A 34 14-564 170 15-92A 59 019510H 156 10-778 32 11-931A 34	011031S	204	10-399	35	11-725	46	12-951		15-614	59
$ 0 + 014R - 202 10 - 425 + 1 1 - 911 + 4 12 - 978 133 15 - 632 59 \\ 01 + 022R 201 10 - 475 + 40 11 - 914 + 44 14 - 206 171 15 - 632 59 \\ 01 + 026R 202 10 - 486 + 40 11 - 921 + 41 14 - 206 170 15 - 725 52 \\ 01 + 206R 201 10 - 486 + 40 11 - 921 + 44 14 - 208 170 15 - 802 59 \\ 01 + 470R 200 10 - 509 36 11 - 921R + 41 14 - 556 171 15 - 809A 59 \\ 01 + 472SR 201 10 - 501 36 11 - 921R + 41 14 - 556 171 15 - 809A 59 \\ 01 + 472SR 201 10 - 501 36 11 - 921R + 41 14 - 558 171 15 - 809A 59 \\ 01 + 601R 196 10 - 525 36 11 - 921R + 41 14 - 558 171 15 - 809A 59 \\ 01 + 601R 196 10 - 726 35 11 - 921R + 41 14 - 558 170 15 - 822A 59 \\ 01 + 6018 - 198 10 - 778 22 11 - 931 43 14 - 564 170 15 - 822A 59 \\ 01 + 1915 1 - 198 10 - 778 32 11 - 931 43 14 - 564 170 15 - 802A 50 \\ 02 - 00 + 195 10 - 780 34 11 - 937 43 14 - 568 171 15 - 904A 60 \\ 02 - 00 + 197 10 - 784 38 11 - 839 45 15 - 628 57 600 \\ 02 - 00 + 197 10 - 784 38 11 - 839 45 15 - 658 54 15 - 822A 60 \\ 02 - 00 + 197 10 - 784 32 11 - 983 45 15 - 658 54 15 - 828 60 \\ 02 - 02 - 00 + 197 10 - 784 32 11 - 983 45 15 - 658 54 15 - 828 60 \\ 02 - 02 - 001 - 195 10 - 878 32 11 - 983 45 15 - 658 54 15 - 828 60 \\ 02 - 02 - 011 - 195 10 - 604 45 11 - 508 54 15 - 828 66 \\ 02 - 02 - 011 - 196 171 15 - 106A 54 15 - 228 85 \\ 02 - 02 - 011 - 196 33 11 - 801 44 15 - 015 51 16 - 228 85 \\ 02 - 02 - 011 - 198 44 12 - 11 - 132 15 - 605 -$	013013S		10-401		11-725L	46	12-960		15-628	59
014022R 201 10-475 40 11-914 44 14-019 171 15-622 59 014266R 201 10-481 40 11-917 44 14-206 170 15-726 52 014461M 200 10-499 33 11-921A 44 14-207 15-802A 59 014710R 200 10-510 36 11-921B 44 14-376 171 15-802A 59 014012R 10 10-510 36 11-921C 44 14-556 171 15-802A 59 016011R 196 10-705 35 11-921V 44 14-556 171 15-802A 59 01800R 198 10-778 32 11-931A 41-456 170 15-822A 59 019151M 196 10-78 33 11-931A 31 14-567 171 15-942A 60 020060R 197 10-78 38 11-931A 41-56	014002R	202	10-421	40	11-725T	46	12-975	133	15-630	59
014026R 201 10-481 40 11-917 44 14-205 170 15-725 52 014451M 200 10-486 40 11-921 44 14-207 170 15-775 52 01471DR 200 10-599 33 11-921A 44 14-206 171 15-804A 59 01471DR 200 10-510 36 11-921C 44 14-556 171 15-804A 59 016013R 196 10-707 33 11-921W 44 14-558 171 15-824A 59 01803R 196 10-707 33 11-921W 44 14-564 170 15-824A 59 019151M 196 10-778 32 11-931 43 14-564 170 15-824A 50 020300R 197 10-783 38 11-937 44 14-566 171 15-902A 60 02300W 197 10-784 38	014014R	202	10-425	41	11-911	44	12-978	133	15-631	59
014266R 202 10-485 40 11-921 44 14-207 170 15-75 52 014410R 200 10-599 33 11-921A 44 14-376 171 15-802A 59 014710R 201 10-510 36 11-921G 44 14-556 171 15-802A 59 016011R 196 10-705 35 11-921V 44 14-558 171 15-802A 59 016030R 196 10-707 31 11-921W 44 14-558 171 15-802A 59 018800R 198 10-778 32 11-931A 43 14-561 170 15-822A 59 019151M 196 10-78 38 11-931A 43 14-567 171 15-902A 60 020506R 197 10-78 38 11-932H 43 14-567 171 15-902A 60 020300R 196 10-781 38 11-932H 43 14-567 171 15-902A 60 0203	014022R	201	10-475	40	11-914	44	14-019	171	15-632	59
014461M 200 10-499 33 11-921A 44 14-208 170 15-802A 59 014710R 200 10-509 36 11-921B 44 14-576 171 15-804A 59 014725R 201 10-510 38 11-921C 44 14-556 171 15-802A 59 016013R 198 10-705 35 11-921V 44 14-556 171 15-82A 59 01800R 198 10-707 32 11-931A 43 14-563 170 15-82A 59 019151M 10 178 22 11-931A 44 14-564 170 15-82A 59 019151M 10 178 1331A 44 15-66 170 15-902A 60 020300R 197 10-78 38 11-937A 44 15-656 15-92A 60 02301W 195 10-785 31 1961 45 15-055 15-92A 60 02301W 195 10-785 31	014026R	201	10-481	40	11-917	44	14-206	170	15-726	52
014710R 200 10-509 36 11-9218 44 14-576 171 15-804A 59 014725R 201 10-510 36 11-921C 44 14-556 171 15-809 58 016013R 196 10-525 36 11-921T 44 14-556 171 15-824A 59 018603R 198 10-778 32 11-931A 43 14-563 170 15-824A 59 01800R 198 10-778 32 11-931A 43 14-564 170 15-92A 60 020000R 196 10-781 38 11-937 43 14-567 171 15-90A 60 020800R 197 10-784 38 11-939 43 14-563 171 15-90A 60 020800R 197 10-784 38 11-939 43 14-569 171 15-92A 60 023100R 195 10-788 32 11-961A 45 15-025 51 522A 60 023018 16	014266R	202	10-486	40	11-921	44	14-207	170	15-775	52
014725R 201 10-510 36 11-921G 44 14-556 171 15-808A 59 016013R 196 10-705 35 11-921T 44 14-556 171 15-822A 59 01800R 198 10-707 33 11-921W 44 14-562 170 15-822A 59 018800R 198 10-778 32 11-931A 43 14-563 170 15-822A 59 019151M 196 10-778 32 11-931A 43 14-566 170 15-92A 60 020300R 195 10-780 38 11-937 43 14-566 171 15-90A 60 020300R 197 10-784 38 11-937 43 14-569 171 15-90A 60 020301W 195 10-785 39 11-961 45 15-025 51 5-92A 60 023101R 195 10-786 32 11-981 45 15-026 54 16-50 131 0227 55	014461M	200	10-499		11-921A	44	14-208	170	15-802A	59
016011R 196 10-525 36 11-921L 44 14-559L 170 15-829A 59 016013R 198 10-705 35 11-921V 44 14-559L 170 15-824A 59 018003R 198 10-778 32 11-931 43 14-563 170 15-824A 59 019151M 196 10-778 32 11-931 43 14-563 170 15-824A 59 020060R 195 10-780 34 11-937 43 14-566 171 15-902A 60 020300R 197 10-781 38 11-938W 43 14-569 171 15-908A 60 023001W 195 10-786 32 11-961A 45 15-055 15-924A 60 024013S 196 10-788 32 11-981A 45 15-055 54 65 928 60 024013S 196 10-788 11-983 </td <td>014710R</td> <td>200</td> <td>10-509</td> <td></td> <td>11-921B</td> <td>44</td> <td>14-376</td> <td>171</td> <td>15-804A</td> <td>59</td>	014710R	200	10-509		11-921B	44	14-376	171	15-804A	59
016012R 196 10-705 35 11-9217 44 14-5591 170 15-822A 59 018600R 198 10-707 32 11-931 43 14-562 170 15-824A 59 019151M 196 10-778 32 11-931A 43 14-564 170 15-822A 59 019151M 196 10-778 32 11-931A 43 14-566 170 15-902A 600 020300R 195 10-781 38 11-937L 43 14-566 171 15-904A 600 020800R 197 10-785 39 11-961 45 15-025 55 15-922A 600 02301W 195 10-785 39 11-961 45 15-025 55 15-922A 600 024013S 196 10-781 32 11-983 45 15-055 16-228 600 02601R 196 10-810 37 12-10	014725R	201	10-510		11-921G	44	14-556	171	15-808A	59
018603R .198 10-707 .33 11-921W .44 14-562 .70 15-82A .59 018600R 189 10-778 .22 11-931 .43 14-564 .70 15-82A .59 020600R 195 10-780 .34 11-937 .43 14-566 .70 15-902A .60 020500R 196 10-781 .38 11-937 .43 14-566 .70 15-902A .60 020500R 197 10-781 .38 11-937 .43 14-565 .71 15-902A .60 023001W 195 10-785 .39 11-961A .45 15-025 .55 15-924A .60 023101R 196 10-789 .22 11-983 .45 15-059 .54 16-150 .91 026118 196 10-810 .37 12-81 .50 .51 16-226 .85 028001 198 10-817 .40	016011R		10-525		11-921L	44	14-558	171	15-809	58
018800R 198 10-778 32 11-931 43 14-563 170 15-828A 59 019151M 105 10-779 32 11-331A 43 14-564 170 15-902A 60 020500R 198 10-781 38 11-337 43 14-566 170 15-902A 60 020500R 198 10-783 38 11-338W 43 14-568 171 15-902A 60 020500R 197 10-784 38 11-393 45 15-505 51 5-922A 60 023100R 195 10-786 32 11-961 45 15-505 54 15-922A 60 024013S 10-810 37 12-101 32 15-615 54 16-520 55 16-226 85 028001L 195 10-812 37 12-101 32 15-661 54 16-221 85 028025R 199 10-812	016013R		10-705	35	11-921T	44	14-559L	170	15-822A	59
019151M 196 10-779 32 11-931A 43 14-564 170 15-892K 57 020000R 195 10-780 34 11-337 43 14-566 170 15-902A 60 020300R 197 10-781 38 11-337 43 14-568 171 15-902A 60 0203001W 195 10-785 39 11-961 45 15-025 55 15-924A 60 023010W 195 10-788 32 11-961 45 15-025 54 16-050 133 02301W 196 10-789 32 11-983 45 15-061 54 16-150 191 02610R 196 10-812 37 12-101 132 15-085 51 16-227 85 02902FR 199 10-812 37 12-105 132 15-080 16 16-227 85 0302FR 199 10-813 37 12-105 132 15-046 16 230 85 03025R	018603R	198	10-707		11-921W	44	14-562	170	15-824A	59
020060R 195 10-780 34 11-937 43 14-566 170 15-902A 60 020300R 196 10-781 38 11-937 43 14-567 171 15-904A 60 020800R 197 10-784 38 11-938W 43 14-569 171 15-902A 60 023001W 195 10-785 39 11-961A 45 15-025 55 15-924A 60 023100R 195 10-789 32 11-961A 45 15-058 54 16-050 133 02610R 195 10-789 32 11-987 44 15-061 54 16-150 91 026301R 196 10-810 37 12-187 132 15-061 54 16-227 85 029025R 199 10-812 37 12-101 132 15-06A 16-224 85 032025R 199 10-812 37 12-134	018800R		10-778		11-931	43	14-563	170	15-828A	59
020300R 196 10-781 38 11-937L 43 14-567 171 15-904A 60 020580R 197 10-784 38 11-938U 43 14-568 171 15-904A 60 020500R 197 10-785 39 11-961A 45 15-025 55 15-924A 60 02301W 195 10-788 32 11-961A 45 15-025 55 15-924A 60 024013S 196 10-789 32 11-983A 45 15-058 54 16-500 133 026100R 196 10-810 37 11-987 44 15-085 51 16-226 85 028001L 195 10-812 37 12-105 32 15-080 61 16-227 85 032025R 199 10-817 40 12-134 134 15-106A 54 16-231 85 033025H 199 11-031 47	019151M		10-779	32	11-931A	43	14-564	170	15-892K	57
020586R 197 10-783 38 11-938W 43 14-568 171 15-908A 60 020800R 197 10-784 38 11-939 45 14-568 171 15-928A 60 023001W 195 10-785 32 11-961 45 15-025 55 15-928A 60 023180R 195 10-789 32 11-983 45 15-056 54 16-150 131 026180R 195 10-810 37 11-983 45 15-061 54 16-150 191 026301R 196 10-810 37 11-987 44 15-085 51 16-226 85 02800R 199 10-813 37 12-105 132 15-090 61 6-229 85 032026R 199 10-813 37 12-134 134 15-104 54 16-230 85 032026R 199 10-835 36 12-137 130 15-106A 54 16-231 85 037025H	020060R	195	10-780		11-937	43	14-566	170	15-902A	60
020800R 197 10-784 38 11-939 45 14-569 171 15-922A 60 023010W 195 10-785 39 11-961A 45 15-025 55 15-924A 60 023180R 195 10-788 32 11-961A 45 15-059 54 16-050 133 02610R 195 10-804 36 11-983 45 15-061 54 16-050 133 026301R 196 10-810 37 11-987 44 15-085 51 16-227 285 028001L 195 10-817 40 12-134 134 15-104 16 229 85 033025R 199 10-813 37 12-105 132 15-004 16 231 85 033025H 199 10-814 7 12-134 130 15-106 54 16-231 85 03600R 200 10-989 33 12-137 130 15-106 54 16-234 85 03025CH	020300R		10-781		11-937L	43	14-567	171	15-904A	60
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	020586R	197	10-783		11-938W	43	14-568	171	15-908A	60
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	020800R	197	10-784		11-939	45	14-569	171	15-922A	60
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	023001W	195	10-785		11-961	45	15-025	55	15-924A	60
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	023180R	195	10-788	32	11-961A	45	15-058	54	15-928A	60
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	024013S		10-789	32	11-983	45	15-059		16-050	133
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	026180R	195	10-804		11-983L	45	15-061		16-150	91
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	026301R		10-810		11-987	44	15-085	51	16-226	
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	028001L	195	10-812		12-101	132	15-087	51	16-227	85
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	029025R	199	10-813		12-105	132	15-090	61	16-229	85
036800R 200 10-989 33 12-137 130 15-106A 54 16-233 85 037025H 199 11-031 47 12-138 130 15-113 56 16-234 85 041003W 202 11-040 47 12-139 130 15-206 55 16-236 85 056400L 203 11-301 46 12-141 134 15-265 57 16-286 84 057208R 203 11-301K 46 12-142 134 15-275 62 16-288 84 057208R 203 11-301K 46 12-142 134 15-275 62 16-288 84 057304R 203 11-301K 46 12-142 134 15-333 62 16-290 84 059000R 197 11-325 46 12-204 132 15-334 51 16-291 84 060622R 204 11-525 47 12-247 132 15-352 62 16-293 84 10-049	032800R		10-817	40	12-134	134	15-104		16-230	85
037025H 199 11-031 47 12-138 130 15-113 56 16-234 85 041003W 202 11-040 47 12-139 130 15-206 55 16-236 85 056400L 203 11-041 47 12-140 131 15-252K 53 16-286 84 056500L 203 11-301 46 12-141 134 15-265 57 16-287 84 057208R 203 11-301L 46 12-142 134 15-275 62 16-288 84 058003R 203 11-301T 46 12-144 134 15-333 62 16-290 84 059000R 197 11-325 46 12-204 132 15-335 51 16-291 84 060622R 204 11-525 47 12-247 132 15-352 62 16-293 84 0-016 34 11-530 47 12-313 134 15-408 57 16-294 84 10-079	033025R	199	10-855		12-136	130	15-106	54	16-231	85
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	036800R	200	10-989		12-137	130	15-106A	54	16-233	85
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	037025H	199	11-031	47	12-138	130	15-113	56	16-234	85
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	041003W	202	11-040	47	12-139	130	15-206	55	16-236	85
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	056400L	203	11-041	47	12-140	131	15-252K	53	16-286	84
057304R 203 11-301L 46 12-143 134 15-285 58 16-289 84 058003R 203 11-301T 46 12-144 134 15-333 62 16-290 84 059000R 197 11-325 46 12-204 132 15-334 51 16-291 84 060622R 204 11-325T 46 12-200 132 15-335 51 16-292 84 060864R 204 11-525 47 12-247 132 15-352 62 16-293 84 10-016 34 11-530 47 12-313 134 15-408 57 16-294 84 10-049 37 11-618 46 12-328 134 15-410 60 16-295 84 10-079 33 11-618T 46 12-332 134 15-412 60 16-296 84 10-143P 41 11-625 46 12-333 134 15-446 61 16-297 84 10-150 <t< td=""><td>056500L</td><td>203</td><td>11-301</td><td>46</td><td>12-141</td><td>134</td><td>15-265</td><td>57</td><td>16-287</td><td>84</td></t<>	056500L	203	11-301	46	12-141	134	15-265	57	16-287	84
058003R 203 11-301T 46 12-144 134 15-333 62 16-290 84 059000R 197 11-325 46 12-204 132 15-334 51 16-291 84 060622R 204 11-325T 46 12-220 132 15-335 51 16-292 84 060864R 204 11-525 47 12-247 132 15-352 62 16-293 84 10-016 .34 11-530 47 12-313 134 15-408 57 16-294 84 10-049 .37 11-618 46 12-328 134 15-410 60 16-295 84 10-079 .33 11-618T 46 12-330 134 15-412 60 16-296 84 10-143P 41 11-625 46 12-337 134 15-439 61 16-297 84 10-150 .41 11-625 46 12-337 134 15-446 61 16-298 85 10-151 <	057208R	203	11-301K	46	12-142	134	15-275	62		
059000R 197 11-325 46 12-204 132 15-334 51 16-291 84 060622R 204 11-325T 46 12-20 132 15-335 51 16-292 84 060864R 204 11-525 47 12-247 132 15-352 62 16-293 84 10-016 34 11-530 47 12-313 134 15-408 57 16-294 84 10-049 37 11-618 46 12-328 134 15-410 60 16-295 84 10-079 33 11-618T 46 12-320 134 15-412 60 16-296 84 10-099 34 11-618T 46 12-332 134 15-439 61 16-297 84 10-143P 41 11-625 46 12-337 134 15-448 61 16-298 85 10-150 41 11-625 46 12-337 134 15-448 61 16-300 90 10-175 34 </td <td>057304R</td> <td>203</td> <td>11-301L</td> <td>46</td> <td>12-143</td> <td>134</td> <td>15-285</td> <td>58</td> <td>16-289</td> <td>84</td>	057304R	203	11-301L	46	12-143	134	15-285	58	16-289	84
060622R 204 11-325T 46 12-220 132 15-335 51 16-292 84 060864R 204 11-525 47 12-247 132 15-352 62 16-293 84 10-016 34 11-530 47 12-313 134 15-408 57 16-294 84 10-049 37 11-618 46 12-328 134 15-410 60 16-295 84 10-079 33 11-618L 46 12-328 134 15-412 60 16-295 84 10-099 34 11-618T 46 12-330 134 15-439 61 16-297 84 10-143P 41 11-625 46 12-337 134 15-446 61 16-298 85 10-150 41 11-625L 46 12-337 134 15-448 61 16-299 85 10-151 41 11-625L 46 12-378 134 15-451 60 16-300 90 10-175 34<	058003R	203	11-301T	46	12-144	134	15-333	62	16-290	84
060864R 204 11-525 47 12-247 132 15-352 62 16-293 84 10-016 34 11-530 47 12-313 134 15-408 57 16-294 84 10-049 37 11-618 46 12-328 134 15-410 60 16-295 84 10-079 33 11-618L 46 12-322 134 15-412 60 16-296 84 10-099 34 11-618T 46 12-332 134 15-412 60 16-296 84 10-143P 41 11-625 46 12-332 134 15-448 61 16-297 84 10-143P 41 11-625 46 12-337 134 15-448 61 16-298 85 10-150 41 11-625L 46 12-337 134 15-448 61 16-299 85 10-175 34 11-700 43 12-378 134 15-451 60 16-304 90 10-179 33 <td>059000R</td> <td>197</td> <td>11-325</td> <td>46</td> <td>12-204</td> <td>132</td> <td>15-334</td> <td>51</td> <td>16-291</td> <td>84</td>	059000R	197	11-325	46	12-204	132	15-334	51	16-291	84
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	060622R	204	11-325T	46	12-220	132	15-335	51	16-292	84
10-049 37 11-618 46 12-328 134 15-410 60 16-295 .84 10-079 33 11-618L 46 12-330 134 15-412 60 16-296 .84 10-099 34 11-618T 46 12-332 134 15-439 .61 16-297 .84 10-143P 41 11-625 46 12-333 134 15-448 .61 16-298 .85 10-150 41 11-625L 46 12-337 134 15-448 .61 16-299 .85 10-151 41 11-625T 46 12-377 134 15-448 .61 16-299 .85 10-175 34 11-700 43 12-378 134 15-449 .60 16-304 .90 10-179 33 11-700A 43 12-378 134 15-453 .60 16-305 .90 10-189C 38 11-700L 43 12-504 134 15-556 .55 16-308 .90 10-209	060864R	204	11-525	47	12-247	132	15-352	62	16-293	84
10-079 .33 11-618L .46 12-330 .134 15-412 .60 16-296 .84 10-099 .34 11-618T .46 12-332 .134 15-439 .61 16-297 .84 10-143P .41 11-625 .46 12-332 .134 15-449 .61 16-297 .84 10-150 .41 11-625 .46 12-337 .134 15-448 .61 16-299 .85 10-150 .41 11-625 .46 12-337 .134 15-448 .61 16-299 .85 10-151 .41 11-625 .46 12-378 .134 15-449 .60 16-300 .90 10-175 .34 11-700 .43 12-378 .134 15-451 .60 16-304 .90 10-179 .33 11-700A .43 12-504 .134 15-455 .60 16-305 .90 10-189C .38 11-700L .43 12-504 .134 15-556 .55 16-308 .90	10-016	34	11-530	47	12-313	134	15-408	57	16-294	84
10-099 .34 11-618T .46 12-332 .134 15-439 .61 16-297 .84 10-143P .41 11-625 .46 12-333 .134 15-446 .61 16-298 .85 10-150 .41 11-625L .46 12-337 .134 15-448 .61 16-299 .85 10-151 .41 11-625T .46 12-350 .134 15-449 .60 16-300 .90 10-175 .34 11-700 .43 12-378 .134 15-451 .60 16-304 .90 10-179 .33 11-700A .43 12-504 .134 15-556 .55 16-308 .90 10-189C .38 11-700T .43 12-508 .134 15-556 .55 16-312 .90 10-209 .35 11-700T .43 12-508 .134 15-565 .58 16-312 .90 10-239 .37 11-718 .46 12-905 .131 15-612 .59 16-320 .90	10-049	37	11-618	46	12-328	134	15-410	60	16-295	84
10-143P 41 11-625 46 12-333 134 15-446 61 16-298 85 10-150 41 11-625L 46 12-337 134 15-448 61 16-299 85 10-151 41 11-625T 46 12-350 134 15-449 60 16-300 90 10-175 34 11-700 43 12-378 134 15-451 60 16-304 90 10-179 33 11-700A 43 12-404 132 15-453 60 16-305 90 10-189C 38 11-700L 43 12-504 134 15-556 16-308 90 10-209 35 11-700T 43 12-508 134 15-565 58 16-312 90 10-239 37 11-718 46 12-904 131 15-579 52 16-316 90 10-280 41 11-718 46 12-905 131 15-612 59 16-320 90	10-079	33	11-618L	46	12-330	134	15-412	60	16-296	84
10-150 41 11-625L 46 12-337 134 15-448 61 16-299 85 10-151 41 11-625T 46 12-350 134 15-449 60 16-300 90 10-175 34 11-700 43 12-378 134 15-451 60 16-304 90 10-179 33 11-700A 43 12-404 132 15-453 60 16-305 90 10-189C 38 11-700L 43 12-504 134 15-556 55 16-308 90 10-209 35 11-700T 43 12-508 134 15-565 58 16-312 90 10-239 37 11-718 46 12-904 131 15-579 52 16-316 90 10-280 41 11-718L 46 12-905 131 15-612 59 16-320 90	10-099	34	11-618T	46	12-332	134	15-439	61	16-297	84
10-151 41 11-625T 46 12-350 134 15-449 60 16-300 90 10-175 34 11-700 43 12-378 134 15-451 60 16-304 90 10-179 33 11-700A 43 12-404 132 15-453 60 16-305 90 10-189C 38 11-700L 43 12-504 134 15-556 55 16-308 90 10-209 35 11-700T 43 12-508 134 15-565 58 16-312 90 10-239 37 11-718 46 12-904 131 15-579 52 16-316 90 10-280 41 11-718L 46 12-905 131 15-612 59 16-320 90	10-143P	41	11-625	46	12-333	134	15-446	61	16-298	85
10-175	10-150	41	11-625L	46	12-337	134	15-448	61	16-299	85
10-179 .33 11-700A .43 12-404 .132 15-453 .60 16-305 .90 10-189C .38 11-700L .43 12-504 .134 15-556 .55 16-308 .90 10-209 .35 11-700T .43 12-508 .134 15-565 .58 16-312 .90 10-239 .37 11-718 .46 12-904 .131 15-579 .52 16-316 .90 10-280 .41 11-718L .46 12-905 .131 15-612 .59 16-320 .90	10-151	41	11-625T	46	12-350	134	15-449	60	16-300	90
10-189C	10-175	34	11-700	43	12-378	134	15-451	60	16-304	90
10-209	10-179	33	11-700A	43	12-404	132	15-453	60	16-305	90
10-239	10-189C		11-700L	43	12-504	134	15-556	55	16-308	90
10-280	10-209	35	11-700T	43	12-508	134	15-565		16-312	90
	10-239	37	11-718	46	12-904	131	15-579	52	16-316	90
10-299	10-280	41	11-718L	46	12-905	131	15-612		16-320	90
	10-299	35	11-718T	46	12-920	131	15-613	59	16-324	90

STANLEY

SKU	PAGE #	SKU	PAGE #	SKU	PAGE #	SKU	PAGE #	SKU	PAGE #
16-327	83	20-239	50	22-308	139	30-454	8	34-793	
16-328	83	20-240	50	22-311	140	30-455	8	34-812	10
16-329	83	20-241	50	22-312	138	30-456	8	35-338	9
16-331	83	20-242	50	22-313	138	30-464	8	35-338	
16-332	83	20-243	50	22-314	140	30-485	8	39-130	7
16-334	83	20-331	53	22-316	141	30-495	8	42-191	17
16-401	90	20-437	61	22-319	140	30-496	8	42-193	17
16-781		20-447	60	22-339	141	30-506	8	42-240	15
16-782		20-500	53	28-139	144	30-810	7	42-264	17
16-784		20-501	53	28-140	144	30-812	7	42-287	17
16-785		20-509	53	28-141	144	30-824	7	42-291	17
16-786		20-516	53	28-142	144	30-825	7	42-294	17
16-787	88	20-526	51	28-203	145	30-830	7	42-324	15
16-788		20-527	51	28-204	145	33-115	6	42-328	15
16-789		20-531	56	28-205	144	33-116	6	42-465	16
16-791	88	20-556	55	28-206	145	33-158	6	42-466	15
16-793	88	20-600	63	28-207	144	33-212	6	42-468	15
16-970	89	20-800	63	28-208	144	33-215	6	42-470	15
16-971	89	20-807	58	28-209	144	33-231	6	42-480	15
16-973	89	21-106	140	28-211	147	33-262	5	43-511	16
16-974	89	21-112	141	28-212	147	33-270	7	43-512	16
16-975	89	21-113	139	28-213	147	33-278	5	43-524	14
16-976	89	21-115	136	28-214	146	33-279	5	43-525	14
16-977		21-291	137	28-215	146	33-281	7	43-548	14
16-978		21-293	136	28-216	145	33-298	5	43-549	14
16-979		21-295	135		146		6	43-572	14
16-980	89	21-296	135	28-218	146	33-425	6	43-603	16
16-981		21-297	135	28-219	147	33-428	6	43-605	16
17-202	62	21-299	136	28-221	148	33-430	6	43-609	16
17-204	54	21-393	136	28-222	147	33-516	5	43-624	14
	53	21-398	136		146	33-525	5		14
	54	21-399	135	28-224	146		5		14
	63	21-515	137	28-228	149		5		14
20-001	57	22-017	139	28-229	148	33-692	5	43-672	
20-028L	52	22-018	140	28-230	149	33-716	4	43-679	14
20-029L	52	22-019	140	28-231	148	33-725	4	45-011	22
20-036	56	22-020	140	28-232	149	33-726	4	45-013	23
20-045	50	22-021	140	28-233	148	33-730	4		20
20-046	50	22-098	138	28-234	148	33-735	4	45-300	22
20-047	50	22-099	139	28-240	144	33-740	4		22
20-065	51	22-118	139	28-241	144	33-805	4	45-711	21
20-067	59	22-121	139	28-242	144	33-835	6		
20-069	59	22-122	139	28-255	149	33-885	4	45-912	22
20-092	61	22-170	138	28-510	47	33-890	4	46-012	25
	50	22-171	138	28-539	144	33-891	4		23
	63		138		144		4		23
	56		138		144		4		23
	58		138	28-543	144		9		24
	52		138		8		9		24
	52		138		8		9		23
	50	22-178	138		8		10		24
	50		138		8		10		25
20-238	50	22-307	138	30-419	8	34-790	11	46-323	24

SKU PAGE #	SKU PAGE #	SKU PAGE	# SKU PAGE#	SKU PAGE #
46-50224	51-62169	55-124	80 60-006120	66-091117
46-82521	51-62269	55-126	81 60-010120	66-092117
47-09919	51-62469	55-130	80 60-011120	66-093118
47-117L19	51-62569	55-136	80 60-012120	66-094118
47-11920	51-62769	55-503	79 60-013120	66-095118
47-140L18	51-71670	55-504	79 60-015120	66-096117
47-35020	517170M193	55-515	79 60-016120	66-097117
47-40025	518150M192	55-525	79 60-020119	66-098117
47-44019	518160M192	55-526	78 60-060119	66-344124
47-44219	51-94168	55-818	80 60-081119	66-357122
47-44319	51-94268	56-001	70 60-100119	66-358122
47-460	51-94468	56-003	71 60-112K119	66-565116
47-464L18	51-94768	56-004	70 60-121120	67-546114
47-465L18	520100M193	56-111	71 60-122120	68-010122
47-480	54-00473	56-202	70 60-123120	68-012123
47-482	54-00873	56-204	70 60-124120	68-012M123
47-483	54-01273	56-218	71 60-220119	68-107123
47-50219	54-01571	56-220		716201R204
47-50519	54-01673	56-701		722201R205
47-68118	54-02272	56-705		77-01829
47-72017	54-02372	57-522		77-05029
47-80319	54-02473	57-530		77-11028
47-80419	54-02772	57-531		77-11528
47-80619	54-02873	57-532		772030R205
47-80819	54-03273	57-533		77-255
47-97321	54-04073	57-534		774203R205
47-97421	54-04873	57-540		77-50027
509100M194	54-30474	57-541		77-72027
51-00067	54-51674	57-542		77-73027
51-02167	54-52474	57-543		82-115121
51-10474	54-53274	57-550		83-002126
51-10670	54-71673	57-551		83-032126
511100M193	54-925121	57-552		83-069M127
51-11269	55-00480	57-554		83-079127
511150M192	55-03382	57-594		83-124126
51-126	55-03582	57-595		84-019164
51-12768	55-04081	58-011		84-020164
51-129	55-045	58-013		84-024162
51-16267	55-099	58-111		84-026162
51-16367	55-10180	58-112		84-027162
51-16567	55-10280	58-113		84-028162
51-16767	55-10480	58-114		84-029163
51-16967	55-11381	58-230		84-031W163
51-17767	55-11481	58-501		84-032163
512100M194	55-11581	58-911		84-034162
51-40268	55-11681	58-912		84-055162
51-40367	55-11781	58-913		84-056163
514195M194	55-11880	58-930		84-058V163
51-50569	55-11978	60-0011		84-079165
51-50869	55-120	60-0021		84-097164
51-61370	55-12178	60-0031		84-098164
516150M192	55-122	60-0041		84-101165
51-61670	55-12381	60-0051		84-102165
01 010	00 12001	00 0001	20 00 000	07 102103

STANLEY

 \bigcirc

SKU	PAGE #	SKU	PAGE #	SKU	PAGE #	SKU	PAGE #	SKU	PAGE #	
84-104	164	85-919		94-960	167	CT308T	104	TR110		
84-105	164	87-367	169	94-963		CT709	104	TR150		
84-108	164	87-369	169	94-964		CT710	104	TR150HL		
84-109	164	87-471	169	94-965	186	CT710X	104	TR250		
84-110	164	87-473	169	94-966	186	CT714	104	TR35		
84-111	164	87-622		95-111	153	CT714X	104	TR45		
84-112	165	87-624	168	95-112W	153	GR10	107	TR65		
84-113	165	89-199	175	95-113X	154	GR100	106	TRA200BN	103	
84-114	165	89-339		95-144X	154	GR20	107	TRA204T		Ē
84-199	167	89-420		95-145M	154	GR25-2	106	TRA204TCS		
84-212	165	89-618		95-151	154	GS10DT	107	TRA205TC		
84-213	167	89-858	159	95-152	155	GS15DT	108	TRA205TCS		
84-493	158	89-859	159	95-153	155	GS20DT	108	TRA206T		
84-503	162	89-861	160	95-154	155	GS230S	108	TRA206TCS		
84-507	158		160	95-155	152	GS25DT		TRA700BN		
			160	95-441		GS260		TRA700BN35		
	158			95-442		GS264BK		TRA704-5C		
	159			95-443		GS500		TRA704MT		
	158			95-443		MR100CG		TRA704SST		1
	158			95-444		MR33C		TRA704T		
				95-445		MR55C5		TRA704TCS		
				95-446		MR77C		TRA704TLS		
				95-794		PAA42-1B		TRA705-5C		
				95-795		PAA42W-1B		TRA705T		
				95-796		PAA44-1B		TRA705TCS		
				95-797		PAA46-1B		TRA705TLS		
				95-872		PAA48-1B		TRA706-5C		
				95-873		PAA52-5B		TRA706MT		
				95-874		PAA54-5B		TRA706SST		
				95-876		PAA58-5B		TRA706T		
				95-891		PAA610-5B.		TRA706TCS		
				95-898		PAA62-5B		TRA706TLS		
				95-899		PAA64-5B		TRA708-5C		
				95-901		PAA66-5B		TRA708SST		
				95-902		PAA68-5B		TRA708T		2
				95-935		PBA6		TRA708TCS		
				95-937		PBS4		TRA708TLS		
				95-961		PHT150C		TRA709T		
				95-982		PHT250C		TRA709TCS		9
				96-010		PSS42-1B		TRA709TLS		
				96-011		PSS44-1B		TRB504T		
				96-021		PSS48-1B		TRB506T		
				96-023		PTT42		TRC604T		
				97-125		PTT44		TRC606-5C		
				97-126		PTT48		TRC606T		
				97-542		R120		TRE550		
				97-543		SWKBBN10		TRE650		
				CT106T		SWKBDN10		1112030		
				CT107T		SWKBN075				ľ
			182	CT108T		SWKBN125				
	174			CT109T		SWKBN125				
	174			CT10X		SWKBN125				
				CT306T		TR0400T				
00 002		JT JT/		010001		110+001				

Toll Free Customer Service Number 1-800-262-2161

Customer Service FAX Number 1-800-643-3756



Stanley Black & Decker, Inc. 480 Myrtle Street, New Britain, CT 06053 www.stanleytools.com

STHTCAT11