

# Office Products Group

### **MATERIAL SAFETY DATA SHEET**

MSDS#

67226

Section One: Identification

Newell Rubbermaid, Inc. (Sanford L.P.)

**EMERGENCY MEDICAL NUMBER:** 

2707 Butterfield Road Oak Brook, IL 60523 USA 800-323-0749 or 630-481-2000

888-786-0972

Product Name: Uni- Paint Markers Fine, Medium, Bold

Colors: Black, Blue, Gold, Green, Light Blue, Orange, Pink, Red, Silver, Violet, White, Yellow

#### Section Two: Hazard Identification

CAUTION: Contains xylene.Harmful or fatal if swallowed. Respiratory tract irritation, skin irritation, eye irritantion, aspiration hazard, central nervous system depressant. Flammable liquid and vapor.

KEEP OUT OF REACH OF CHILDREN.

\*\*WARNING: This product contains a chemical known to the State of California to cause cancer.

### Section Three: Composition

Black: Xylenes (1330-20-7), Resins, 2-methyl-1-propanol (78-83-1), Coloring Agents

Gold: Xylenes (1330-20-7), Bronze Powder (7440-66-6, 7440-50-8), Resin Silver: Xylenes (1330-20-7), Resin, Coloring Agent, Petroleum solvents Other colors: Xylenes (1330-20-7), Resins, Coloring Agents, Additives

#### Section Four: First Aid Measures

Inhalation: Remove from exposure area to fresh air immediately. Treat symptomatically and supportively. Seek medical attention

immediately.

Skin Contact: Wash with soap and water. If irritation persists seek medical attention.

Eye Contact: Flush with water. If irritation persists, seek medical attention.

Ingestion: Contact a poison control center or physician immediately.

### Section Five: Fire Fighting Measures

Flash Point: 30C<sub>xylene</sub>

Flammability Limits (% by volume): Lower: 0.8% Upper: 6.7%

Extinguishing Media: Dry chemical, carbon dioxide, regular foam

Special Fire Fighting Measures: For large fires, use foam or flood with fine water spray.

Unusual Fire and Explosion Hazards: Avoid inhalation of material or combustion by-products.

Section Six: Accidental Release Measures

In Case of Spill or Accidental Release: Treat as flammable solvent. Use adequate ventilation.

#### Section Seven: Handling and Storage

Handling: Keep cap on marker when not in use. Avoid unnecessary contact with skin. Use in well-ventilated area.

Storage: Keep away from open flames. KEEP OUT OF REACH OF CHILDREN.

## Section Eight: Exposure Controls and Personal Protection

Eye Protection: None under normal use conditions

Clothing: None under normal use conditions

Respirator: None under normal use conditions.

Ventilation: Use in a well ventilated area.



# Office Products Group

#### **MATERIAL SAFETY DATA SHEET**

MSDS#

67226

**Physical and Chemical Properties Section Nine:** 

For ink unless otherwise specified:

**Boiling Point:**  $138.5C_{xylene}$ Specific Gravity: 1.25-1.32

Vapor Pressure: 6.72 mm Hg at 21Cxylene

Solubility in Water: Insoluble **Evaporation Rate:** Not determined

Appearance/Odor: Colored liquid; xylene odor

**Section Ten:** Stability and Reactivity

Stability: Stable

Conditions to Avoid: Avoid heat, flames, sparks, and other sources of ignition.

Chemical Incompatibility: Strong oxidizers

Hazardous Decomposition: Oxides of carbon in fire situation

Hazardous Polymerization: Will not occur

**Section Eleven:** Toxicological Information

See Section Two: Hazard Identification for any hazards

**Section Twelve: Ecological Information** 

Not available

TSCA:

Section Thirteen: **Disposal Considerations** 

Dispose in accordance with Federal, State, and Local Regulations.

**Section Fourteen: Transport Information** 

Refer to shipping papers, if applicable

Section Fifteen: **Regulatory Information** 

The product listed on this Material Safety Data Sheet is not listed on the Toxic Substances Control Act Inventory. All ingredients used to manufacture this product are listed on the TSCA Inventory

**Section Sixteen:** Other Information

**HMIS** Code Health N/A Flammability N/A Reactivity N/A Personal Protection N/A

NewellRubbermaid, Inc (Sanford L.P) has been advised by Counsel that the OSHA Hazard Communication Standard and the Health Canada Workplace Hazardous Materials Information Standard do not apply to the product described in this Material Safety Data Sheet. The reasons for the exemptions are contained in 29 CFR 1910.1200(b)(6)(ix) as amended Sept 14, 2009 per the Code of Federal Regulations and also Canadian Hazardous Products Act part 12 section (f) as amended June 1, 2009. The information contained in this MSDS is forwarded to you for your information, but is not meant to imply that the product is covered by nor is this MSDS meant to comply with all requirements of the hazard communication standards.

0=Minimal / 4 = Severe

Life Cycle State: Released Iteration: 3.1

April 3, 2014 If y Timestamp: 2014-04-03 10:06:20 CDT