# TRIM

# SAFETY DATA SHEET

## 1. Identification

Product identifier TRIM® SC520

Other means of identification None.

Recommended use Metal Working Fluids.

**Recommended restrictions** Applicable for industrial settings only. No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name Master Chemical Corp d/b/a Master Fluid Solutions

Address 501 West Boundary Street

Perrysburg, Ohio 43551-1200

**United States** 

**Telephone** 419-874-7902

Website www.masterfluidsolutions.com
E-mail info@masterchemical.com

Emergency phone number CHEMTREC 1-800-424-9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

**Precautionary statement** 

Prevention Wash hands thoroughly after handling. Wear eye protection/face protection. Wear protective

gloves.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off

contaminated clothing and wash it before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
SEVERELY HYDROTREATED PETROLEUM OIL		64742-52-5	5 - < 10
TRIETHANOLAMINE		102-71-6	5 - < 10

Material name: TRIM® SC520 SDS US

1028 Version #: 03 Revision date: 08-29-2017 Issue date: 05-27-2015

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	3 - < 5
MONOETHANOLAMINE		141-43-5	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
TRADE SECRET*		Proprietary*	1 - < 3
Other components below reports	able levels		70 - < 80

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

**Inhalation** Move to fresh air.

**Skin contact** Wash affected area with mild soap and water.

Eye contact Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses.

**Ingestion** In the unlikely event of swallowing contact a physician or poison control center.

Most important None known.

symptoms/effects, acute and

delayed

**General information** Get medical attention, if needed.

## 5. Fire-fighting measures

Suitable extinguishing media Dry chemical, CO2, water spray or alcohol resistant foam. Use fire-extinguishing media

appropriate for surrounding materials.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

No unusual fire or explosion hazards noted.

Special protective equipment and precautions for firefighters

Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS. Keep unnecessary personnel away. Use

personal protective equipment as required.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Clean up in accordance with all applicable regulations.

## 7. Handling and storage

Precautions for safe handling Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Do not taste or swallow.

Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store in a closed container. The product is stable and non-reactive under normal conditions of use, storage and transport. Store in a dry place.

## 8. Exposure controls/personal protection

# Occupational exposure limits

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
MONOETHANOLAMINE (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
SEVERELY HYDROTREATED PETROLEUM OIL (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
MONOETHANOLAMINE (CAS 141-43-5)	STEL	6 ppm	
,	TWA	3 ppm	

Material name: TRIM® SC520 SDS US

**US. ACGIH Threshold Limit Values Form** Value Components Type **SEVERELY** TWA 5 mg/m3 Inhalable fraction. **HYDROTREATED** PETROLEUM OIL (CAS 64742-52-5) TRIETHANOLAMINE (CAS **TWA** 5 mg/m3 102-71-6) **US. NIOSH: Pocket Guide to Chemical Hazards Form** Value Components Type **MONOETHANOLAMINE** STEL 15 mg/m3 (CAS 141-43-5) 6 ppm **TWA** 8 mg/m3 3 ppm **SEVERELY STEL** 10 mg/m3 Mist. **HYDROTREATED** PETROLEUM OIL (CAS 64742-52-5)

Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Safety glasses.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

Physical state Liquid.
Color Blue
Odor Mild amine
Odor threshold Not available.
pH 10.2 - 10.6

Melting point/freezing point 21.4 °F (-5.89 °C)
Initial boiling point and boiling 210.09 °F (98.94 °C)

range

Flash point > 199.9 °F (> 93.3 °C)

Evaporation rate < 1 BuAc
Flammability (solid, gas) Not applicable.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Not available

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Soluble

Material name: TRIM® SC520 SDS US

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Flash point class ASTM D93-08 pH in aqueous solution 9.6 - 10 Specific gravity 0.979 - 1.082

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

**Conditions to avoid**Do not add sodium nitrite or other nitrosating agents which may form cancer causing nitrosamines.

**Incompatible materials** Strong acids. Powerful oxidizers.

**Hazardous decomposition** 

products

To avoid thermal decomposition, do not overheat.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** No adverse effects due to inhalation are expected.

Skin contact May be irritating to the skin.

Eye contact May be irritating to eyes.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May be irritating to the skin. May be irritating to eyes.

## Information on toxicological effects

Acute toxicity Not classified.

Product	Species	Test Results	
TRIM® SC520			_
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000, mg/kg	
Inhalation			
LC50	Rat	> 200, mg/l	
Oral			
LD50	Rat	> 5000, mg/kg	

Skin corrosion/irritation May be irritating to the skin.

Serious eye damage/eye May be irritating to eyes.

irritation

Respiratory or skin sensitization

**Respiratory sensitization**Classification not possible. Not a respiratory sensitizer. **Skin sensitization**This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Material name: TRIM® SC520

Specific target organ toxicity -

single exposure

Classification not possible.

Specific target organ toxicity -

repeated exposure

Classification not possible.

Classification not possible. Not an aspiration hazard. **Aspiration hazard** 

None known. **Chronic effects** 

## 12. Ecological information

Not available. **Ecotoxicity** 

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Dispose of contents/container in accordance with local/regional/national/international regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Follow precautions for safe handling described in this safety data sheet.

## 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

**UN number** UN3082

**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-16,

CHLORO)

Not established.

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group

**Environmental hazards** 


Marine pollutant Yes **EmS** F-A. S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

**IMDG** 



Material name: TRIM® SC520

1028 Version #: 03 Revision date: 08-29-2017 Issue date: 05-27-2015

## Marine pollutant



**General information** IMDG Regulated Marine Pollutant.

# 15. Regulatory information

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

## Other federal regulations

## Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

#### **US** state regulations

# **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

 Issue date
 05-27-2015

 Revision date
 08-29-2017

Version # 03

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Master Chemical Corp d/b/a Master Fluid Solutions cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Material name: TRIM® SC520 SDS US

## **Revision information**

Identification: Recommended restrictions

Composition / Information on Ingredients: Ingredients

Exposure controls/personal protection: Appropriate engineering controls
Toxicological Information: Toxicological Data
Transport Information: Material Transportation Information
HazReg Data: International Inventories
GHS: Classification

Material name: TRIM® SC520 SDS US